



RAILROAD COMMISSION OF TEXAS

Form W-2

1701 N. Congress
 P.O. Box 12967
 Austin, Texas 78701-2967

Status: Approved
 Date: 10/31/2018
 Tracking No.: 185807

OIL WELL POTENTIAL TEST, COMPLETION OR RECOMPLETION REPORT,

OPERATOR INFORMATION			
Operator	SHELL WESTERN E&P	Operator	774719
Operator	PO BOX 576 HOUSTON, TX 77001-0000		

WELL INFORMATION			
API	42-301-33226	County:	LOVING
Well No.:	0904H	RRC District	08
Lease	UNIVERSITY 19 PW UNIT	Field	PHANTOM (WOLFCAMP)
RRC Lease	42401	Field No.:	71052900
Location	Section: 9, Block: 19, Survey: UNIVERSITY LAND, Abstract:		
Latitude	31	Longitud	-103
This well is	10.6	miles in a	SE
direction from	MENTONE,		
which is the nearest town in the			

FILING INFORMATION			
Purpose of	Initial Potential		
Type of	New Well		
Well Type:	Producing	Completion or Recompletion	01/18/2018
<u>Type of Permit</u>		<u>Date</u>	<u>Permit No.</u>
Permit to Drill, Plug Back, or		02/24/2017	823212
Rule 37 Exception			
Fluid Injection			
O&G Waste Disposal			
Other:			

COMPLETION INFORMATION			
Spud	06/20/2017	Date of first production after rig	01/18/2018
Date plug back, deepening, drilling operation	06/19/2017	Date plug back, deepening, recompletion, drilling operation	10/07/2017
Number of producing wells on this lease this field (reservoir) including this	37	Distance to nearest well in lease & reservoir	330.0
Total number of acres in	13511.20	Elevation	2772 GL
Total depth TVD	11639	Total depth MD	18580
Plug back depth TVD		Plug back depth MD	
Was directional survey made other inclination (Form W-	Yes	Rotation time within surface casing	70.0
Recompletion or	No	Is Cementing Affidavit (Form W-15)	Yes
Type(s) of electric or other log(s)	Gamma Ray (MWD)		
Electric Log Other Description:			
Location of well, relative to nearest lease of lease on which this well is	1401.0 Feet from the	Off Lease :	No
	6550.0 Feet from the	SW Line and	
		NW Line of the	
		UNIVERSITY 19 PW UNIT Lease.	

FORMER FIELD (WITH RESERVOIR) & GAS ID OR OIL LEASE NO.			
Field & Reservoir	Gas ID or Oil Lease	Well No.	Prior Service Type
PACKET:	N/A		

W2: N/A

FOR NEW DRILL OR RE-ENTRY, SURFACE CASING DEPTH DETERMINED BY:

GAU Groundwater Protection Determination	Depth	1000.0	Date	01/02/2017
SWR 13 Exception	Depth	4900.0		

INITIAL POTENTIAL TEST DATA FOR NEW COMPLETION OR RECOMPLETION

Date of	02/21/2018	Production	Flowing
Number of hours	24	Choke	26/64
Was swab used during this	No	Oil produced prior to	21255.00
PRODUCTION DURING TEST PERIOD:			
Oil	840.00	Gas	795
Gas - Oil	946	Flowing Tubing	2223.00
Water	2304		
CALCULATED 24-HOUR RATE			
Oil	840.0	Gas	795
Oil Gravity - API - 60.:	43.0	Casing	1548.00
Water	2304		

CASING RECORD

<u>Ro</u>	<u>Type of Casing</u>	<u>Casing Size (in.)</u>	<u>Hole Size</u>	<u>Setting Depth</u>	<u>Multi - Stage Tool</u>	<u>Multi - Stage Shoe</u>	<u>Cement Class</u>	<u>Cement Amoun</u>	<u>Slurry Volume (cu.)</u>	<u>Top of Cement (ft.)</u>	<u>TOC Determined By</u>
1	Surface	9 5/8	12 1/4	4907	1208		CLASS C	2806	4987.0	0	Circulated to Surface
2	Intermediate	7	8 3/4	11925			CLASS C AND CLASS H	743	1579.0	1548	Calculation

LINER RECORD

<u>Ro</u>	<u>Liner Size</u>	<u>Hole Size</u>	<u>Liner Top</u>	<u>Liner Bottom</u>	<u>Cement Class</u>	<u>Cement Amoun</u>	<u>Slurry Volume (cu.)</u>	<u>Top of Cement (ft.)</u>	<u>TOC Determined</u>
1	4 1/2	6 1/8	10989	18580	CLASS H	688	828.0	1098 9	Calculation

TUBING RECORD

<u>Ro</u>	<u>Size (in.)</u>	<u>Depth</u>	<u>Size (ft.)</u>	<u>Packer Depth (ft.)/Type</u>
1	2 7/8	10980		10949 / VERSASET PACKER

PRODUCING/INJECTION/DISPOSAL INTERVAL

<u>Ro</u>	<u>Open hole?</u>	<u>From (ft.)</u>	<u>To (ft.)</u>
1	No	L1 11866	18309.0

ACID, FRACTURE, CEMENT SQUEEZE, CAST IRON BRIDGE PLUG, RETAINER, ETC.

Was hydraulic fracturing treatment	Yes
Is well equipped with a downhole sleeve?	Yes
Production casing test pressure (PSIG) during hydraulic fracturing	9500
Actual maximum pressure (PSIG) during fracturin	9437
Has the hydraulic fracturing fluid disclosure been	Yes
If yes, actuation pressure	5843.0

<u>Ro</u>	<u>Type of Operation</u>	<u>Amount and Kind of Material Used</u>	<u>Depth Interval (ft.)</u>
-----------	--------------------------	---	-----------------------------

FORMATION RECORD

<u>Formations</u>	<u>Encountere</u>	<u>Depth TVD</u>	<u>Depth MD</u>	<u>Is formation</u>	<u>Remarks</u>
RED BLUFF	No			No	FORMATION NOT GEOLOGICALLY PRESENT
BELL CANYON	Yes	5002.0	5040.0	Yes	
BRUSHY CANYON	Yes	7134.0	7182.0	Yes	
DELAWARE	Yes	4978.0	5016.0	Yes	
CHERRY CANYON	Yes	5939.0	5982.0	Yes	
BONE SPRINGS	Yes	8573.0	8622.0	Yes	
WOLFCAMP	Yes	11353.0	11432.0	Yes	
PENNSYLVANIAN	No			No	BELOW WELLBORE DEPTH
STRAWN	No			No	BELOW WELLBORE DEPTH
ATOKA - HIGH PRESSURE	No			No	BELOW WELLBORE DEPTH
MORROW	No			No	BELOW WELLBORE DEPTH
DEVONIAN	No			No	BELOW WELLBORE DEPTH
FUSSELMAN	No			No	BELOW WELLBORE DEPTH
ELLENBURGER	No			No	BELOW WELLBORE DEPTH

Do the producing interval of this well produce H2S with a concentration in excess of 100 ppm No

Is the completion being downhole commingled No

REMARKS

KOP AT 11062.

THIS WELL WAS PERMITTED AS AN ALLOCATION WELL, BUT A REVISED P-6 IS BEING WORKED TO INCLUDE THIS WELL AS ACREAGE AS PART OF THE UNIVERSITY 19 PW UNIT, LEASE ID 42401.

RRC REMARKS

PUBLIC COMMENTS:

[RRC Staff 2018-04-24 14:37:56.326] EDL=6443 feet, max acres=704, PHANTOM (WOLFCAMP) oil or gas well

CASING RECORD :

DV TOOL SET AT 1208, BUT NOT OPENED AS APPROVED IN SWR 13.

TUBING RECORD:

PRODUCING/INJECTION/DISPOSAL INTERVAL :

ACID, FRACTURE, CEMENT SQUEEZE, CAST IRON BRIDGE PLUG, RETAINER, ETC. :

POTENTIAL TEST DATA:

OPERATOR'S CERTIFICATION

Printed	Maureen Kovacic	Title:	Regulatory Specialist
Telephone	(832) 337-0953	Date	07/12/2018



RAILROAD COMMISSION OF TEXAS

1701 N. Congress
P.O. Box 12967
Austin, Texas 78701-2967

Form W-15

Rev. 08/2014

CEMENTING REPORT

Cementor: Fill in shaded areas.
Operator: Fill in other items.

OPERATOR INFORMATION	
Operator Name: SHELL EXPLORATION & PRODUCTION	Operator P-5 No.: 774719
Cementor Name: BJ Services, LLC	Cementor P-5 No.: 403101

WELL INFORMATION		
District No.: 08	County: LOVING	
Well No.: 19 D 0904H	API No.: 42-301-33226	Drilling Permit No.: 823212
Lease Name: UNIVERSITY 19 PW Unit	Lease No.: 42401	
Field Name: Phantom (Wolfcamp)	Field No.: 71052900	

I. CASING CEMENTING DATA		
Type of casing: <input type="checkbox"/> Conductor <input checked="" type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Liner <input type="checkbox"/> Production		
Drilled hole size (in.): 12 1/4	Depth of drilled hole (ft.): 4885 4,912	Est. % wash-out or hole enlargement: 21%
Size of casing in O.D. (in.): 9 5/8	Casing weight (lbs/ft) and grade: 40 PD J-55	No. of centralizers used: 30
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO If no for surface casing, explain in Remarks.	Setting depth shoe (ft.): 4907	Top of liner (ft.):
		Setting depth liner (ft.):
Hrs. waiting on cement before drill-out: +12	Calculated top of cement (ft.): 0	Cementing date: 06/22/2017

SLURRY					
Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1	2305	C	REMARK1	4321	13786
2	501	C	REMARK2	668	2126
3					
Total	2806			4987	15922

II. CASING CEMENTING DATA		
Type of casing: <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Production <input type="checkbox"/> Tapered production <input type="checkbox"/> Multi-stage cement shoe <input type="checkbox"/> Multiple parallel strings		
Drilled hole size (in.):	Depth of drilled hole (ft.):	Est. % wash-out or hole enlargement:
Size of casing in O.D. (in.):	Casing weight (lbs/ft) and grade:	No. of centralizers used:
Tapered string drilled hole size (in.) Upper: Lower:	Tapered string depth of drilled hole (ft.) Upper: Lower:	
Tapered string size of casing in O.D. (in.) Upper: Lower:	Tapered string casing weight (lbs/ft) and grade Upper: Lower:	Tapered string no. of centralizers used Upper: Lower:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input type="checkbox"/> NO	Setting depth shoe (ft.):	
Hrs. waiting on cement before drill-out:	Calculated top of cement (ft.):	Cementing date:

SLURRY					
Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1					
2					
3					
Total					

III. CASING CEMENTING DATA		
Type of casing: <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Production <input type="checkbox"/> Tapered production <input type="checkbox"/> Multi-stage cement/DV tool <input type="checkbox"/> Multiple parallel strings		
Drilled hole size (in.):	Depth of drilled hole (ft.):	Est. % wash-out or hole enlargement:
Size of casing in O.D. (in.):	Casing weight (lbs/ft) and grade:	No. of centralizers used:
Tapered string drilled hole size (in.) Upper: Lower:	Tapered string depth of drilled hole (ft.) Upper: Lower:	
Tapered string size of casing in O.D. (in.) Upper: Lower:	Tapered string casing weight (lbs/ft) and grade Upper: Lower:	Tapered string no. of centralizers used Upper: Lower:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input type="checkbox"/> NO	Setting depth tool (ft.):	
Hrs. waiting on cement before drill-out:	Calculated top of cement (ft.):	Cementing date:

SLURRY					
Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1					
2					
3					
Total					

CEMENTING TO SQUEEZE, PLUG BACK OR PLUG AND ABANDON							
	PLUG #1	PLUG #2	PLUG #3	PLUG #4	PLUG #5	PLUG #6	PLUG #7
Cementing Date							
Size of hole or pipe (in.)							
Depth to bottom of tubing or drill pipe (ft.)							
Cement retainer setting depth (ft.)							
CIBP setting depth (ft.)							
Amount of cement on top of CIBP (ft.)							
Sacks of cement used							
Slurry volume pumped (cu. ft.)							
Calculated top of plug (ft.)							
Measured top of plug, if tagged (ft.)							
Slurry weight (lbs/gal)							
Class/type of cement							
Perforate and squeeze (YES/NO)							

REMARKS

REMARK #1 35.65-4 CLASS C + .65% SMS + 5.0% SALT + 1.0% R-3+ .005 LBS/SK STATIC FREE
 REMARK #2 CLASS C + .65% SMS + 5.0% SALT + 1.00 R-3+ .005LBS/SK STATIC FREE
 CIRCULATED CEMENT 418 BBLS = 1396 SACKS

CEMENTER'S CERTIFICATE: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that the cementing of casing and/or the placing of cement plugs in this well as shown in the report was performed by me or under my supervision, and that the cementing data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers cementing data only.

LUIS RIOS -Field Specialist **BJ Services, LLC**
 Name and title of cementer's representative Cementing Company
 11211 FM 2920 Rd. Tomball, Texas 77375 Signature: *Luis Rios*
 Address City, State, Zip Code Tel: Area Code Number Date: mo. day yr.
 (281) 408-2361 06/22/2017

OPERATOR'S CERTIFICATE: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that I have knowledge of the well data and information presented in this report, and that data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers all well data.

Michael Bouwell Regulatory Specialist
 Typed or printed name of operator's representative Title Signature: *Michael Bouwell*
 150 N. Dairy Ashford Houston, TX 77079 832-337-0258 05/02/2018
 Address City, State, Zip Code Tel: Area Code Number Date: mo. day yr.

Instructions for Form W-15, Cementing Report

NOTICE: The Form W-15 must be submitted as an attachment to a Form G-1 (Gas Well Back Pressure Test, Completion or Recompletion Report, and Log), Form W-2 (Oil Well Potential Test, Completion or Recompletion Report, and Log), Form W-3 (Plugging Record), or Form W-4 (Application for Multiple Completion), any time cement is pumped in a wellbore.

- A. **What to file:** An operator should file an original and one copy of the completed Form W-15 for each cementing company used on a well. The cementing of different casing strings on a well by one cementing company may be reported on one form.
 The Form W-15 should be filed with the Form W-3, Plugging Record, unless the Form W-3 is signed by the cementing company representative. When reporting dry holes, operators must complete Form W-15, in addition to Form W-3, to show any casing cemented in the hole.
- B. **How to file:** An oil and gas completion report and Form W-15 may be filed online using the Commission's Online System (<https://webapps.rrc.state.tx.us/security/login.do>) or a paper copy of the form may be mailed to the Commission in Austin (P.O. Box 12967, Austin, Texas 78711-2967).
- C. **Surface casing:** An operator must set and cement sufficient surface casing to protect all usable-quality water strata, as defined by the Groundwater Advisory Unit in Austin. Sufficient cement shall be used to fill the annular space outside the casing from the shoe to the ground surface or to the bottom of the cellar. Before drilling a well, an operator must obtain a letter from the Groundwater Advisory Unit stating the protection depth. Surface casing should not be set deeper than 200 feet below the specified depth without prior approval from the Commission.
 To plug and abandon a well, operators must use only cementers approved by the Commission's Director of Field Operations in accordance with SWR 14 ([http://info.sos.state.tx.us/pls/pub/readtac\\$ext.TacPage?sl=R&app=9&p_dir=&p_rloc=&p_tloc=&p_ploc=1&p_tac=&ti=16&pt=1&ch=3&rl=14](http://info.sos.state.tx.us/pls/pub/readtac$ext.TacPage?sl=R&app=9&p_dir=&p_rloc=&p_tloc=&p_ploc=1&p_tac=&ti=16&pt=1&ch=3&rl=14)). Cementing companies, service companies, or operators can qualify as approved cementers by demonstrating that they are able to mix and pump cement in compliance with Commission rules and regulations.
- D. **Estimated % wash-out:** If the estimated % wash-out is less than 20% (or 30% along the Gulf Coast), provide supporting documentation such as a calliper log to show how the estimated % wash-out was obtained.
- E. **Multi-stage cement:** An operator must report the multi-stage cement shoe in II. Casing Cementing Data section by selecting the type of casing and Multi-stage cement shoe. The operator must report the multi-stage cement tool in III. Casing Cementing Data section by selecting the type of casing and Multi-stage cement/DV tool.
- F. **Multiple parallel strings:** An operator should file the Form W-15 as an attachment to the Form W-4, Application for Multiple Completion. An operator may be required to submit multiple Form W-15s to show all data for multiple parallel strings.
- G. **Slurry data:** If cement job exceeds three slurries, continue the list of slurries in the Slurry table in the subsequent Casing Cementing Data box.



RAILROAD COMMISSION OF TEXAS

1701 N. Congress
P.O. Box 12967
Austin, Texas 78701-2967

Form W-15

Rev. 08/2014

Cementer: Fill in shaded areas.
Operator: Fill in other items.

CEMENTING REPORT

OPERATOR INFORMATION

Operator Name: SHELL EXPLORATION AND PRODUCTION	Operator P-S No.: 774719
Cementer Name: BJ SERVICES, L.L.C.	Cementer P-S No.: 403101

WELL INFORMATION

District No.: 08	County: LOVING	
Well No.: 0004H	API No.: 4230133228	Drilling Permit No.: 823212
Lease Name: UNIVERSITY 19 D University 19 PW Unit	Lease No.: 42401	
Field Name: Phantom (Wolfcamp)	Field No.: 71052900	

I. CASING CEMENTING DATA

Type of casing: <input type="checkbox"/> Conductor <input type="checkbox"/> Surface <input checked="" type="checkbox"/> Intermediate <input type="checkbox"/> Liner <input type="checkbox"/> Production		
Drilled hole size (in.): 8.75	Depth of drilled hole (ft.): 11,940	Est. % wash-out or hole enlargement: 10%
Size of casing in O.D. (in.): 7	Casing weight (lbs/ft) and grade: 29#, P-110	No. of centralizers used: 41
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO If no for surface casing, explain in Remarks	Setting depth shoe (ft.): 11925	Top of liner (ft.):
		Setting depth liner (ft.):
Hrs. waiting on cement before drill-out: +12	Calculated top of cement (ft.): 1548	Cementing date: 07/17/2017

SLURRY

Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1	277	C	SEE REMARKS #1	1019	6771
2	406	H	SEE REMARKS #2	501	3731
3					
Total	743			1579	10502

II. CASING CEMENTING DATA

Type of casing: <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Production <input type="checkbox"/> Tapered production <input type="checkbox"/> Multi-stage cement shoe <input type="checkbox"/> Multiple parallel strings		
Drilled hole size (in.):	Depth of drilled hole (ft.):	Est. % wash-out or hole enlargement:
Size of casing in O.D. (in.):	Casing weight (lbs/ft) and grade:	No. of centralizers used:
Tapered string drilled hole size (in.) Upper: Lower:	Tapered string depth of drilled hole (ft.) Upper: Lower:	
Tapered string size of casing in O.D. (in.) Upper: Lower:	Tapered string casing weight (lbs/ft) and grade Upper: Lower:	Tapered string no. of centralizers used Upper: Lower:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input type="checkbox"/> NO	Setting depth shoe (ft.):	
Hrs. waiting on cement before drill-out:	Calculated top of cement (ft.):	Cementing date:

SLURRY

Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1					
2					
3					
Total					

III. CASING CEMENTING DATA

Type of casing: <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Production <input type="checkbox"/> Tapered production <input type="checkbox"/> Multi-stage cement/DV tool <input type="checkbox"/> Multiple parallel strings		
Drilled hole size (in.):	Depth of drilled hole (ft.):	Est. % wash-out or hole enlargement:
Size of casing in O.D. (in.):	Casing weight (lbs/ft) and grade:	No. of centralizers used:
Tapered string drilled hole size (in.) Upper: Lower:	Tapered string depth of drilled hole (ft.) Upper: Lower:	
Tapered string size of casing in O.D. (in.) Upper: Lower:	Tapered string casing weight (lbs/ft) and grade Upper: Lower:	Tapered string no. of centralizers used Upper: Lower:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input type="checkbox"/> NO	Setting depth tool (ft.):	
Hrs. waiting on cement before drill-out:	Calculated top of cement (ft.):	Cementing date:

SLURRY

Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1					
2					
3					
Total					

CEMENTING TO SQUEEZE, PLUG BACK OR PLUG AND ABANDON							
	PLUG #1	PLUG #2	PLUG #3	PLUG #4	PLUG #5	PLUG #6	PLUG #7
Cementing Date							
Size of hole or pipe (in.)							
Depth to bottom of tubing or drill pipe (ft.)							
Cement retainer setting depth (ft.)							
CIBP setting depth (ft.)							
Amount of cement on top of CIBP (ft.)							
Sacks of cement used							
Slurry volume pumped (cu. ft.)							
Calculated top of plug (ft.)							
Measured top of plug, if tagged (ft.)							
Slurry weight (lbs/gal)							
Class/type of cement							
Perforate and squeeze (YES/NO)							

REMARKS

REMARKS #1, C85/35POZ+10% BA-90+6% BENTONITE+5% A-10+1.2% R-3+1% CD-32+2.26% SMS+1.5% FL-52+3% POTASSIUM CHLORIDE+0.005 LB/SK STATIC FREE+0.005 GPS FP-8L
 REMARKS #2 H50/50POZ+2% BENTONITE+0.6% FL-66+0.35% CD-32+0.4% R-3+0.35% SMS+0.006 LB/SK STATIC FREE+0.005 GPS FP-8L

CEMENTER'S CERTIFICATE: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that the cementing of casing and/or the placing of cement plugs in this well as shown in the report was performed by me or under my supervision, and that the cementing data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers cementing data only.

Jesus Alfredo Esparza-Field Specialist BJ SERVICES, LLC *[Signature]*

Name and title of cementer's representative Cementing Company Signature

11211 FM 2920 RD TOMBALL, TEXAS 77375 (281) 408-2361 07/17/2017

Address City, State, Zip Code Tel: Area Code Number Date: mo. day yr.

OPERATOR'S CERTIFICATE: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that I have knowledge of the well data and information presented in this report, and that data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers all well data.

Michael Boutwell Regulatory Specialist *[Signature]*

150 N. Dairy Ashford Houston TX 77079 832-337-0258 05/02/2018

Address City, State, Zip Code Tel: Area Code Number Date: mo. day yr.

Instructions for Form W-15, Cementing Report

NOTICE: The Form W-15 must be submitted as an attachment to a Form G-1 (Gas Well Back Pressure Test, Completion or Recompletion Report, and Log), Form W-2 (Oil Well Potential Test, Completion or Recompletion Report, and Log), Form W-3 (Plugging Record), or Form W-4 (Application for Multiple Completion), any time cement is pumped in a wellbore.

- A. **What to file:** An operator should file an original and one copy of the completed Form W-15 for each cementing company used on a well. The cementing of different casing strings on a well by one cementing company may be reported on one form.
The Form W-15 should be filed with the Form W-3, Plugging Record, unless the Form W-3 is signed by the cementing company representative. When reporting dry holes, operators must complete Form W-15, in addition to Form W-3, to show any casing cemented in the hole.
- B. **How to file:** An oil and gas completion report and Form W-15 may be filed online using the Commission's Online System (<https://webapps.rrc.state.tx.us/security/login.do>) or a paper copy of the form may be mailed to the Commission in Austin (P.O. Box 12967, Austin, Texas 78711-2967).
- C. **Surface casing:** An operator must set and cement sufficient surface casing to protect all usable-quality water strata, as defined by the Groundwater Advisory Unit in Austin. Sufficient cement shall be used to fill the annular space outside the casing from the shoe to the ground surface or to the bottom of the cellar. Before drilling a well, an operator must obtain a letter from the Groundwater Advisory Unit stating the protection depth. Surface casing should not be set deeper than 200 feet below the specified depth without prior approval from the Commission.
To plug and abandon a well, operators must use only cements approved by the Commission's Director of Field Operations in accordance with SWR 14 ([http://info.sos.state.tx.us/pls/pub/readtac\\$ext.TacPage?sl=R&app=9&p_dir=&p_loc=&p_tloc=&p_ploc=&pg=1&p_tac=&tl=16&pt=1&ch=3&rl=14](http://info.sos.state.tx.us/pls/pub/readtac$ext.TacPage?sl=R&app=9&p_dir=&p_loc=&p_tloc=&p_ploc=&pg=1&p_tac=&tl=16&pt=1&ch=3&rl=14)). Cementing companies, service companies, or operators can qualify as approved cementers by demonstrating that they are able to mix and pump cement in compliance with Commission rules and regulations.
- D. **Estimated % wash-out:** If the estimated % wash-out is less than 20% (or 30% along the Gulf Coast), provide supporting documentation such as a caliper log to show how the estimated % wash-out was obtained.
- E. **Multi-stage cement:** An operator must report the multi-stage cement shoe in II. Casing Cementing Data section by selecting the type of casing and Multi-stage cement shoe. The operator must report the multi-stage cement tool in II. Casing Cementing Data section by selecting the type of casing and Multi-stage cement/DV tool.
- F. **Multiple parallel strings:** An operator should file the Form W-15 as an attachment to the Form W-4, Application for Multiple Completion. An operator may be required to submit multiple Form W-15s to show all data for multiple parallel strings.
- G. **Slurry data:** If cement job exceeds three slurries, continue the list of slurries in the Slurry table in the subsequent Casing Cementing Data box.



RAILROAD COMMISSION OF TEXAS

1701 N. Congress
P.O. Box 12967
Austin, Texas 78701-2967

Form W-15

Rev. 08/2014

Cementer: Fill in shaded areas.
Operator: Fill in other items.

CEMENTING REPORT

OPERATOR INFORMATION

Operator Name: SHELL EXPLORATION AND PRODUCTION	Operator P-5 No.: 774719
Cementer Name: BJ Services, LLO	Cementer P-5 No.: 403101

WELL INFORMATION

District No.: 08	County: LOVING	
Well No.: 0904H	API No.: 42301332260000	Drilling Permit No.: 823212
Lease Name: UNIVERSITY 19D	Lease No.: 42401	
Field Name: Phantom (Wolfcamp)	Field No.: 71052900	

I. CASING CEMENTING DATA

Type of casing: <input type="checkbox"/> Conductor <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input checked="" type="checkbox"/> Liner <input type="checkbox"/> Production		
Drilled hole size (in.): 6.125	Depth of drilled hole (ft.): 18580	Est. % wash-out or hole enlargement: 15%
Size of casing in O.D. (in.): 4.5in	Casing weight (lbs/ft) and grade: 11.6# P-110	No. of centralizers used:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO If no for surface casing, explain in Remarks.	Setting depth shoe (ft.): 18580	Top of liner (ft.): 10989
		Setting depth liner (ft.): 18580
Hrs. waiting on cement before drill-out: n/a	Calculated top of cement (ft.): 10989	Cementing date: 09/11/17

SLURRY

Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1	688	H	SEE REMARKS	828	
2			SEE REMARKS		
3					
Total	688	H		828	6946

II. CASING CEMENTING DATA

Type of casing: <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Production <input type="checkbox"/> Tapered production <input type="checkbox"/> Multi-stage cement shoe <input type="checkbox"/> Multiple parallel strings		
Drilled hole size (in.):	Depth of drilled hole (ft.):	Est. % wash-out or hole enlargement:
Size of casing in O.D. (in.):	Casing weight (lbs/ft) and grade:	No. of centralizers used:
Tapered string drilled hole size (in.) Upper: Lower:	Tapered string depth of drilled hole (ft.) Upper: Lower:	
Tapered string size of casing in O.D. (in.) Upper: Lower:	Tapered string casing weight (lbs/ft) and grade Upper: Lower:	Tapered string no. of centralizers used Upper: Lower:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input type="checkbox"/> NO	Setting depth shoe (ft.):	
Hrs. waiting on cement before drill-out:	Calculated top of cement (ft.):	Cementing date:

SLURRY

Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1					
2					
3					
Total					

III. CASING CEMENTING DATA

Type of casing: <input type="checkbox"/> Surface <input type="checkbox"/> Intermediate <input type="checkbox"/> Production <input type="checkbox"/> Tapered production <input type="checkbox"/> Multi-stage cement/DV tool <input type="checkbox"/> Multiple parallel strings		
Drilled hole size (in.):	Depth of drilled hole (ft.):	Est. % wash-out or hole enlargement:
Size of casing in O.D. (in.):	Casing weight (lbs/ft) and grade:	No. of centralizers used:
Tapered string drilled hole size (in.) Upper: Lower:	Tapered string depth of drilled hole (ft.) Upper: Lower:	
Tapered string size of casing in O.D. (in.) Upper: Lower:	Tapered string casing weight (lbs/ft) and grade Upper: Lower:	Tapered string no. of centralizers used Upper: Lower:
Was cement circulated to ground surface (or bottom of cellar) outside casing? <input type="checkbox"/> YES <input type="checkbox"/> NO	Setting depth tool (ft.):	
Hrs. waiting on cement before drill-out:	Calculated top of cement (ft.):	Cementing date:

SLURRY

Slurry No.	No. of Sacks	Class	Additives	Volume (cu. ft.)	Height (ft.)
1					
2					
3					
Total					

CEMENTING TO SQUEEZE, PLUG BACK OR PLUG AND ABANDON								
	PLUG #1	PLUG #2	PLUG #3	PLUG #4	PLUG #5	PLUG #6	PLUG #7	
Cementing Date								
Size of hole or pipe (in.)								
Depth to bottom of tubing or drill pipe (ft.)								
Cement retainer setting depth (ft.)								
CIBP setting depth (ft.)								
Amount of cement on top of CIBP (ft.)								
Sacks of cement used								
Slurry volume pumped (cu. ft.)								
Calculated top of plug (ft.)								
Measured top of plug, if tagged (ft.)								
Slurry weight (lbs/gal)								
Class/type of cement								
Perforate and squeeze (YES/NO)								

REMARKS

50 50 F02H+2% GEL+ 65% FL66+ 3% CD 37+ 35% SMI+ 4% R-3+ 00% M+K STATIC FREE
 RIG CIRCULATED 12 1/4" 150 SPOKS/167 C/OI OF CEMENT TO SURFACE OFF TOP OF C/LMER

CEMENTER'S CERTIFICATE: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that the cementing of casing and/or the placing of cement plugs in this well as shown in the report was performed by me or under my supervision, and that the cementing data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers cementing data only.

RICHARD F RAINES Field Specialist **BJ Services, LLC**

Name and title of cementer's representative	Cementing Company	Signature	
11211 FM 2920 Rd.	Tomball, Texas 77375	(281) 408-2361	09/11/17
Address	City, State, Zip Code	Tel: Area Code Number	Date: mo. day yr.

OPERATOR'S CERTIFICATE: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that I am authorized to make this certification, that I have knowledge of the well data and information presented in this report, and that data and facts presented on both sides of this form are true, correct, and complete, to the best of my knowledge. This certification covers all well data.

Maureen Kovacic Regulatory Specialist

Typed or printed name of operator's representative	Title	Signature	
150 N Dairy Ashford	Houston TX 77079	832-337-0953	02/27/2018
Address	City, State, Zip Code	Tel: Area Code Number	Date: mo. day yr.

Instructions for Form W-15, Cementing Report

NOTICE: The Form W-15 must be submitted as an attachment to a Form G-1 (Gas Well Back Pressure Test, Completion or Recompletion Report, and Log), Form W-2 (Oil Well Potential Test, Completion or Recompletion Report, and Log), Form W-3 (Plugging Record), or Form W-4 (Application for Multiple Completion), any time cement is pumped in a wellbore.

- A. What to file:** An operator should file an original and one copy of the completed Form W-15 for each cementing company used on a well. The cementing of different casing strings on a well by one cementing company may be reported on one form. The Form W-15 should be filed with the Form W-3, Plugging Record, unless the Form W-3 is signed by the cementing company representative. When reporting dry holes, operators must complete Form W-15, in addition to Form W-3, to show any casing cemented in the hole.
- B. How to file:** An oil and gas completion report and Form W-15 may be filed online using the Commission's Online System (<https://webapps.rrc.state.tx.us/security/login.do>) or a paper copy of the form may be mailed to the Commission in Austin (P.O. Box 12967, Austin, Texas 78711-2967).
- C. Surface casing:** An operator must set and cement sufficient surface casing to protect all usable-quality water strata, as defined by the Groundwater Advisory Unit in Austin. Sufficient cement shall be used to fill the annular space outside the casing from the shoe to the ground surface or to the bottom of the cellar. Before drilling a well, an operator must obtain a letter from the Groundwater Advisory Unit stating the protection depth. Surface casing should not be set deeper than 200 feet below the specified depth without prior approval from the Commission. To plug and abandon a well, operators must use only cementers approved by the Commission's Director of Field Operations in accordance with SWR 14 ([http://info.sos.state.tx.us/pls/pub/readtac\\$ext.TacPage?sl=R&app=9&p_dir=&p_floc=&p_tloc=&p_ploc=&pg=1&p_tac=&ti=16&pt=1&ch=3&rl=14](http://info.sos.state.tx.us/pls/pub/readtac$ext.TacPage?sl=R&app=9&p_dir=&p_floc=&p_tloc=&p_ploc=&pg=1&p_tac=&ti=16&pt=1&ch=3&rl=14)). Cementing companies, service companies, or operators can qualify as approved cementers by demonstrating that they are able to mix and pump cement in compliance with Commission rules and regulations.
- D. Estimated % wash-out:** If the estimated % wash-out is less than 20% (or 30% along the Gulf Coast), provide supporting documentation such as a caliper log to show how the estimated % wash-out was obtained.
- E. Multi-stage cement:** An operator must report the multi-stage cement shoe in II. Casing Cementing Data section by selecting the type of casing and Multi-stage cement shoe. The operator must report the multi-stage cement tool in III. Casing Cementing Data section by selecting the type of casing and Multi-stage cement/DV tool.
- F. Multiple parallel strings:** An operator should file the Form W-15 as an attachment to the Form W-4, Application for Multiple Completion. An operator may be required to submit multiple Form W-15s to show all data for multiple parallel strings.
- G. Slurry data:** If cement job exceeds three slurries, continue the list of slurries in the Slurry table in the subsequent Casing Cementing Data box.

CHRISTI CRADDICK, CHAIRMAN
RYAN SITTON, COMMISSIONER
WAYNE CHRISTIAN, COMMISSIONER



LORI WROTENBERY
DIRECTOR, OIL AND GAS DIVISION

D. CRAIG PEARSON
DISTRICT DIRECTOR

RAILROAD COMMISSION OF TEXAS
OIL AND GAS DIVISION

OPERATOR Name: SHELL WESTERN E&P
Address1: PO BOX 576
Address2:
City: HOUSTON
State: TX

RE: Lease: UNIVERSITY 19 D
Well No: 0904H
Sec: 9 **Block:** 19
County: LOVING
Survey Name: UNIVERSITY LAND

SWR13EX Application Number: 13286

Drilling Permit No: 823212

SWR 13 CASING EXCEPTION APPLICATION/ALTERNATIVE REQUEST APPROVED

The Proposed Casing and Cementing Program submitted for the **LEASE NAME:** UNIVERSITY 19 D ;
WELL NUMBER: 0904H has been approved by the Railroad Commission of Texas District Office.

- a. A copy of this approved letter must be kept on location during all phases of drilling and/or plugging operations. Once approved, changes CANNOT be made to the Proposed Casing Program on the original application without additional approval from the Railroad Commission of Texas District Office.
- b. Any substantive modifications to the cement program require prior approval from the Railroad Commission of Texas District Office, and may require re-submission of the SWR 13 (Statewide Rule 13) Alternate Surface Casing Application. Contact the Railroad Commission of Texas District Office for more information.
- c. The tail slurry must be sufficient to fill the Zone of Critical Cement as described in Statewide Rule 13(b)(1)(H)(i). In addition, all cement slurries must be mixed on location as described in Application for Alternate Surface Casing Program.
- d. The casing and cement program shall adhere to the following specifications:

Set 4900 feet of surface casing with a multistage tool set at a depth of not less than 1160 feet. Circulate cement from the multistage tool to the ground surface. If cement does not circulate to surface during the first stage, the multistage tool MUST be opened and neat cement be circulated from the tool to the surface.

The proposed alternative drilling fluid program for the fresh water protected interval is hereby approved.

Please notify the Midland District Office immediately if any gas, H₂S or otherwise, is encountered before surface casing is set.

IF CEMENT IS NOT CIRCULATED TO THE GROUND SURFACE AS REQUIRED BY THIS EXCEPTION, YOU MUST CONTACT THE RAILROAD COMMISSION OF TEXAS DISTRICT OFFICE IMMEDIATELY AND FOLLOW THE PROCEDURES SET OUT IN RULE 13(b)(1)(H)(iii) OR AS REQUIRED BY THE RAILROAD COMMISSION OF TEXAS DISTRICT OFFICE.

You must comply with all other provisions of SWR 13 (Statewide Rule 13) and a representative of the cementing company who performs the cementing job for the protection of usable quality water strata must sign the Form W-15 attesting to the information regarding cementing operations performed; including circulation of cement. (Note: If surface casing is set below the approved depth, this can result in denial of future Statewide Rule 13(b)(1)(H)(i) requests.) A condition of the approved drilling permit requires notification to the Railroad Commission of Texas District Office eight (8) hours prior to the time casing is to be set/cemented in the well. If your exception request was submitted after the subject well has been drilled and completed, the operator may be referred for enforcement action.

This authorization shall expire within five (5) years from the date the Groundwater Protection Determination was issued, or at the expiration of the drilling permit (if the well is not spudded prior to expiration) for the referenced well, whichever occurs first. Furthermore, this authorization supersedes any prior authorizations issued for the referenced well.

This exception is based on information provided when the application was submitted on 02/28/2017
If any information has changed, you must contact the appropriate Railroad Commission of Texas District Office, and submit a new application if applicable. If you have questions, please contact the appropriate Oil and Gas District office.

RRC APPROVAL BY: Erik Hanson

DATE: 03/03/2017

D. CRAIG PEARSON
DISTRICT DIRECTOR



**APPLICATION FOR APPROVAL OF SURFACE CASING > 3500 FEET
Statewide Rule 13(b)(1)(A)
RAILROAD COMMISSION OF TEXAS**

Operator's Name and Address: Shell Western E&P
150 N. Dairy Ashford
Houston, Texas 77079

P5 Number: 774719

Area for review: District 8
Lease Name: University 19 D 0904H
Field Name: Phantom (Wolfcamp) County: Loving
Survey: University Land Abstract: A-
Drilling Permits: 823212

Note: Attach a map if the request is for more than one pad.

How will the operator maintain well control during drilling operations:

While drilling the surface hole Shell utilizes drilling fluid of sufficient weight to overbalance the formations being penetrated. In the event that flow is encountered a low-pressure rotating head is rigged-up under the rig floor to divert flow to the reserve pit.

How will the operator ensure cement is circulated to surface and that there is adequate bonding of cement:

A DV tool is placed below the water table (as defined by the GAU), and Shell pumps a minimum of 250% excess cement for the second stage of the surface cement job. Depending on nearby offsets the amount of excess pumped has been as high as 300%. Adequate bonding of cement is achieved by utilizing the centralizer program as outlined in RRC Rule 3.13 (b) (1) (G). A second stage of cement is only included in this request plan as a contingency measure to achieve cement returns to surface, in which case the DV tool would be opened.

How will the operator prevent the migration of formation fluids thru the annular space:

All cement slurries pumped by Shell comply with RRC Rule 3.13 (b) (1) (D) and Rule 3.13 (b) (1) (E). These slurries have been effective in preventing migration of formation fluids after the cement has been placed in the 100+ wells Shell has drilled in the Permian.

Signature: Sondra Bienvenu Name: Sondra Bienvenu Date: 02/28/2017 Phone: 832-337-3100

RRC District Office Action:			
<input checked="" type="checkbox"/> Approved	<input type="checkbox"/> Approved as Modified	<input type="checkbox"/> Denied	By: <u>Erik Hanson</u> Date: <u>3-3-17</u>
Remarks/Modifications:			

RRC Use Only ▶

Tracking No.: 185807

Instructions

When to File Form L-1:

- with Forms G-1, W-2, and GT-1 for new and deepened gas, oil, and geothermal wells
- with Form W-3 for plugged dry holes
- when sending in a log which was held under a request for confidentiality and the period for confidentiality has not yet expired.

When is Form L-1 NOT required:

- with Forms W-2, G-1, and GT-1 filed for injection wells, disposal wells, water supply wells, service wells, re-test wells, re-classifications, and plugbacks of oil, gas or geothermal wells
- with Form W-3 for plugging of other than a dry hole

Where to File Form L-1:

- with the appropriate Commission district office

Filling out Form L-1:

- Section I and the signature section must be filled out for all wells
- complete only the appropriate part of Section II

Type of log required:

- any wireline survey run for the purpose of obtaining lithology, porosity, or resistivity information
- no more than one such log is required but it must be of the subject well
- if such log is NOT run on the subject well, do NOT substitute any other type of log; just select Section II, Part A below

SECTION I. IDENTIFICATION

Operator Name: SHELL WESTERN E&P	District No. 08	Completion Date: 01/18/2018
Field Name PHANTOM (WOLFCAMP)	Drilling Permit No. 823212	
Lease Name UNIVERSITY 19 PW UNIT	Lease/ID No. 42401	Well No. 0904H
County LOVING	API No. 42- 301-33226	

SECTION II. LOG STATUS (Complete either A or B)

A. BASIC ELECTRIC LOG NOT RUN

B. BASIC ELECTRIC LOG RUN. (Select one)

- 1. Confidentiality is requested and a copy of the header for each log that has been run on the well is attached.
- 2. Confidentiality already granted on basic electric log covering this interval (applicable to deepened wells only).
- 3. Basic electric log covering this interval already on file with Commission (applicable to deepened wells only).
- 4. Log attached to (select one):
 - (a) Form L-1 (this form). If the company/lease name on log is different from that shown in Section I, please enter name on log here: _____
Check here if attached log is being submitted after being held confidential.
 - (b) Form P-7, Application for Discovery Allowable and New Field Designation.
 - (c) Form W-4, Application for Multiple Completion:
Lease or ID No(s). _____
Well No(s). _____

Maureen Kovacic
Signature
SHELL WESTERN E&P
Name (print)

Regulatory Specialist
Title
(832) 337-0953
Phone
02/27/2018
Date

-FOR RAILROAD COMMISSION USE ONLY-



MD
1:1200
Feet

MWD Gamma / ROP (1")

Client: SWEPI

Well Name: UNIVERSITY 19 D 0904H

API/UWID: 42301332260000

County: LOVING

Field: Permian

Permit #: 823212

State: TEXAS

Country: USA

Longitude: 103° 25' 6.41379 W
Latitude: 31° 41' 57.37678 N

Personnel

Rig Name: ENSIGN 775
Job Number: 60918
Ground Level: 2771.00 ft
Kelly Bushing: 2799.00 ft
Drill Floor: 28.00 ft
Permanent Datum: Mean Sea Level
Drilling Measured From: Kelly Bushing
Spud Date: June 19, 2017
Bottom Hole Temp: N/A °F
Log Start Depth: 0.00 ft
Log End Depth: 18600.00 ft

Company Representative
TRAMPUS STEWART

Geologist

Directional Driller(s)
JARED SPITTLE
BRIAN TYLER

MWD Operator(s)
SEAN BURROUGHS
JARED STEEL

Reference Data

North Reference: Grid North
Magnetic Declination: 7.02
Grid Convergence: -1.59
Total Mag Correction: 8.61

Comments:

Main Leg

PHOENIX TECHNOLOGY SERVICES LP ("PHOENIX") DOES NOT MAKE AND EXPRESSLY DISCLAIMS ALL WARRANTIES, REPRESENTATIONS AND CONDITIONS, WITH RESPECT TO THE INFORMATION CONTAINED IN THIS DOCUMENT, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED OR ARISING FROM CONTRACT OR STATUTE INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, ACCURACY AND FITNESS FOR A PARTICULAR PURPOSE. ANYONE USING THIS INFORMATION DOES SO AT THEIR OWN RISK AND ACKNOWLEDGES AND AGREES THAT PHOENIX SHALL NOT BE LIABLE FOR ANY ERROR, OMISSION, DEFECT, DEFICIENCY, OR NONCONFORMITY IN THE INFORMATION AND WITHOUT LIMITING THE FOREGOING, PHOENIX DOES NOT WARRANT THAT THE INFORMATION (OR THE USE THEREOF) WILL BE FREE OF ALL ERRORS OR THAT IT DOES NOT INFRINGE ANY THIRD PARTY RIGHTS. ANYONE USING THE INFORMATION AGREES TO INDEMNIFY AND HOLD PHOENIX HARMLESS FROM ALL CLAIMS, ACTIONS, COSTS (INCLUDING LEGAL COSTS ON A SOLICITOR AND HIS OWN CLIENT BASIS) AND LIABILITIES ARISING FROM OR IN CONNECTION WITH THE USE OF THE INFORMATION.

Operational Run Summary

60918

	Run 1	Run 2	Run 3	Run 4	Run 5
Run Start Depth (ft)	0.00	4912.19	9429.60	11060.05	11940.13
Run End Depth (ft)	4912.19	9429.60	11060.05	11940.13	18580.12
Run Start Date	6/19/2017	7/12/2017	7/14/2017	7/15/2017	9/3/2017
Run Start Time	7:51 AM	12:46 AM	4:57 AM	8:48 AM	11:10 PM
Run End Date	6/21/2017	7/13/2017	7/15/2017	7/16/2017	9/9/2017
Run End Time	4:36 AM	10:34 PM	1:25 AM	4:50 AM	10:37 AM

Tool Information Summary

60918

	Run 1	Run 2	Run 3	Run 4	Run 5
Gamma Probe Serial No	EB-0039 / EGNF-0110	EB0039 / EGNF0110	-EB0039 / EGNF0110	EB0045 / EGNF0061	EB0059 / EGNF0066
Probe Cal Ratio	1	1	1	1	1
Gamma Scale Factor	2.875	2.875	2.875	2.875	1.875
Tool Carrier ID (in)	6.050	4.490	4.490	3.780	4.250
Tool Carrier OD (in)	8.250	6.625	6.625	6.630	5.130
Survey-to-Bit (PTB) (ft)	61.96	71.08	72.80	46.13	48.00
Gamma-to-Bit (GTB) (ft)	60.77	69.89	71.61	44.94	44.69
Annular Pressure-to-Bit (APT) (ft)	0.00	0.00	0.00	0.00	0.00

**CERTIFICATE OF
 POOLING AUTHORITY**

P-12

Revised 05/2001


1. Field Name(s) Phantom (Wolfcamp)	2. Lease/ID Number (if assigned) 42401	3. RRC District Number 08
4. Operator Name Shell Western E&P	5. Operator P-5 Number 774719	6. Well Number 0904H
7. Pooled Unit Name University 19 PW Unit	8. API Number 42-301-33226	9. Purpose of Filing <input type="checkbox"/> Drilling Permit (W-1) <input checked="" type="checkbox"/> Completion Report
10. County Loving & Ward	11. Total acres in pooled unit 13511.20	

DESCRIPTION OF INDIVIDUAL TRACTS CONTAINED WITHIN THE POOLED UNIT

TRACT/PLAT IDENTIFIER	TRACT NAME	ACRES IN TRACT (See inst. #7 below)	INDICATE UNDIVIDED INTERESTS	
			UNLEASED	NON-POOLED
Tr. 1	University Lands	160.24	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 2	University Lands	480.71	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 3	University Lands	520.93	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 4	University Lands	641.05	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 5	University Lands	280.46	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 6	University Lands (below 11710')	40.07	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tr. 7	University Lands	320.50	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 8	University Lands	641.06	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 9	University Lands	566.27	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 10	University Lands	641.31	<input type="checkbox"/>	<input type="checkbox"/>

CERTIFICATION:

I declare under penalties prescribed pursuant to the Sec. 91.143, Texas Natural Resources Code, that I am authorized to make the foregoing statements and that the information provided by me or under my direction on this Certificate of Pooling Authority is true, correct, and complete to the best of my knowledge.


 Signature

Maureen Kovacic

Reg. Specialist maureen.kovacic@shell.com

Print Name

03/06/2018

(832) 337-0953

Title E-mail (if available)

Date

Phone

INSTRUCTIONS — Reference: Statewide Rules 31, 38 and 40

- When two or more tracts are pooled to form a unit to obtain a drilling permit, file completion paperwork, or reform a pooled unit pursuant to Rule 38(d)(3) the operator must file an original Certificate of Pooling Authority and certified plat.
- The certified plat shall designate each tract with an outline and a tract identifier. The tract identifier on the plat shall correspond to the tract identifier and associated information listed on the Certificate.
- If within an individual tract, a non-pooled and/or unleased interest exists, indicate by checking the appropriate box.
- If the Purpose of Filing is to obtain a drilling permit, in box #1 list all applicable fields separately or enter "All Fields" if the Certificate pertains to all fields requested on Form W-1.
- If the Purpose of Filing is to file completion paperwork, enter the applicable field name in box #1 for the completion.
- Identify the drill site tract with an * to the left of the tract identifier.
- The total number of acres in the pooled unit in #11 should equal the total of all acres in the individual tracts listed.

**CERTIFICATE OF
 POOLING AUTHORITY**

P-12

Revised 05/2001


1. Field Name(s) Phantom (Wolfcamp)	2. Lease/ID Number (if assigned) 42401	3. RRC District Number 08
4. Operator Name Shell Western E&P	5. Operator P-5 Number 774719	6. Well Number 0910H
7. Pooled Unit Name University 19 PW Unit	8. API Number 301-33232	9. Purpose of Filing <input type="checkbox"/> Drilling Permit (W-1) <input checked="" type="checkbox"/> Completion Report
10. County Loving & Ward	11. Total acres in pooled unit 13511.20	

DESCRIPTION OF INDIVIDUAL TRACTS CONTAINED WITHIN THE POOLED UNIT

TRACT/PLAT IDENTIFIER	TRACT NAME	ACRES IN TRACT (See inst. #7 below)	INDICATE UNDIVIDED INTERESTS	
			UNLEASED	NON-POOLED
Tr. 11	University Lands	641.23	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 12	University Lands	320.60	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 13	University Lands	320.61	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 14	University Lands	640.92	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 15	University Lands	640.99	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 16	University Lands	465.34	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 17	University Lands	640.96	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 18	University Lands	624.55	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 20	University Lands	120.21	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 22	University Lands	320.45	<input type="checkbox"/>	<input type="checkbox"/>

CERTIFICATION:

I declare under penalties prescribed pursuant to the Sec. 91.143, Texas Natural Resources Code, that I am authorized to make the foregoing statements and that the information provided by me or under my direction on this Certificate of Pooling Authority is true, correct, and complete to the best of my knowledge.



Maureen Kovacic

Signature _____
 Reg. Specialist _____
 Title _____

Print Name _____
 03/06/2018 _____
 Date _____
 (832) 337-0953 _____
 Phone _____

INSTRUCTIONS — Reference: Statewide Rules 31, 38 and 40

- When two or more tracts are pooled to form a unit to obtain a drilling permit, file completion paperwork, or reform a pooled unit pursuant to Rule 38(d)(3) the operator must file an original Certificate of Pooling Authority and certified plat.
- The certified plat shall designate each tract with an outline and a tract identifier. The tract identifier on the plat shall correspond to the tract identifier and associated information listed on the Certificate.
- If within an individual tract, a non-pooled and/or unleased interest exists, indicate by checking the appropriate box.
- If the Purpose of Filing is to obtain a drilling permit, in box #1 list all applicable fields separately or enter "All Fields" if the Certificate pertains to all fields requested on Form W-1.
- If the Purpose of Filing is to file completion paperwork, enter the applicable field name in box #1 for the completion.
- Identify the drill site tract with an * to the left of the tract identifier.
- The total number of acres in the pooled unit in #11 should equal the total of all acres in the individual tracts listed.

CERTIFICATE OF POOLING AUTHORITY

P-12

Revised 05/2001


1. Field Name(s) Phantom (Wolfcamp)	2. Lease/ID Number (if assigned) 42401	3. RRC District Number 08
4. Operator Name Shell Western E&P	5. Operator P-5 Number 774719	6. Well Number 0904H
7. Pooled Unit Name University 19 PW Unit	8. API Number 301-33226	9. Purpose of Filing <input type="checkbox"/> Drilling Permit (W-1) <input checked="" type="checkbox"/> Completion Report
10. County Loving & Ward	11. Total acres in pooled unit 13511.20	

DESCRIPTION OF INDIVIDUAL TRACTS CONTAINED WITHIN THE POOLED UNIT

TRACT/PLAT IDENTIFIER	TRACT NAME	ACRES IN TRACT <small>(See inst. #7 below)</small>	INDICATE UNDIVIDED INTERESTS	
			UNLEASED	NON-POOLED
Tr. 23	University Lands	640.99	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 24	University Lands	640.90	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 25	University Lands	640.86	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 26	University Lands	639.62	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 27	University Lands	638.33	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 28	University Lands	200.31	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 29	University Lands	120.19	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 30	University Lands	320.50	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 32	University Lands	320.48	<input type="checkbox"/>	<input type="checkbox"/>
Tr. 34	University Lands	320.52	<input type="checkbox"/>	<input type="checkbox"/>

CERTIFICATION:

I declare under penalties prescribed pursuant to the Sec. 91.143, Texas Natural Resources Code, that I am authorized to make the foregoing statements and that the information provided by me or under my direction on this Certificate of Pooling Authority is true, correct, and complete to the best of my knowledge.

	Maureen Kovacic
Signature	Print Name
Reg. Specialist	03/06/2018
Title	(832) 337-0549
E-mail (if available)	Date
Maureen.kovacic@shell.com	Phone

INSTRUCTIONS — Reference: Statewide Rules 31, 38 and 40

1. When two or more tracts are pooled to form a unit to obtain a drilling permit, file completion paperwork, or reform a pooled unit pursuant to Rule 38(d)(3) the operator must file an original Certificate of Pooling Authority and certified plat.
2. The certified plat shall designate each tract with an outline and a tract identifier. The tract identifier on the plat shall correspond to the tract identifier and associated information listed on the Certificate.
3. If within an individual tract, a non-pooled and/or unleased interest exists, indicate by checking the appropriate box.
4. If the Purpose of Filing is to obtain a drilling permit, in box #1 list all applicable fields separately or enter "All Fields" if the Certificate pertains to all fields requested on Form W-1.
5. If the Purpose of Filing is to file completion paperwork, enter the applicable field name in box #1 for the completion.
6. Identify the drill site tract with an * to the left of the tract identifier.
7. The total number of acres in the pooled unit in #11 should equal the total of all acres in the individual tracts listed.



RAILROAD COMMISSION OF TEXAS

1701 N. Congress
P.O. Box 12967
Austin, Texas 78701-2967

Form P-16

Page 1

Rev. 01/2016

Acreage Designation

SECTION I. OPERATOR INFORMATION

Operator Name: Shell Western E&P Operator P-5 No.: 774719
Operator Address: P.O. Box 576, Houston, Texas 77001

SECTION II. WELL INFORMATION

District No.: 08 County: Loving and Ward Purpose of Filing:
Well No.: 0904H API No.: 301-33226
Total Lease Acres: 13511.2 Drilling Permit No.: 823212
Lease Name: University 19 PW Unit Lease No.: 42401
Field Name: Phantom (Wolfcamp) Field No.: 71052900

Filer is the owner or lessee, or has been authorized by the owner or lessee, of all or an undivided portion of the mineral estate under each tract for which filer is listed as operator below.

SECTION III. LISTING OF ALL WELLS IN THE APPLIED-FOR FIELD ON THE SAME ACREAGE AS THE LEASE, POOLED UNIT, OR UNITIZED TRACT DESIGNATED IN SECTION II ABOVE BY FILER

Table with 8 columns: RRC ID No. or Lease No., Well No., H-Horizontal D-Directional V-Vertical, Lease Name, API No., Acres Assigned, SWR 38 Except. (Y/N), Operator Name and Operator No. (if different from filing operator)

Summary table for well counts and acreage: Total Well Count > 37, Total Assigned Horiz. Acreage 6881, Total Remaining Horiz. Acreage 6630.2, Total Assigned Vert./Dir. Acreage, Total Remaining Vert./Dir. Acreage

SECTION IV. REMARKS / PURPOSE OF FILING (see instructions)

Attach Additional Pages As Needed. [] No additional pages [x] Additional Pages: 1 (No. of additional pages)

CERTIFICATION: I declare under penalties prescribed in Sec. 91.143, Texas Natural Resources Code, that this report was prepared by me or under my supervision or direction, that I am authorized to make this report, and that the information contained in this report is true, correct, and complete to the best of my knowledge.

Signature: Maureen Kovacic, Name and title (type or print): maureen.kovacic@shell.com, Email (include email address only if you affirmatively consent to its public release)

150 N. Dairy Ashford Houston TX 77079 832-337-0953 07/12/2018
Address City, State, Zip Code Tel: Area Code Number Date: mo. day yr.

GROUNDWATER PROTECTION DETERMINATION

Form GW-2



Groundwater Advisory Unit

Date Issued: 01 February 2017**GAU Number:** 166499

Attention: SHELL WESTERN E&P
PO BOX 576
HOUSTON, TX 77001

API Number:
County: LOVING
Lease Name: University 19 PW Unit

Operator No.: 774719

Lease Number:
Well Number: 1407H
Total Vertical Depth: 12000
Latitude: 31.699414
Longitude: -103.410281
Datum: NAD27

Purpose: New Drill**Location:** Survey-UL; Block-19; Section-9

To protect usable-quality groundwater at this location, the Groundwater Advisory Unit of the Railroad Commission of Texas recommends:

The interval from the land surface to a depth of 300 feet, and the Rustler, the top of which is estimated to occur from 500 to 550 feet depth and the base of which is estimated to occur from 950 to 1000 feet depth by reconnaissance-level evaluation, must be protected.

This recommendation is applicable for all wells drilled in this sec. 9.

Note: Unless stated otherwise, this recommendation is intended to apply only to the subject well and not for area-wide use. This recommendation is for normal drilling, production, and plugging operations only. It does not apply to saltwater disposal operation into a nonproductive zone (RRC Form W-14).

This determination is based on information provided when the application was submitted on 01/25/2017. If the location information has changed, you must contact the Groundwater Advisory Unit, and submit a new application if necessary. If you have questions, please contact us at 512-463-2741 or gau@rrc.texas.gov.

Groundwater Advisory Unit, Oil and Gas Division

Form GW-2 P.O. Box 12967 Austin, Texas 78771-2967 512-463-2741 Internet address: www.rrc.texas.gov
Rev. 02/2014

UNIVERSITY 19 PW UNIT

13511.20 ACRES (MEASURED)


SECTIONS 2, 9, 10, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 & 29,
S/2 OF SECTION 3, E/2 OF SECTION 8, W/2 OF SECTION 11
BLOCK 19, UNIVERSITY LAND
LOVING & WARD COUNTIES, TEXAS

SHELL WESTERN
E&P

LEGEND

- UNIT BOUNDARY
- APPROXIMATE LOCATION COUNTY LINE
- BLOCK/TOWNSHIP LINE
- MINERAL TRACT
- SURVEY/SECTION LINE
- CONCRETE MONUMENT

SCALE: 1" = 4000'
0' 2000' 4000'



TRACT TABLE

#	ACREAGE
1	160.24
2	480.71
3	320.85
4	641.06
5	280.48
6	40.07
7	320.54
8	641.06
9	566.27
10	641.31
11	641.23
12	320.60
13	320.61
14	640.92
15	640.99
16	465.34
17	640.96
18	624.56
20	120.21
22	320.45
23	640.99
24	640.90
25	640.96
26	638.62
27	638.33
28	200.31
29	120.19
30	320.50
32	320.48
34	320.52
TOTAL	13511.20



SHELL WESTERN E&P

WELL LOCATION

LEASE NAME & WELL NO.:

UNIVERSITY 19 D 0904H

UNITLEASE ACREAGE:

PW UNIT: 8588.11 ACRES, ALLOCATION UNIT: 320.48 ACRES (MEASURED)

TOTAL ACREAGE:



8908.59 ACRES (MEASURED)

NEAREST TOWN IN COUNTY:

±10.6 MILES SOUTHEAST OF MENTONE, TEXAS

DESCRIPTION:

3/2 OF SECTION 3 & SECTION 9, BLOCK 19, UNIVERSITY LAND SURVEY
LOVING COUNTY, TEXAS



TIES TABLE

POINT	UNIT	SURVEY/SECTION
S.-L.L.	655' FNWL	140' FSWL & 137' FSEL
P.P./	667' FNWL	1087' FSWL & 1250' FSEL
F.T.P.	1087' FSWL	1124' FSWL & 2443' FSEL
L.P./	200' FNWL	1124' FSWL & 2443' FSEL
B.-L.L.	1124' FSWL	

**PENETRATION POINT/
FIRST TAKE POINT
(P.P./F.T.P.)**
X=1040335.95
Y=752342.32
LAT.: N 31°41'55.21"
LONG.: W 103°25'08.41"

SURFACE HOLE LOCATION (S.H.L.)
ELEV = 2771.1
X=1040600.86
Y=752553.63
LAT.: N 31°41'57.38"
LONG.: W 103°25'06.41"

LEGEND:

- Unit Boundary
- Allocation Unit Boundary
- Survey/Section line
- - - Proposed Well Path
- - - Existing/Permitted Well Path
- Mineral Tract Boundary
- Monument Found
- Calculated Corner
- Well Point



John R. Anderson 2/22/17
John R. Anderson, R.P.L.S. No. 6442

UNIVERSITY 19 D 0904H

DATE: 2/07/2017

FILE: LO_UNIV_ITY_19_D_0904H_REV1

DRAWN BY: O.M.

SHEET: 1 OF 1

REVISION:


INT	DATE
O.M.	02/22/2017

NOTES:

- ORIGIN & DOCUMENT SIZE: 11" X 17"
- ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE, U.S. SURVEY FEET, NORTH AMERIC IN DATUM 1927, UNLESS OTHERWISE NOTED.
- THIS LOCATION AND/OR UNITLEASE BOUNDARY HAS BEEN CAREFULLY SURVEYED ON THE GROUND UNDER MY SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE ACCORDING TO THE EVIDENCE, OFFICIAL SURVEY RECORDS, MAPS, AND OTHER DATA PROVIDED BY SHELL WESTE IN E&P. THIS PLAN WAS CREATED FOR THE SOLE PURPOSE OF FILING A PERMIT WITH THE RAILROAD COMMISSION OF TEXAS AND SHOULD NOT BE CONSTRUED AS A "BOUNDARY SURVEY" IN COMPLIANCE WITH T.B.P.L.S. MINIMUM STANDARDS OF PROCEDURES FOR BOUNDARY SURVEYS. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAN. IT IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRACT SECTION ONLY.
- ALL ELEVATION VALUES CONTAINED HEREIN ARE ORTHOMETRIC ONLY, BASED UPON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), U.S. SURVEY FEET.
- ALL MINERAL OWNERSHIP DATA SHOWN HEREIN IS BASED ON INFORMATION PROVIDED BY SHELL WESTE IN E&P OR ITS SUBSIDIARIES & AFFILIATES.

NOTES CONT'D:

- THE PRELIMINARY LOCATION HAS BEEN CAREFULLY SURVEYED ON THE GROUND DURING THE DATE OF DECEMBER 14, 2016, AT A GROUND LEVEL ELEVATION OF 2771.1 SURVEY FEET.
- S.H.L. = SURFACE HOLE LOCATION
- P.P. = POINT OF PENETRATION
- F.T.P. = FIRST TAKE POINT
- L.T.P. = LAST TAKE POINT
- B.H.L. = BOTTOM HOLE LOCATION



SHELL WESTERN E&P

AS-DRILLED LOCATION

LEASE NAME & WELL NO.:

UNIVERSITY 19 PW UNIT 0904H

UNITLEASE ACREAGE:

PW UNIT: 8588.11 ACRES, ALLOCATION UNIT: 320.48 ACRES (MEASURED)

TOTAL ACREAGE:

8908.59 ACRES (MEASURED)

NEAREST TOWN IN COUNTY:

±10.6 MILES SOUTHEAST OF MENTONE, TEXAS


DESCRIPTION:

S/2 OF SECTION 3 & SECTION 9, BLOCK 19, UNIVERSITY LAND SURVEY LOVING COUNTY, TEXAS

BLOCK 29, PUBLIC SCHOOL LAND SURVEY

N 73°42'14" E 5281.86'

SCALE: 1" = 1000'



S.H.L. MD = 18578.2 NAD 27 TX-C ZONE X = 103851.71 Y = 738726.51 LAT.: N 31°42'37.87" LONG.: W 103°25'32.57" NAD 83 TX-C ZONE X = 1034975.94 Y = 10801302.84 LAT.: N 31°42'35.33" LONG.: W 103°25'34.22"

L.T.P. MD = 18309.0 NAD 27 TX-C ZONE X = 1033078.35 Y = 789465.99 LAT.: N 31°42'55.31" LONG.: W 103°25'31.70" NAD 83 TX-C ZONE X = 1338044.19 Y = 10801042.52 LAT.: N 31°42'55.78" LONG.: W 103°25'33.32"

X=1038181.40 Y=755910.97

X=1042490.38 Y=75929.90

X=1043231.17 Y=757392.63

F.T.P. MD = 11666.0 NAD 27 TX-C ZONE X = 1040320.98 Y = 762271.86 LAT.: N 31°41'54.57" LONG.: W 103°25'05.45" NAD 83 TX-C ZONE X = 1338795.18 Y = 10894884.29 LAT.: N 31°41'55.04" LONG.: W 103°25'11.06"

S.H.L. ELE = 2773.0 NAD 27 TX-C ZONE X = 1040600.89 Y = 752533.63 LAT.: N 31°41'57.29" LONG.: W 103°25'06.41" NAD 83 TX-C ZONE X = 10956130.06 Y = 10956130.06 LAT.: N 31°41'57.64" LONG.: W 103°25'08.04"

P.P. MD = 11681.0 NAD 27 TX-C ZONE X = 1040355.15 Y = 752093.45 LAT.: N 31°41'52.76" LONG.: W 103°25'05.11" NAD 83 TX-C ZONE X = 1035519.47 Y = 1056468.88 LAT.: N 31°41'53.22" LONG.: W 103°25'10.74"

X=1039642.88 Y=750837.06

X=1044712.77 Y=752318.29

TIES TABLE with columns: POINT, UNIT, SURVEY/SECTION

- LEGEND: Unit Boundary, Allocation Unit Boundary, Survey/Section line, As-Drilled Well Path, Existing/Permitted Well Path, Mineral Tract Boundary, Monument Found, Calculated Corner, Well Point



John R. Anderson, R.P.L.S. No. 6442, dated 3/28/10

TOPOGRAPHIC LOYALTY INNOVATION LEGACY 1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140

UNIVERSITY 19 PW UNIT 0904H metadata table with fields: DATE, FILE, DRAWN BY, SHEET

NOTES: 1. ORIGINAL DOCUMENT SIZE: 11" X 17" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE U.S. SURVEY FEET, NORTH AMERICAN DATUM 1927, UNLESS OTHERWISE NOTED.

NOTES CONT'D: 6. THE AS-DRILLED SURFACE LOCATION HAS BEEN CAREFULLY SURVEYED ON THE GROUND DURING THE DATE OF MAY 11, 2017.