

Hydraulic Fracturing Fluid Product Component Information Disclosure

Job Start Date:	9/18/2017
Job End Date:	9/27/2017
State:	Texas
County:	Martin
API Number:	42-317-40613-00-00
Operator Name:	QEP Energy Company
Well Name and Number:	University 7-2730 N 16MB
Latitude:	32.37071600
Longitude:	-102.18154800
Datum:	NAD83
Federal Well:	NO
Indian Well:	NO
True Vertical Depth:	8,774
Total Base Water Volume (gal):	8,868,335
Total Base Non Water Volume:	0



Hydraulic Fracturing Fluid Composition:

Trade Name	Supplier	Purpose	Ingredients	Chemical Abstract Service Number (CAS #)	Maximum Ingredient Concentration in Additive (% by mass)**	Maximum Ingredient Concentration in HF Fluid (% by mass)**	Comments
Fresh Water	Operator	Base Fluid					
			Water	7732-18-5	100.00000	86.35781	Density = 8.340
OPTIFLO-III DELAYED RELEASE BREAKER	Halliburton	Breaker					

				Listed Below			
Atlas CRC LT-30/50	Halliburton	Proppant					
				Listed Below			
FE-1A ACIDIZING COMPOSITION	Halliburton	Additive					
				Listed Below			
OST 2010	STS Logistics and Analytics	Tracer					
				Listed Below			
WG-36 GELLING AGENT	Halliburton	Gelling Agent					
				Listed Below			
BA-20 BUFFERING AGENT	Halliburton	Buffer					
				Listed Below			
FFI 2000	STS Logistics and Analytics	Tracer					
				Listed Below			
N-Zyme 3	Halliburton	Breaker					
				Listed Below			
OptiKleen-WF (TM)	Halliburton	Concentrate					
				Listed Below			

MC B-8614	Halliburton	Biocide					
				Listed Below			
D-AIR 3000L	Halliburton	Defoamer					
				Listed Below			
CLAYFIX 3	Halliburton	Additive					
				Listed Below			
MO-67	Halliburton	pH Control Additive					
				Listed Below			
SAND-COMMON WHITE-100 MESH	Halliburton	Proppant					
				Listed Below			
FE-2A	Halliburton	Additive					
				Listed Below			
FDP-M1075-12	Halliburton	Scale Inhibitor					
				Listed Below			
HYDROCHLORI C ACID	Halliburton	Solvent					
				Listed Below			
Transcend-725	Halliburton	Surfactant					

				Listed Below			
HAI-OS ACID INHIBITOR	Halliburton	Corrosion Inhibitor					
				Listed Below			
FightR EC-1	Halliburton	Friction Reducer					
				Listed Below			
SAND-PREMIUM WHITE-30/50	Halliburton	Proppant					
				Listed Below			
FDP-S1226-15	Halliburton	Surfactant					
				Listed Below			
BC-140 X2	Halliburton	Initiator					
				Listed Below			
Items above are Trade Names with the exception of Base Water . Items below are the individual ingredients.							
			Crystalline silica, quartz	14808-60-7	100.00000	11.25546	
			Water	7732-18-5	100.00000	1.22316	
			Quartz	14808-60-7	98.00000	0.88822	
			Hydrochloric acid	7647-01-0	60.00000	0.68795	
			Guar gum	9000-30-0	100.00000	0.05290	
			Phenolic Resin	9003-35-4	5.00000	0.04532	
			Ethanol	64-17-5	30.00000	0.03568	
			Hydrotreated light petroleum distillate	64742-47-8	30.00000	0.02095	
			Acrylamide polymer	Proprietary	30.00000	0.02095	

			Monoethanolamine borate	26038-87-9	100.00000	0.02084	
			Sodium perborate tetrahydrate	10486-00-7	100.00000	0.01445	
			Ethoxylated alcohols	Proprietary	30.00000	0.01215	
			Fatty nitrogen derived amides	Proprietary	10.00000	0.01189	
			Ethoxylated fatty acids	Proprietary	10.00000	0.01189	
			Acetic anhydride	108-24-7	100.00000	0.01046	
			Acetic acid	64-19-7	60.00000	0.00776	
			Citric acid	77-92-9	60.00000	0.00724	
			Ethylene glycol	107-21-1	30.00000	0.00625	
			methanol	67-56-1	5.00000	0.00595	
			butyl alcohol	71-36-3	5.00000	0.00595	
			Alkenes	Proprietary	100.00000	0.00585	Denise Tuck, Halliburton, 3000 N. Sam Houston Pkwy E., Houston, TX 77032, 281-871-6226
			Sodium chloride	7647-14-5	30.00000	0.00521	
			Ammonium persulfate	7727-54-0	100.00000	0.00374	
			Ethoxylated branched C13 alcohol	78330-21-9	5.00000	0.00349	
			Sorbitan monooleate polyoxyethylene derivative	9005-65-6	5.00000	0.00349	
			Sorbitan, mono-9-octadecenoate, (Z)	1338-43-8	5.00000	0.00349	
			Acetate compound	Proprietary	5.00000	0.00349	
			Polypropylene glycol	25322-69-4	30.00000	0.00175	
			Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	30.00000	0.00175	
			naphthalene	91-20-3	1.00000	0.00119	
			Cured acrylic resin	Proprietary	30.00000	0.00112	
			Inorganic salt	Proprietary	5.00000	0.00087	

			Magnesium chloride hexahydrate	7791-18-6	5.00000	0.00087	
			Acrylamide	79-06-1	0.01000	0.00070	
			Methanol	67-56-1	60.00000	0.00052	
			Alcohols, C12-13, ethoxylated	66455-14-9	30.00000	0.00030	991739, 990218
			Fatty acids, tall oil	Proprietary	30.00000	0.00026	
			Reaction product of acetophenone, formaldehyde, thiourea and oleic acid in dimethyl formamide	68527-49-1	30.00000	0.00026	
			Calcium chloride	10043-52-4	1.00000	0.00017	
			Sodium hydroxide	1310-73-2	30.00000	0.00017	
			Ethylene Glycol	107-21-1	60.00000	0.00016	
			Glutaraldehyde	111-30-8	30.00000	0.00015	
			Olefins	Proprietary	5.00000	0.00010	
			Propargyl alcohol	107-19-7	10.00000	0.00009	
			Alcohols, C12-16, ethoxylated	68551-12-2	5.00000	0.00005	
			Telomer	Proprietary	10.00000	0.00003	
			Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl chlorides	68424-85-1	5.00000	0.00003	
			2,7-Naphthalenedisulfonic acid, 3-hydroxy-4-[(4-sulfor-1-naphthalenyl) azo] -, trisodium salt	915-67-3	0.10000	0.00002	
			Sodium Salts	Trade Secret	6.00000	0.00001	
			Charcoal	7440-44-0	90.00000	0.00001	
			Hemicellulase Enzyme	9012-54-8	5.00000	0.00001	
			Sodium polyacrylate	9003-04-7	1.00000	0.00000	
			Inert Ingredients	Trade Secret	10.00000	0.00000	
			Phosphoric acid	7664-38-2	0.10000	0.00000	
			Ethylene oxide	75-21-8	0.01000	0.00000	

			Acrylic acid	79-10-7	0.01000	0.00000	
--	--	--	--------------	---------	---------	---------	--

* Total Water Volume sources may include various types of water including fresh water, produced water, and recycled water

** Information is based on the maximum potential for concentration and thus the total may be over 100%

*** If you are calculating a percentage of total ingredients do not add the water volume below the green line to the water volume above the green line

Note: For Field Development Products (products that begin with FDP), MSDS level only information has been provided.

Ingredient information for chemicals subject to 29 CFR 1910.1200(i) and Appendix D are obtained from suppliers Material Safety Data Sheets (MSDS)