




	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>					
Report No: 38		Report For 06:00 AM 31-Jul-17					
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 29,213 / 0	
Measured Depth (ft): 19215		Completion Days (act.): 17		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)	
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,451,727	
Plug Back MD (ft):		Days On Location: 34		Orig RKB Elev(ft): 26.20			
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,451,727	
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,451,727	
Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 48		Service: 52 / 624		Other: 0 / 0 Total: 56 / 672	
Current Operations: PLUG AND PERF STAGE 46.							
Planned Operations: PLUG AND PERF / FRAC STAGES 41 THRU 45 OF 68.							
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS						Tel No.:	
Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod
6:00	15:15	9.25	19,215	STIM	PLUG AND PERF / FRAC STAGES 41 THRU 42 OF 68.		
15:15	18:30	3.25	19,215	WOW	SHUT DOWN WAITING ON LIGHTING TO PASS.		X
18:30	6:00	11.50	19,215	STIM	STAGE FRAC 43 THRU 45 OF 68.		
Management Summary							
PLUG AND PERF / FRAC							
Cost/AFE Information							
AFE No		AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total Well Total % Spent
020917		Drill and complete a 19330' later:			0.00	183,571.38	29,212.50 5,451,726.84
Totals \$:		0.00		0.00	183,571.00	29,213.00	5,451,727.00
Casing/Tubular Information							
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110
Perforation Information							
Stage: 39 of 39							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
Stage: 38 of 39							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
Stage: 37 of 39							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 38					Report For 06:00 AM 31-Jul-17				
Perforation Information									
Stage: 36 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 35 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 34 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 33 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 32 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 38					Report For 06:00 AM 31-Jul-17				
Perforation Information									
Stage: 31 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 30 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 29 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 28 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 27 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 38					Report For 06:00 AM 31-Jul-17				
Perforation Information									
Stage: 26 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 25 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 24 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 23 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 22 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 38						Report For 06:00 AM 31-Jul-17					
Perforation Information											
Stage: 21 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 21:55		LARGE	WLINGUN	16,062	16,063	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,047	16,048	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,032	16,033	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,017	16,018	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,002	16,003	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,987	15,988	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,972	15,973	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,957	15,958	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,942	15,943	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,927	15,928	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 20 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 18:20		LARGE	WLINGUN	16,214	16,215	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,199	16,200	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,181	16,182	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,169	16,170	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,154	16,155	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,139	16,140	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,124	16,125	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,109	16,110	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,092	16,093	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,079	16,080	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 19 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 14:08		LARGE	WLINGUN	16,233	16,234	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:07		LARGE	WLINGUN	16,246	16,247	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:06		LARGE	WLINGUN	16,261	16,262	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:05		LARGE	WLINGUN	16,278	16,279	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:04		LARGE	WLINGUN	16,291	16,292	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:03		LARGE	WLINGUN	16,306	16,307	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:02		LARGE	WLINGUN	16,323	16,324	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:01		LARGE	WLINGUN	16,336	16,337	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:00		LARGE	WLINGUN	16,351	16,352	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 11:35		LARGE	WLINGUN	16,366	16,367	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 18 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 07:46		LARGE	WLINGUN	16,383	16,384	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:45		LARGE	WLINGUN	16,398	16,399	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:44		LARGE	WLINGUN	16,413	16,414	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:43		LARGE	WLINGUN	16,428	16,429	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:42		LARGE	WLINGUN	16,443	16,444	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:41		LARGE	WLINGUN	16,458	16,459	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:40		LARGE	WLINGUN	16,473	16,474	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:39		LARGE	WLINGUN	16,488	16,489	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:38		LARGE	WLINGUN	16,503	16,504	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:37		LARGE	WLINGUN	16,518	16,519	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 17 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 03:30		LARGE	WLINGUN	16,670	16,671	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,655	16,656	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,640	16,641	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,625	16,626	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,610	16,611	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,595	16,596	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,580	16,581	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,565	16,566	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,550	16,551	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,535	16,536	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 38						Report For 06:00 AM 31-Jul-17					
Perforation Information											
Stage: 16 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 23:30		LARGE	WLINGUN	16,822	16,823	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,803	16,804	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,792	16,793	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,777	16,778	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,760	16,761	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,747	16,748	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,732	16,733	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,715	16,716	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,702	16,703	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,687	16,688	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 15 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 17:00		LARGE	WLINGUN	16,974	16,975	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,959	16,960	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,947	16,948	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,929	16,930	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,914	16,915	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,903	16,904	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,884	16,885	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,869	16,870	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,851	16,852	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,839	16,840	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 14 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 11:05		LARGE	WLINGUN	17,006	17,007	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:04		LARGE	WLINGUN	17,021	17,022	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:03		LARGE	WLINGUN	17,038	17,039	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:02		LARGE	WLINGUN	17,051	17,052	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:01		LARGE	WLINGUN	17,066	17,067	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:00		LARGE	WLINGUN	17,081	17,082	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:59		LARGE	WLINGUN	17,096	17,097	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:58		LARGE	WLINGUN	17,111	17,112	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:56		LARGE	WLINGUN	17,126	17,127	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 13 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 05:49		LARGE	WLINGUN	17,143	17,144	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:48		LARGE	WLINGUN	17,158	17,159	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:47		LARGE	WLINGUN	17,173	17,174	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:46		LARGE	WLINGUN	17,188	17,189	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:45		LARGE	WLINGUN	17,203	17,204	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:44		LARGE	WLINGUN	17,218	17,219	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:43		LARGE	WLINGUN	17,233	17,234	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:42		LARGE	WLINGUN	17,248	17,249	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:41		LARGE	WLINGUN	17,263	17,264	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:40		LARGE	WLINGUN	17,278	17,279	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 12 of 39											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 01:30		LARGE	WLINGUN	17,430	17,431	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,415	17,416	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,400	17,401	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,385	17,386	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,370	17,371	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,365	17,366	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,350	17,351	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,335	17,336	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,320	17,321	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30		LARGE	WLINGUN	17,305	17,306	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 38					Report For 06:00 AM 31-Jul-17				
Perforation Information									
Stage: 11 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 10 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 9 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 8 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 7 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 38					Report For 06:00 AM 31-Jul-17				
Perforation Information									
Stage: 6 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 5 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 4 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 3 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 2 of 39									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>				
Report No: 38		Report For 06:00 AM 31-Jul-17				
Perforation Information						
Stage: 1 of 39						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						


	Daily Completion Report Well ID: 42-383-39818 ST Field: Impossible				SEM Operating Company, LLC Well Name: University 9C 1201WB ST Sect: 12 County: Reagan State: TX			
Report No: 39		Report For 06:00 AM 01-Aug-17						
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 46,533 / 0		
Measured Depth (ft): 19215		Completion Days (act.): 18		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,498,601		
Plug Back MD (ft):		Days On Location: 35		Orig RKB Elev(ft): 26.20				
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,498,601		
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,498,601		
Pers/Hrs: Operator: 0 / 0		Contractor: 2 / 24		Service: 52 / 624		Other: 0 / 0 Total: 54 / 648		
Current Operations: PLUG AND PERF STAGE 52.								
Planned Operations: PLUG AND PERF / STAGE FRAC 46 THRU 51 OF 68								
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS						Tel No.:		
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00	19,215	STIM	PLUG AND PERF / STAGE FRAC 46 THRU 51 OF 68			
Management Summary								
PLUG AND PERF / FRAC								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent	
020917	Drill and complete a 19330' later:			0.00	183,571.38	46,532.50	5,498,600.94	
Totals \$:			0.00	0.00	183,571.00	46,533.00	5,498,601.00	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)	
FULL	5.50	0		19,190		20.00	P-110	
Perforation Information								
Stage: 44 of 44								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 43 of 44								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 42 of 44								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		


	Daily Completion Report					SEM Operating Company, LLC					
	Well ID: 42-383-39818 ST					Well Name: University 9C 1201WB ST					
	Field: Impossible					Sect: 12 County: Reagan State: TX					
Report No: 39						Report For 06:00 AM 01-Aug-17					
Perforation Information											
Stage: 41 of 44											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
31-Jul-17 06:10		LARGE	WLINGUN	12,887	12,888	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:09		LARGE	WLINGUN	12,902	12,903	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:08		LARGE	WLINGUN	12,917	12,918	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:07		LARGE	WLINGUN	12,932	12,933	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:06		LARGE	WLINGUN	12,947	12,948	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:05		LARGE	WLINGUN	12,962	12,963	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:04		LARGE	WLINGUN	12,977	12,978	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:03		LARGE	WLINGUN	12,992	12,993	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:02		LARGE	WLINGUN	13,007	13,008	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:01		LARGE	WLINGUN	13,022	13,023	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 40 of 44											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
31-Jul-17 01:40		LARGE	WLINGUN	13,174	13,175	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,159	13,160	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,144	13,145	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,129	13,130	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,114	13,115	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,099	13,100	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,084	13,085	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,069	13,070	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,054	13,055	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,039	13,040	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 39 of 44											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
30-Jul-17 22:30		LARGE	WLINGUN	13,324	13,325	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,311	13,312	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,296	13,297	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,278	13,279	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,266	13,267	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,251	13,252	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,233	13,234	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,221	13,222	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,206	13,207	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,197	13,198	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 38 of 44											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
30-Jul-17 10:52		LARGE	WLINGUN	13,343	13,344	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:51		LARGE	WLINGUN	13,358	13,359	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:50		LARGE	WLINGUN	13,370	13,371	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:49		LARGE	WLINGUN	13,388	13,389	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:48		LARGE	WLINGUN	13,403	13,404	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:47		LARGE	WLINGUN	13,415	13,416	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:46		LARGE	WLINGUN	13,433	13,434	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:45		LARGE	WLINGUN	13,448	13,449	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:44		LARGE	WLINGUN	13,460	13,461	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:43		LARGE	WLINGUN	13,478	13,479	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 37 of 44											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
30-Jul-17 01:10		LARGE	WLINGUN	13,628	13,629	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,615	13,616	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,600	13,601	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,585	13,586	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,570	13,571	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,557	13,558	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,540	13,541	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,525	13,526	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,512	13,513	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10		LARGE	WLINGUN	13,495	13,496	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 36 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 35 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 34 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 33 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 32 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 31 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 30 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 29 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 28 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 27 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 26 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 25 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 24 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 23 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 22 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 21 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 20 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 19 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 18 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 17 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 16 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 15 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 14 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 13 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 12 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 11 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 10 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 9 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 8 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 7 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 39					Report For 06:00 AM 01-Aug-17				
Perforation Information									
Stage: 6 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 5 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 4 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 3 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 2 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>				
Report No: 39		Report For 06:00 AM 01-Aug-17				
Perforation Information						
Stage: 1 of 44						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						


	Daily Completion Report Well ID: 42-383-39818 ST Field: Impossible				SEM Operating Company, LLC Well Name: University 9C 1201WB ST Sect: 12 County: Reagan State: TX				
Report No: 40		Report For 06:00 AM 02-Aug-17							
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 46,533 / 0			
Measured Depth (ft): 19215		Completion Days (act.): 19		Casing Head Elev (ft/hr):		AFE No.		AFE (\$)	Actual (\$)
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917		0	5,545,133
Plug Back MD (ft):		Days On Location: 36		Orig RKB Elev(ft): 26.20					
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals:		0	5,545,133
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$):		5,545,133	
Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 48		Service: 52 / 624		Other: 0 / 0		Total: 56 / 672	
Current Operations: STARTED FRAC ON STAGE 58									
Planned Operations: PLUG AND PERF / FRAC STAGES 52 THRU 57 OF 68									
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS								Tel No.:	
Operations Summary									
From	To	Elapsed	End MD(ft)	Code	Operations Description				Non-Prod
6:00	6:00	24.00	19,215	STIM	PLUG AND PERF / FRAC STAGES 52 THRU 57 OF 68.				
Management Summary									
PLUG AND PERF/ FRAC									
Cost/AFE Information									
AFE No		AFE Description		AFE Amount		Daily Fluid		Well Fluid	
020917		Drill and complete a 19330' later:				0.00		183,571.38	
		Totals \$:		0.00		0.00		183,571.00	
						46,532.50		5,545,133.44	
						46,533.00		5,545,133.00	
Casing/Tubular Information									
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade		LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110		
Perforation Information									
Stage: 50 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 49 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 48 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 40		Report For 06:00 AM 02-Aug-17						
Perforation Information								
Stage: 47 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 46 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 45 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 44 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 43 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 40						Report For 06:00 AM 02-Aug-17					
Perforation Information											
Stage: 42 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
31-Jul-17 10:09		LARGE	WLINGUN	12,735	12,736	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:08		LARGE	WLINGUN	12,750	12,751	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:07		LARGE	WLINGUN	12,765	12,766	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:06		LARGE	WLINGUN	12,780	12,781	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:05		LARGE	WLINGUN	12,795	12,796	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:04		LARGE	WLINGUN	12,810	12,811	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:03		LARGE	WLINGUN	12,825	12,826	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:02		LARGE	WLINGUN	12,840	12,841	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:01		LARGE	WLINGUN	12,855	12,856	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:00		LARGE	WLINGUN	12,870	12,871	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 41 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
31-Jul-17 06:10		LARGE	WLINGUN	12,887	12,888	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:09		LARGE	WLINGUN	12,902	12,903	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:08		LARGE	WLINGUN	12,917	12,918	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:07		LARGE	WLINGUN	12,932	12,933	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:06		LARGE	WLINGUN	12,947	12,948	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:05		LARGE	WLINGUN	12,962	12,963	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:04		LARGE	WLINGUN	12,977	12,978	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:03		LARGE	WLINGUN	12,992	12,993	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:02		LARGE	WLINGUN	13,007	13,008	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:01		LARGE	WLINGUN	13,022	13,023	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 40 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
31-Jul-17 01:40		LARGE	WLINGUN	13,174	13,175	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,159	13,160	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,144	13,145	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,129	13,130	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,114	13,115	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,099	13,100	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,084	13,085	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,069	13,070	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,054	13,055	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 01:40		LARGE	WLINGUN	13,039	13,040	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 39 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
30-Jul-17 22:30		LARGE	WLINGUN	13,324	13,325	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,311	13,312	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,296	13,297	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,278	13,279	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,266	13,267	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,251	13,252	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,233	13,234	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,221	13,222	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,206	13,207	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 22:30		LARGE	WLINGUN	13,197	13,198	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 38 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
30-Jul-17 10:52		LARGE	WLINGUN	13,343	13,344	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:51		LARGE	WLINGUN	13,358	13,359	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:50		LARGE	WLINGUN	13,370	13,371	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:49		LARGE	WLINGUN	13,388	13,389	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:48		LARGE	WLINGUN	13,403	13,404	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:47		LARGE	WLINGUN	13,415	13,416	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:46		LARGE	WLINGUN	13,433	13,434	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:45		LARGE	WLINGUN	13,448	13,449	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:44		LARGE	WLINGUN	13,460	13,461	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 10:43		LARGE	WLINGUN	13,478	13,479	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 40					Report For 06:00 AM 02-Aug-17				
Perforation Information									
Stage: 37 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 36 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 35 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 34 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 33 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 40						Report For 06:00 AM 02-Aug-17					
Perforation Information											
Stage: 32 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
28-Jul-17 19:00		LARGE	WLINGUN	14,390	14,391	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,375	14,376	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,360	14,361	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,345	14,346	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,330	14,331	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,315	14,316	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,300	14,301	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,285	14,286	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,274	14,275	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00		LARGE	WLINGUN	14,255	14,256	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 31 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
28-Jul-17 14:08		LARGE	WLINGUN	14,411	14,412	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:07		LARGE	WLINGUN	14,422	14,423	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:06		LARGE	WLINGUN	14,437	14,438	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:05		LARGE	WLINGUN	14,452	14,453	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:04		LARGE	WLINGUN	14,467	14,468	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:03		LARGE	WLINGUN	14,482	14,483	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:02		LARGE	WLINGUN	14,497	14,498	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:01		LARGE	WLINGUN	14,512	14,513	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:00		LARGE	WLINGUN	14,527	14,528	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 13:59		LARGE	WLINGUN	14,542	14,543	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 30 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
28-Jul-17 10:10		LARGE	WLINGUN	14,559	14,560	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:09		LARGE	WLINGUN	14,574	14,575	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:08		LARGE	WLINGUN	14,589	14,590	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:07		LARGE	WLINGUN	14,604	14,605	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:06		LARGE	WLINGUN	14,619	14,620	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:05		LARGE	WLINGUN	14,634	14,635	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:04		LARGE	WLINGUN	14,649	14,650	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:03		LARGE	WLINGUN	14,664	14,665	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:02		LARGE	WLINGUN	14,679	14,680	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:01		LARGE	WLINGUN	14,694	14,695	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 29 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
28-Jul-17 05:51		LARGE	WLINGUN	14,711	14,712	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:50		LARGE	WLINGUN	14,726	14,727	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:49		LARGE	WLINGUN	14,741	14,742	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:48		LARGE	WLINGUN	14,756	14,757	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:47		LARGE	WLINGUN	14,771	14,772	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:46		LARGE	WLINGUN	14,786	14,787	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:45		LARGE	WLINGUN	14,800	14,801	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:44		LARGE	WLINGUN	14,816	14,817	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:43		LARGE	WLINGUN	14,831	14,832	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:42		LARGE	WLINGUN	14,846	14,847	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 28 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
28-Jul-17 01:55		LARGE	WLINGUN	14,998	14,999	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,985	14,986	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,968	14,969	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,953	14,954	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,940	14,941	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,923	14,924	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,908	14,909	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,893	14,894	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,878	14,879	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55		LARGE	WLINGUN	14,863	14,864	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 40						Report For 06:00 AM 02-Aug-17					
Perforation Information											
Stage: 27 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 22:00		LARGE	WLINGUN	15,146	15,147	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,135	15,136	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,120	15,121	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,105	15,106	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,090	15,091	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,078	15,079	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,060	15,061	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,045	15,046	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,030	15,031	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00		LARGE	WLINGUN	15,015	15,016	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 26 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 18:15		LARGE	WLINGUN	15,302	15,303	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,287	15,288	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,272	15,273	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,257	15,258	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,242	15,243	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,227	15,228	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,212	15,213	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,197	15,198	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,182	15,183	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15		LARGE	WLINGUN	15,167	15,168	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 25 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 14:21		LARGE	WLINGUN	15,319	15,320	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:20		LARGE	WLINGUN	15,334	15,335	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:19		LARGE	WLINGUN	15,349	15,350	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:18		LARGE	WLINGUN	15,364	15,365	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:17		LARGE	WLINGUN	15,379	15,380	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:16		LARGE	WLINGUN	15,394	15,395	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:15		LARGE	WLINGUN	15,409	15,410	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:14		LARGE	WLINGUN	15,422	15,423	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:13		LARGE	WLINGUN	15,439	15,440	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:12		LARGE	WLINGUN	15,454	15,455	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 24 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 10:05		LARGE	WLINGUN	15,475	15,476	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:04		LARGE	WLINGUN	15,486	15,487	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:03		LARGE	WLINGUN	15,501	15,502	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:02		LARGE	WLINGUN	15,520	15,521	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:01		LARGE	WLINGUN	15,531	15,532	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:00		LARGE	WLINGUN	15,546	15,547	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:59		LARGE	WLINGUN	15,565	15,566	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:58		LARGE	WLINGUN	15,576	15,577	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:57		LARGE	WLINGUN	15,591	15,592	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:56		LARGE	WLINGUN	15,602	15,603	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 23 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 05:39		LARGE	WLINGUN	15,623	15,624	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:38		LARGE	WLINGUN	15,638	15,639	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:37		LARGE	WLINGUN	15,655	15,656	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:36		LARGE	WLINGUN	15,668	15,669	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:35		LARGE	WLINGUN	15,683	15,684	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:34		LARGE	WLINGUN	15,700	15,701	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:33		LARGE	WLINGUN	15,713	15,714	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:32		LARGE	WLINGUN	15,728	15,729	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:31		LARGE	WLINGUN	15,743	15,744	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:30		LARGE	WLINGUN	15,758	15,759	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 40						Report For 06:00 AM 02-Aug-17					
Perforation Information											
Stage: 22 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 01:45		LARGE	WLINGUN	15,910	15,911	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,895	15,896	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,880	15,881	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,865	15,866	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,850	15,851	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,835	15,836	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,820	15,821	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,805	15,806	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,790	15,791	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,775	15,776	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 21 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 21:55		LARGE	WLINGUN	16,062	16,063	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,047	16,048	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,032	16,033	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,017	16,018	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,002	16,003	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,987	15,988	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,972	15,973	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,957	15,958	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,942	15,943	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,927	15,928	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 20 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 18:20		LARGE	WLINGUN	16,214	16,215	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,199	16,200	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,181	16,182	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,169	16,170	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,154	16,155	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,139	16,140	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,124	16,125	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,109	16,110	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,092	16,093	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,079	16,080	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 19 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 14:08		LARGE	WLINGUN	16,233	16,234	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:07		LARGE	WLINGUN	16,246	16,247	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:06		LARGE	WLINGUN	16,261	16,262	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:05		LARGE	WLINGUN	16,278	16,279	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:04		LARGE	WLINGUN	16,291	16,292	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:03		LARGE	WLINGUN	16,306	16,307	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:02		LARGE	WLINGUN	16,323	16,324	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:01		LARGE	WLINGUN	16,336	16,337	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:00		LARGE	WLINGUN	16,351	16,352	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 11:35		LARGE	WLINGUN	16,366	16,367	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 18 of 50											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 07:46		LARGE	WLINGUN	16,383	16,384	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:45		LARGE	WLINGUN	16,398	16,399	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:44		LARGE	WLINGUN	16,413	16,414	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:43		LARGE	WLINGUN	16,428	16,429	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:42		LARGE	WLINGUN	16,443	16,444	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:41		LARGE	WLINGUN	16,458	16,459	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:40		LARGE	WLINGUN	16,473	16,474	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:39		LARGE	WLINGUN	16,488	16,489	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:38		LARGE	WLINGUN	16,503	16,504	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:37		LARGE	WLINGUN	16,518	16,519	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 40					Report For 06:00 AM 02-Aug-17				
Perforation Information									
Stage: 17 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 16 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 15 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 14 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 13 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 40				Report For 06:00 AM 02-Aug-17				
Perforation Information								
Stage: 12 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 11 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 10 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 9 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 8 of 50								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		

	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 40					Report For 06:00 AM 02-Aug-17				
Perforation Information									
Stage: 7 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 6 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 5 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 4 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 3 of 50									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>				
Report No: 40		Report For 06:00 AM 02-Aug-17				
Perforation Information						
Stage: 2 of 50						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 1 of 50						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):	51,433 / 0
Measured Depth (ft):	19215	Completion Days (act.):	20	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0
Plug Back MD (ft):		Days On Location:	37	Orig RKB Elev(ft):	26.20		
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):	5,597,150
Pers/Hrs:	Operator: 0 / 0	Contractor:	4 / 48	Service:	54 / 648	Other:	0 / 0
				Total:			

Current Operations: PLUG AND PERF STAGE 65.

Planned Operations: PLUG AND PERF / FRAC STAGES 58 THRU 64 OF 68.

Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS

Tel No.:

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00	19,215	STIM	PLUG AND PERF / FRAC STAGES 58 THRU 64 OF 68.	

Management Summary

PLUG AND PERF / FRAC

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	51,432.50	5,597,150.32	
Totals \$:		0.00	0.00	183,571.00	51,433.00	5,597,150.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 56 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 54 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 50 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 46 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 42 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 38 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 34 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 30 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 26 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 22 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 18 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 14 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 10 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 6 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 41

Report For 06:00 AM 03-Aug-17

Perforation Information

Stage: 2 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 56

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):	596,203 / 0
Measured Depth (ft):	19215	Completion Days (act.):	21	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0
Plug Back MD (ft):		Days On Location:	38	Orig RKB Elev(ft):	26.20		
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):	6,193,353
Pers/Hrs:	Operator: 0 / 0	Contractor:	5 / 60	Service:	52 / 624	Other:	0 / 0
						Total:	57 / 684

Current Operations: FINISHING RD.

Planned Operations: PLUG AND PERF / FRAC STAGES 65 THRU 68 OF 68.

Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS

Tel No.:

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	21:50	15.83	19,215	STIM	PLUG AND PERF / FRAC STAGES 65 THRU 68 OF 68.	
21:50	6:00	8.17	19,215	RD	START RD OF FRAC SET.	

Management Summary

PLUG AND PERF / FRAC

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	596,202.62	6,193,352.94	
Totals \$:		0.00	0.00	183,571.00	596,203.00	6,193,353.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 63 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 61 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 59 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 57 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 53 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 49 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 45 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 41 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 37 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 33 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 29 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 25 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 21 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 17 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 13 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 9 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 5 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 63

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 42

Report For 06:00 AM 04-Aug-17

Perforation Information

Stage: 1 of 63


Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...


Rig Information


Equipment Problems:


Location Condition:


Transport:


	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>				<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>			
Report No: 43		Report For 06:00 AM 05-Aug-17						
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 29,150 / 0		
Measured Depth (ft): 19215		Completion Days (act.): 22		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 6,222,503		
Plug Back MD (ft):		Days On Location: 39		Orig RKB Elev(ft): 26.20				
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 6,222,503		
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 6,222,503		
Pers/Hrs: Operator: 0 / 0		Contractor: 2 / 24		Service: 15 / 180		Other: 0 / 0 Total: 17 / 204		
Current Operations: WELL SI. WAITING ON COIL UNIT.								
Planned Operations: FINISHED RDMO OF FRAC SET.								
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS						Tel No.:		
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	8:00	2.00	19,215	RD	FINISHED RDMO OF FRAC SET.			
8:00	13:00	5.00	19,215	RU	SET SAND-X AND FLOW BACK TANKS. FILLED TANKS WITH FRESH WATER WITH BIOSIDE.			
13:00	6:00	17.00	19,215	WOE	WAITING ON CTU.			
Management Summary								
FINISHED RDMO OF FRAC SET.								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent	
020917	Drill and complete a 19330' later:			0.00	183,571.38	29,150.00	6,222,502.94	
Totals \$:			0.00	0.00	183,571.00	29,150.00	6,222,503.00	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)	
FULL	5.50	0		19,190		20.00	P-110	
Perforation Information								
Stage: 68 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 67 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 66 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 43					Report For 06:00 AM 05-Aug-17				
Perforation Information									
Stage: 65 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 64 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 63 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 62 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 61 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 43					Report For 06:00 AM 05-Aug-17				
Perforation Information									
Stage: 60 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 59 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 58 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 57 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 56 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 43						Report For 06:00 AM 05-Aug-17					
Perforation Information											
Stage: 55 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
02-Aug-17 17:40		LARGE	WLINGUN	10,912	10,913	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,899	10,900	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,886	10,887	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,873	10,874	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,860	10,861	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,847	10,848	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,834	10,835	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,821	10,822	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,808	10,809	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 17:40		LARGE	WLINGUN	10,795	10,796	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 54 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
02-Aug-17 14:11		LARGE	WLINGUN	10,929	10,930	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:10		LARGE	WLINGUN	10,942	10,943	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:09		LARGE	WLINGUN	10,957	10,958	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:08		LARGE	WLINGUN	10,968	10,969	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:07		LARGE	WLINGUN	10,981	10,982	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:06		LARGE	WLINGUN	10,992	10,993	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:05		LARGE	WLINGUN	11,007	11,008	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:04		LARGE	WLINGUN	11,020	11,021	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:03		LARGE	WLINGUN	11,033	11,034	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 14:02		LARGE	WLINGUN	11,048	11,049	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 53 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
02-Aug-17 10:33		LARGE	WLINGUN	11,063	11,064	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:32		LARGE	WLINGUN	11,078	11,079	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:31		LARGE	WLINGUN	11,093	11,094	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:30		LARGE	WLINGUN	11,108	11,109	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:29		LARGE	WLINGUN	11,123	11,124	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:28		LARGE	WLINGUN	11,138	11,139	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:27		LARGE	WLINGUN	11,153	11,154	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:26		LARGE	WLINGUN	11,168	11,169	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:25		LARGE	WLINGUN	11,183	11,184	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 10:24		LARGE	WLINGUN	11,198	11,199	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 52 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
02-Aug-17 06:41		LARGE	WLINGUN	11,215	11,216	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:40		LARGE	WLINGUN	11,230	11,231	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:39		LARGE	WLINGUN	11,245	11,246	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:38		LARGE	WLINGUN	11,260	11,261	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:37		LARGE	WLINGUN	11,275	11,276	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:36		LARGE	WLINGUN	11,290	11,291	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:35		LARGE	WLINGUN	11,305	11,306	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:34		LARGE	WLINGUN	11,320	11,321	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:33		LARGE	WLINGUN	11,335	11,336	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 06:32		LARGE	WLINGUN	11,350	11,351	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 51 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
02-Aug-17 02:15		LARGE	WLINGUN	11,502	11,503	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,487	11,488	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,472	11,473	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,457	11,458	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,442	11,443	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,427	11,428	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,412	11,413	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,397	11,398	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,382	11,383	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
02-Aug-17 02:15		LARGE	WLINGUN	11,367	11,368	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 43					Report For 06:00 AM 05-Aug-17			
Perforation Information								
Stage: 50 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 49 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 48 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 47 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 46 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 43					Report For 06:00 AM 05-Aug-17				
Perforation Information									
Stage: 45 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 44 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 43 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 42 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 41 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report					SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST					Well Name: University 9C 1201WB ST				
	Field: Impossible					Sect: 12 County: Reagan State: TX				
Report No: 43						Report For 06:00 AM 05-Aug-17				
Perforation Information										
Stage: 40 of 68										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 39 of 68										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 38 of 68										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 37 of 68										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 36 of 68										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 43					Report For 06:00 AM 05-Aug-17				
Perforation Information									
Stage: 35 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 34 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 33 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 32 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 31 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 43					Report For 06:00 AM 05-Aug-17				
Perforation Information									
Stage: 30 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 29 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 28 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 27 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 26 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 43						Report For 06:00 AM 05-Aug-17					
Perforation Information											
Stage: 25 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 14:21		LARGE	WLINGUN	15,319	15,320	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:20		LARGE	WLINGUN	15,334	15,335	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:19		LARGE	WLINGUN	15,349	15,350	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:18		LARGE	WLINGUN	15,364	15,365	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:17		LARGE	WLINGUN	15,379	15,380	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:16		LARGE	WLINGUN	15,394	15,395	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:15		LARGE	WLINGUN	15,409	15,410	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:14		LARGE	WLINGUN	15,422	15,423	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:13		LARGE	WLINGUN	15,439	15,440	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:12		LARGE	WLINGUN	15,454	15,455	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 24 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 10:05		LARGE	WLINGUN	15,475	15,476	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:04		LARGE	WLINGUN	15,486	15,487	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:03		LARGE	WLINGUN	15,501	15,502	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:02		LARGE	WLINGUN	15,520	15,521	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:01		LARGE	WLINGUN	15,531	15,532	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:00		LARGE	WLINGUN	15,546	15,547	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:59		LARGE	WLINGUN	15,565	15,566	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:58		LARGE	WLINGUN	15,576	15,577	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:57		LARGE	WLINGUN	15,591	15,592	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:56		LARGE	WLINGUN	15,602	15,603	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 23 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 05:39		LARGE	WLINGUN	15,623	15,624	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:38		LARGE	WLINGUN	15,638	15,639	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:37		LARGE	WLINGUN	15,655	15,656	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:36		LARGE	WLINGUN	15,668	15,669	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:35		LARGE	WLINGUN	15,683	15,684	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:34		LARGE	WLINGUN	15,700	15,701	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:33		LARGE	WLINGUN	15,713	15,714	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:32		LARGE	WLINGUN	15,728	15,729	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:31		LARGE	WLINGUN	15,743	15,744	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:30		LARGE	WLINGUN	15,758	15,759	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 22 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
27-Jul-17 01:45		LARGE	WLINGUN	15,910	15,911	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,895	15,896	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,880	15,881	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,865	15,866	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,850	15,851	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,835	15,836	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,820	15,821	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,805	15,806	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,790	15,791	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45		LARGE	WLINGUN	15,775	15,776	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 21 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 21:55		LARGE	WLINGUN	16,062	16,063	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,047	16,048	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,032	16,033	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,017	16,018	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	16,002	16,003	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,987	15,988	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,972	15,973	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,957	15,958	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,942	15,943	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55		LARGE	WLINGUN	15,927	15,928	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 43						Report For 06:00 AM 05-Aug-17					
Perforation Information											
Stage: 20 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 18:20		LARGE	WLINGUN	16,214	16,215	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,199	16,200	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,181	16,182	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,169	16,170	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,154	16,155	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,139	16,140	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,124	16,125	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,109	16,110	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,092	16,093	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20		LARGE	WLINGUN	16,079	16,080	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 19 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 14:08		LARGE	WLINGUN	16,233	16,234	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:07		LARGE	WLINGUN	16,246	16,247	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:06		LARGE	WLINGUN	16,261	16,262	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:05		LARGE	WLINGUN	16,278	16,279	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:04		LARGE	WLINGUN	16,291	16,292	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:03		LARGE	WLINGUN	16,306	16,307	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:02		LARGE	WLINGUN	16,323	16,324	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:01		LARGE	WLINGUN	16,336	16,337	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:00		LARGE	WLINGUN	16,351	16,352	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 11:35		LARGE	WLINGUN	16,366	16,367	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 18 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 07:46		LARGE	WLINGUN	16,383	16,384	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:45		LARGE	WLINGUN	16,398	16,399	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:44		LARGE	WLINGUN	16,413	16,414	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:43		LARGE	WLINGUN	16,428	16,429	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:42		LARGE	WLINGUN	16,443	16,444	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:41		LARGE	WLINGUN	16,458	16,459	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:40		LARGE	WLINGUN	16,473	16,474	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:39		LARGE	WLINGUN	16,488	16,489	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:38		LARGE	WLINGUN	16,503	16,504	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:37		LARGE	WLINGUN	16,518	16,519	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 17 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 03:30		LARGE	WLINGUN	16,670	16,671	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,655	16,656	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,640	16,641	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,625	16,626	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,610	16,611	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,595	16,596	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,580	16,581	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,565	16,566	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,550	16,551	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,535	16,536	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 16 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 23:30		LARGE	WLINGUN	16,822	16,823	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,803	16,804	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,792	16,793	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,777	16,778	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,760	16,761	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,747	16,748	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,732	16,733	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,715	16,716	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,702	16,703	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,687	16,688	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 43					Report For 06:00 AM 05-Aug-17				
Perforation Information									
Stage: 15 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 14 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 13 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 12 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 11 of 68									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 43						Report For 06:00 AM 05-Aug-17					
Perforation Information											
Stage: 10 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
24-Jul-17 13:26		LARGE	WLINGUN	17,599	17,600	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:25		LARGE	WLINGUN	17,614	17,615	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:24		LARGE	WLINGUN	17,629	17,630	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:23		LARGE	WLINGUN	17,644	17,645	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:22		LARGE	WLINGUN	17,659	17,660	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:21		LARGE	WLINGUN	17,674	17,675	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:20		LARGE	WLINGUN	17,689	17,690	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:19		LARGE	WLINGUN	17,704	17,705	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:18		LARGE	WLINGUN	17,719	17,720	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 13:17		LARGE	WLINGUN	17,734	17,735	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 9 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
24-Jul-17 07:59		LARGE	WLINGUN	17,756	17,757	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:58		LARGE	WLINGUN	17,766	17,767	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:57		LARGE	WLINGUN	17,781	17,782	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:56		LARGE	WLINGUN	17,800	17,801	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:54		LARGE	WLINGUN	17,811	17,812	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:53		LARGE	WLINGUN	17,826	17,827	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:52		LARGE	WLINGUN	17,838	17,839	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:51		LARGE	WLINGUN	17,856	17,857	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:50		LARGE	WLINGUN	17,871	17,872	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 07:49		LARGE	WLINGUN	17,884	17,885	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 8 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
24-Jul-17 03:20		LARGE	WLINGUN	17,903	17,904	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:19		LARGE	WLINGUN	17,918	17,919	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:18		LARGE	WLINGUN	17,936	17,937	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:17		LARGE	WLINGUN	17,948	17,949	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:16		LARGE	WLINGUN	17,963	17,964	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:15		LARGE	WLINGUN	17,980	17,981	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:14		LARGE	WLINGUN	17,993	17,994	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:13		LARGE	WLINGUN	18,008	18,009	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:12		LARGE	WLINGUN	18,024	18,025	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:11		LARGE	WLINGUN	18,038	18,039	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 7 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
23-Jul-17 22:25		LARGE	WLINGUN	18,055	18,056	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:24		LARGE	WLINGUN	18,070	18,071	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:23		LARGE	WLINGUN	18,085	18,086	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:22		LARGE	WLINGUN	18,100	18,101	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:21		LARGE	WLINGUN	18,115	18,116	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:20		LARGE	WLINGUN	18,130	18,131	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:19		LARGE	WLINGUN	18,145	18,146	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:18		LARGE	WLINGUN	18,160	18,161	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:17		LARGE	WLINGUN	18,175	18,176	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:16		LARGE	WLINGUN	18,190	18,191	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 6 of 68											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
23-Jul-17 18:00		LARGE	WLINGUN	18,209	18,210	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:59		LARGE	WLINGUN	18,222	18,223	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:58		LARGE	WLINGUN	18,237	18,238	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:57		LARGE	WLINGUN	18,252	18,253	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:56		LARGE	WLINGUN	18,267	18,268	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:55		LARGE	WLINGUN	18,282	18,283	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:54		LARGE	WLINGUN	18,297	18,298	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:53		LARGE	WLINGUN	18,312	18,313	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:52		LARGE	WLINGUN	18,327	18,328	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:51		LARGE	WLINGUN	18,342	18,343	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 43				Report For 06:00 AM 05-Aug-17				
Perforation Information								
Stage: 5 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 4 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 3 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 2 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 1 of 68								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...		
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...		
Rig Information								
Equipment Problems:								
Location Condition:								
Transport:								



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):	43,403 / 0
Measured Depth (ft):	19215	Completion Days (act.):	23	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0
Plug Back MD (ft):		Days On Location:	40	Orig RKB Elev(ft):	26.20		
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):	9,731,481
Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	28 / 336	Other:	0 / 0
Current Operations:	FINISHED RU COIL TBG UNIT. START DRILL OUT						
Planned Operations:	FINISHED RU COIL TBG UNIT. START DRILL OUT						
Wellsite Supervisors:	AVERY, MAYNARD						Tel No.:

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	8:00	2.00	19,215	WOE	WAITING ON COIL TUBING UNIT	
8:00	13:00	5.00	19,215	RU	RU REDZONE 2 5/8" COIL TBG UNIT. TESTED TO 8500#	
13:00	15:50	2.83	19,215	CTDPL	OPENED WELL W/ 950# SICP. RIH W/ COIL CONNECTOR, BPV, JARS, DISCONNECT, CIRC SUB, AV SUB, AGITATOR, 2 7/8" MOTOR, 4 5/8" HYBRID JZ BIT.	
15:50	16:00	0.17	19,215	CTDPL	TAG PLUG #1 @ 8894' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5400 PSI WHP = 1200 PSI SEND 5 BBL SWEEP CIH.	
16:00	16:30	0.50	19,215	CTDPL	TAG PLUG #2 @ 9,048' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5000 PSI WHP = 1100 PSI SEND 5 BBL SWEEP CIH.	
16:30	17:00	0.50	19,215	CTDPL	TAG PLUG #3 @ 9,200' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5.1 BPM CP = 5400 PSI WHP = 1100 PSI SEND 5 BBL SWEEP CIH.	
17:00	17:30	0.50	19,215	CTDPL	TAG PLUG #4 @ 9,351' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5400 PSI WHP = 1100 PSI SEND 5 BBL SWEEP CIH.	
17:30	18:04	0.57	19,215	CTDPL	TAG PLUG #5 @ 9,499' CTM DOT = 12 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5400 PSI WHP = 1000 PSI SEND 5 BBL SWEEP CIH.	
18:04	18:28	0.40	19,215	CTDPL	TAG PLUG #6 @ 9,664' CTM DOT = 11 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4900 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH.	
18:28	19:01	0.55	19,215	CTDPL	TAG PLUG #7 @ 9,823' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4800 PSI WHP = 850 PSI SEND 5 BBL SWEEP CIH.	
19:01	19:35	0.57	19,215	CTDPL	TAG PLUG #8 @ 9,970' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5000 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH.	
19:35	20:18	0.72	19,215	CTDPL	TAG PLUG #9 @ 10,118' CTM DOT = 9 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5288 PSI WHP = 1000 PSI SEND 5 BBL SWEEP CIH.	
20:18	21:08	0.83	19,215	CTDPL	TAG PLUG #10 @ 10,269' CTM DOT = 17 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5100 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH.	
21:08	21:48	0.67	19,215	CTDPL	TAG PLUG #11 @ 10,425' CTM DOT = 12 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5310 PSI WHP = 860 PSI SEND 5 BBL SWEEP CIH.	
21:48	22:15	0.45	19,215	CTDPL	TAG PLUG # 12 @ 10,572' CTM DOT = 6 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4800 PSI WHP = 765 PSI SEND 5 BBL SWEEP CIH.	
22:15	22:45	0.50	19,215	CTDPL	TAG PLUG #13 @ 10,727' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4800 PSI WHP = 790 PSI SEND 5 BBL SWEEP CIH.	
22:45	23:03	0.30	19,215	CTDPL	TAG PLUG #14 @ 10,862' CTM DOT = 12 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4980 PSI WHP = 700 PSI SEND 5 BBL SWEEP CIH.	
23:03	23:47	0.73	19,215	CTDPL	TAG PLUG #15 @ 10,994' CTM DOT = 12 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4775 PSI WHP = 770 PSI SEND 10/10/10 BBL SWEEP CIH. TAGGED PLUG 16 PICKED UP 1000' HAD NO OVER PULL CONTINUED BACK IN HOLE	
23:47	1:43	1.93	19,215	CTDPL	TAG PLUG #16 @ 11149' CTM DOT = 12 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5130 PSI WHP = 830 PSI SEND 5 BBL SWEEP CIH.	
1:43	2:33	0.83	19,215	CTDPL	TAG PLUG #17 @ 11,299' CTM DOT = 13 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4980 PSI WHP = 840 PSI SEND 5 BBL SWEEP CIH.	
2:33	3:01	0.47	19,215	CTDPL	TAG PLUG #18 @ 11,450' CTM DOT = 6 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4800 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH.	
3:01	3:33	0.53	19,215	CTDPL	TAG PLUG #19 @ 11,598' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4710 PSI WHP = 750 PSI SEND 5 BBL SWEEP CIH.	
3:33	3:47	0.23	19,215	CTDPL	TAG PLUG #20 @ 11,755' CTM DOT = 5 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5066 PSI WHP = 725 PSI SEND 5 BBL SWEEP CIH.	



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
3:47	4:26	0.65	19,215	CTDPL	TAG PLUG #21 @ 11,903' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4988 PSI WHP = 770 PSI SEND 5 BBL SWEEP CIH.	
4:26	5:29	1.05	19,215	CTDPL	TAG PLUG #22 @ 12,058' CTM DOT = 11 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5300 PSI WHP = 850 PSI SEND 5 BBL SWEEP CIH.	
5:29	6:00	0.52	19,215	CTDPL	TAG PLUG #23 @ 12,211' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5300 PSI WHP = 1,000 PSI SEND 5 BBL SWEEP CIH.	

Management Summary

FINISHED RU COIL TBG UNIT. START DRILL OUT

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	43,403.00	9,731,481.22	
Totals \$:		0.00	0.00	183,571.00	43,403.00	9,731,481.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 45

Report For 06:00 AM 09-Aug-17

Perforation Information

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Operator:		SEM	Rig:		NON RIG WORK		Well Bore:		Original Well Bore		Daily Cost / Fluid (\$):		55,779 / 0								
Measured Depth (ft):		19215	Completion Days (act.):		24		Casing Head Elev (ft/hr):				AFE No.		AFE (\$)		Actual (\$)						
Vertical Depth (ft):		8335	Completion Days (plan):				Tubing Head Elev (ft/hr):				020917		0		9,829,248						
Plug Back MD (ft):			Days On Location:		41		Orig RKB Elev(ft):		26.20												
Plug Back TVD (ft)			Spud Date:		22-May-17		Last BOP Test:				Totals:		0		9,829,248						
Last Casing:		5.50 at 19,190						Working Interest:				Well Cost (\$):				9,829,248					
Pers/Hrs:		Operator:		0 / 0		Contractor:		2 / 24		Service:		18 / 216		Other:		0 / 0		Total:		20 / 240	
Current Operations:		DRILL PLUGS																			
Planned Operations:		DRILL PLUGS																			
Wellsite Supervisors:		MAYNARD, SMITH										Tel No.:									

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:35	0.58	19,215	CTDPL	TAG PLUG #24 @ 12,363' CTM DOT = 6 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5100 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH.	
6:35	7:10	0.58	19,215	CTDPL	TAG PLUG #25 @ 12,515' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5800 PSI WHP = 780 PSI SEND 10/10/10 BBL SWEEP CIH TAG PLUG #26	
7:10	9:00	1.83	19,215	CT	POOH 1,000' CHECKING WT. CHANGE OUT SCREEN IN PLUG CATCHER. TIH TO12,441' HYDRAULIC HOSE BUSTED.	
9:00	13:25	4.42	19,215	CT	WAIT ON MECHANIC TO REPAIR.	X
13:25	14:28	1.05	19,215	CTDPL	TAG PLUG #26 @ 12,663' CTM DOT = 9 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5245 PSI WHP = 950 PSI SEND 5 BBL SWEEP CIH	
14:28	15:07	0.65	19,215	CTDPL	TAG PLUG #27 @ 12,765' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5020 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH	
15:07	15:22	0.25	19,215	CTDPL	TAG PLUG #28 @ 12,971' CTM DOT = 5 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5100 PSI WHP = 910 PSI SEND 5 BBL SWEEP CIH	
15:22	15:53	0.52	19,215	CTDPL	TAG PLUG #29 @ 13,121' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5100 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH	
15:53	16:23	0.50	19,215	CTDPL	TAG PLUG #30 @ 13,272' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5500 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH	
16:23	16:52	0.48	19,215	CTDPL	TAG PLUG #31 @ 13,425' CTM DOT = 5 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5500 PSI WHP = 850 PSI SEND 5 BBL SWEEP CIH	
16:52	17:30	0.63	19,215	CTDPL	TAG PLUG #32 @ 13,575' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5000 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH	
17:30	18:00	0.50	19,215	CTDPL	TAG PLUG #33 @ 13,879' CTM DOT = 6 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5200 PSI WHP = 700 PSI SEND 5 BBL SWEEP CIH	
18:00	18:30	0.50	19,215	CTDPL	TAG PLUG #34 @ 13,879' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5700 PSI WHP = 650 PSI SEND 5 BBL SWEEP CIH	
18:30	1:24	6.90	19,215	CTDPL	TAG PLUG #35 @ 13,946' CTM DOT = PR = 5 BPM, RR = 5 BPM CP = 5700 PSI WHP = 750 PSI SEND 10/10/10 BBL SWEEP CIH PICKED MAKING SHORT TRIP AT THIS TIME TO 7650'	
1:24	1:29	0.08	19,215	CTDPL	BACK ON PLUG 35 AFTER SHORT TRIP PLUG #35 @ 14031' CTM DOT = 5 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5152 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH	
1:29	2:06	0.62	19,215	CTDPL	TAG PLUG #36 @ 14,172' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5190 PSI WHP = 900 PSI SEND 5 BBL SWEEP CIH	
2:06	2:43	0.62	19,215	CTDPL	TAG PLUG #37 @ 14,327' CTM DOT = 6 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5213 PSI WHP = 870 PSI SEND 5 BBL SWEEP CIH	
2:43	3:08	0.42	19,215	CTDPL	TAG PLUG #38 @ 14,473' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5240 PSI WHP = 840 PSI SEND 5 BBL SWEEP CIH	
3:08	3:42	0.57	19,215	CTDPL	TAG PLUG #39 @ 14,626' CTM DOT = 11 MINUTES PR = 5 BPM, RR = 5 BPM CP = 6000 PSI WHP = 820 PSI SEND 5 BBL SWEEP CIH	
3:42	4:10	0.47	19,215	CTDPL	TAG PLUG #40 @ 14,779' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5720 PSI WHP = 830 PSI SEND 5 BBL SWEEP CIH	
4:10	4:40	0.50	19,215	CTDPL	TAG PLUG #41 @ 14,932' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5725 PSI WHP = 840 PSI SEND 5 BBL SWEEP CIH	
4:40	5:12	0.53	19,215	CTDPL	TAG PLUG #42 @ 15,077' CTM DOT = 9 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5900 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH	
5:12	5:41	0.48	19,215	CTDPL	TAG PLUG #43 @ 15,231' CTM DOT = 5 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5650 PSI WHP = 810 PSI SEND 5 BBL SWEEP CIH	



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
5:41	6:00	0.32	19,215	CT	CIH TO PLUG #44	

Management Summary

DRILL PLUGS

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	55,779.00	9,829,248.14	
Totals \$:		0.00	0.00	183,571.00	55,779.00	9,829,248.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 46

Report For 06:00 AM 10-Aug-17

Perforation Information

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Operator:		SEM	Rig:		NON RIG WORK		Well Bore:		Original Well Bore		Daily Cost / Fluid (\$):		62,860 / 0								
Measured Depth (ft):		19215	Completion Days (act.):		25		Casing Head Elev (ft/hr):				AFE No.		AFE (\$)		Actual (\$)						
Vertical Depth (ft):		8335	Completion Days (plan):				Tubing Head Elev (ft/hr):				020917		0		9,892,108						
Plug Back MD (ft):			Days On Location:		42		Orig RKB Elev(ft):		26.20												
Plug Back TVD (ft)			Spud Date:		22-May-17		Last BOP Test:				Totals:		0		9,892,108						
Last Casing:		5.50 at 19,190						Working Interest:				Well Cost (\$):				9,892,108					
Pers/Hrs:		Operator:		0 / 0		Contractor:		2 / 24		Service:		18 / 216		Other:		0 / 0		Total:		20 / 240	
Current Operations:		DRILL PLUGS																			
Planned Operations:		DRILL PLUGS																			
Wellsite Supervisors:		MAYNARD, SMITH												Tel No.:							

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:41	0.68	19,215	CTDPL	TAG PLUG #44 @ 15,384' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5630 PSI WHP = 820 PSI SEND 5 BBL SWEEP CIH	
6:41	7:15	0.57	19,215	CTDPL	TAG PLUG #45 @ 15,531' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5500 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH	
7:15	7:53	0.63	19,215	CTDPL	TAG PLUG #46 @ 15,688' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5400 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH	
7:53	8:35	0.70	19,215	CTDPL	TAG PLUG #47 @ 15,840' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5500 PSI WHP = 800 PSI SEND 5 BBL SWEEP CIH	
8:35	9:24	0.82	19,215	CTDPL	TAG PLUG #48 @ 15,992' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5900 PSI WHP = 800 PSI SEND 10/10/10 BBL SWEEP CIH	
9:24	16:00	6.60	19,215	CT	POOH 200' SLOW GOING BACK IN. POOH 500' SLOW GOING BACK IN. MAKE SHORT TRIP TO 7700'	
16:00	20:43	4.72	19,215	CTDPL	TAG PLUG #49 @ 16,132' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5120 PSI WHP = 880 PSI SEND 5 BBL SWEEP CIH	
20:43	22:25	1.70	19,215	CTDPL	TAG PLUG #50 @ 16,132' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5700 PSI WHP = 870 PSI SEND 5 BBL SWEEP CIH	
22:25	1:17	2.87	19,215	CTDPL	TAG PLUG #51 @ 16,434' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5 BPM CP = 5600 PSI WHP = 785 PSI SEND 10/10/10 BBL SWEEP CIH	
1:17	2:46	1.48	19,215	CTDPL	TAG PLUG #52 @ 16,583' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4856 PSI WHP = 810 PSI SEND 10 BBL SWEEP CIH	
2:46	4:18	1.53	19,215	CTDPL	TAG PLUG #53 @ 16,132' CTM DOT = 10 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4660 PSI WHP = 800 PSI SEND 10 BBL SWEEP CIH	
4:18	5:45	1.45	19,215	CTDPL	TAG PLUG #54 @ 16,132' CTM DOT = 5 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4500 PSI WHP = 800 PSI SEND 10 BBL SWEEP CIH	
5:45	6:00	0.25	19,215	CTDPL	CIH TO PLUG 55	

Management Summary

DRILL PLUGS

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	62,860.00	9,892,108.14	
Totals \$:		0.00	0.00	183,571.00	62,860.00	9,892,108.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Perforation Information

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 47

Report For 06:00 AM 11-Aug-17

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Operator:		SEM	Rig:		NON RIG WORK		Well Bore:		Original Well Bore		Daily Cost / Fluid (\$):		55,990 / 0				
Measured Depth (ft):		19215	Completion Days (act.):		26		Casing Head Elev (ft/hr):				AFE No.		AFE (\$)		Actual (\$)		
Vertical Depth (ft):		8335	Completion Days (plan):				Tubing Head Elev (ft/hr):				020917		0		9,939,188		
Plug Back MD (ft):			Days On Location:		43		Orig RKB Elev(ft):		26.20								
Plug Back TVD (ft)			Spud Date:		22-May-17		Last BOP Test:				Totals:		0		9,939,188		
Last Casing:		5.50 at 19,190					Working Interest:				Well Cost (\$):				9,939,188		
Pers/Hrs:		Operator:	0 / 0	Contractor:		2 / 24	Service:		18 / 216	Other:		0 / 0	Total:		20 / 240		
Current Operations:		DRILL PLUGS															
Planned Operations:		DRILL PLUGS															
Wellsite Supervisors:		MAYNARD, SMITH										Tel No.:					

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	7:12	1.20	19,215	CTDPL	TAG PLUG #55 @ 17,042' CTM DOT = 7 MINUTES PR = 5 BPM, RR = 5.25 BPM CP = 5100 PSI WHP = 800 PSI SEND 10 BBL SWEEP CIH	
7:12	9:08	1.93	19,215	CTDPL	TAG PLUG #56 @ 17,195' CTM DOT = 9 MINUTES PR = 5 BPM, RR = 5.50 BPM CP = 4850 PSI WHP = 820 PSI SEND 10 BBL SWEEP CIH	
9:08	11:08	2.00	19,215	CTDPL	TAG PLUG #57 @ 17,346' CTM DOT = 8 MINUTES PR = 5 BPM, RR = 5 BPM CP = 4800 PSI WHP = 870 PSI SEND 10 BBL SWEEP CIH	
11:08	12:50	1.70	19,215	CTDPL	CIH TO PLUG #58 PRIMARY PUMP WENT DOWN 20' BEFORE PLUG. USED SECONDARY PUMP TO CIRC @ 4 BPM. WAS UNABLE TO MOVE DOWN @ THIS PUMP RATE.	
12:50	16:50	4.00	19,215	CT	WAITING ON REPLACEMENT PUMP. CIRC @ 4 BPM MOVING UP 20' EVERY 20 MINS. REPLACEMENT PUMP IN LINE @ 5 BPM PRESSURE @ 4000 PSI HAD BEEN RUNNING 5000 TO 5100 PSI. MAY BE A HOLE IN TBG OR TOOLS	X
16:50	1:30	8.67	19,215	CT	START POOH TO CHANGE BHA & CHECK PIPE.	
1:30	2:00	0.50	19,215	CTDPL	OUT OF HOLE WITH COIL , LEFT 21' OF BHA IN HOLE , HYDRAULIC DISCONNECT SNAPPED OFF 6" ABOVE PIN.	
2:00	6:00	4.00	19,215	CTDPL	WAITING ON FISHING TOOLS,	

Management Summary

DRILL PLUGS

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	55,990.00	9,939,188.14	
Totals \$:		0.00	0.00	183,571.00	55,990.00	9,939,188.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 48

Report For 06:00 AM 12-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68


Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:

	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>					
Report No: 28		Report For 06:00 AM 21-Jul-17					
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 103,869 / 0	
Measured Depth (ft): 19215		Completion Days (act.): 7		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)	
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,103,654	
Plug Back MD (ft):		Days On Location: 24		Orig RKB Elev(ft): 26.20			
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,103,654	
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,103,654	
Pers/Hrs: Operator: 0 / 0		Contractor: 5 / 60		Service: 30 / 360		Other: 0 / 0 Total: 35 / 420	
Current Operations: PREP FOR FRAC							
Planned Operations: MOVE IN RIG UP FRAC EQUIPMENT/ RIG UP WIRELINE							
Wellsite Supervisors: MAYNARD, BUSTER,JULIO,JESSIE,AVE						Tel No.:	
Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod
6:00	6:00	24.00	19,215	RIGU	MOVE IN RIG UP FRAC EQUIPMENT / WIRELINE / FILL FRAC TANKS / UNLOAD SAND		
Management Summary							
RIG UP FOR FRAC							
Cost/AFE Information							
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent
020917	Drill and complete a 19330' later:			0.00	183,571.38	103,868.62	5,103,653.71
Totals \$:			0.00	0.00	183,571.00	103,869.00	5,103,654.00
Casing/Tubular Information							
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110
Perforation Information							
Stage: 1 of 1							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...	
Rig Information							
Equipment Problems:							
Location Condition:							
Transport:							



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Operator:		SEM		Rig:		NON RIG WORK		Well Bore:		Original Well Bore		Daily Cost / Fluid (\$):		59,675 / 0							
Measured Depth (ft):		19215		Completion Days (act.):		27		Casing Head Elev (ft/hr):				AFE No.		AFE (\$)		Actual (\$)					
Vertical Depth (ft):		8335		Completion Days (plan):				Tubing Head Elev (ft/hr):				020917		0		9,998,863					
Plug Back MD (ft):				Days On Location:		44		Orig RKB Elev(ft):		26.20											
Plug Back TVD (ft)				Spud Date:		22-May-17		Last BOP Test:				Totals:		0		9,998,863					
Last Casing:		5.50 at 19,190						Working Interest:				Well Cost (\$):				9,998,863					
Pers/Hrs:		Operator:		0 / 0		Contractor:		2 / 24		Service:		18 / 216		Other:		0 / 0		Total:		20 / 240	
Current Operations:		FISH BHA																			
Planned Operations:		TIH TO DRILL PLUGS																			
Wellsite Supervisors:		MAYNARD, SMITH												Tel No.:							

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	8:00	2.00	19,215	FISH	MAKE UP BHA TO FISH: CUT LIP GUIDE, OVERSHOT LOADED W/ 2.875 GRIPPLE 3.875" OD 3.46', ROTARY SUB 3.13" OD 1.00', SHORT MOTOR W/ DURA TORQUE POWER SECTION 2.875" OD 9.44', PORT SUB 3 PORT 1.125 2.875" OD .83', PORT SUB 4 PORT 1.125 2.875" OD .83', DUAL CIRC SUB 2.875" OD 1.58', XRV EXTENDED REACH TOOL 2.875" OD 2.24', HYDRAULIC DISCONNECT 2.875" OD 2.24', HAILEY JAR 2.875" OD 4.39', DUEL BACK PRESSURE VALVE, 2.875" OD 1.41', WELD-ON TYPE CONNECTOR 2.875" OD .20' 25.18' TOTAL TOOLS	
8:00	17:15	9.25	19,215	FISH	TIH STARTED FIGHTING FRICTION @ 15,586' WORK DOWN TO & LATCHED ONTO FISH @ 17,499'.	
17:15	0:00	6.75	19,215	FISH	START OUT PULLED TO 110,000', SLACK BACK DOWN STARTED PUMPING PULL LOOSE. START POOH	
0:00	1:30	1.50	19,215	FISH	OUT OF HOLE RECOVERED ALL OF FISH , BROKE DOWN TOOLS, AND INSPECTED COIL, HAD FLAT SPOTS WILL HAVE TO CUT PIPE AND WELD ON NEW COIL CONNECTOR	X
1:30	3:30	2.00	19,215	CT	WAITING ON WELDER	
3:30	5:00	1.50	19,215	CT	WELDER ON LOCATION AND WELDING NEW COIL CONNETOR	
5:00	6:00	1.00	19,215	CT	PUT ON NEW COBRA BHA	

Management Summary

FISH BHA

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	59,675.00	9,998,863.14	
Totals \$:		0.00	0.00	183,571.00	59,675.00	9,998,863.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 49

Report For 06:00 AM 13-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Operator:		SEM	Rig:		NON RIG WORK		Well Bore:		Original Well Bore		Daily Cost / Fluid (\$):		68,347 / 0			
Measured Depth (ft):		19215	Completion Days (act.):		28		Casing Head Elev (ft/hr):				AFE No.		AFE (\$)		Actual (\$)	
Vertical Depth (ft):		8335	Completion Days (plan):				Tubing Head Elev (ft/hr):				020917		0		10,218,772	
Plug Back MD (ft):			Days On Location:		45		Orig RKB Elev(ft):		26.20							
Plug Back TVD (ft)			Spud Date:		22-May-17		Last BOP Test:				Totals:		0		10,218,772	
Last Casing:		5.50 at 19,190					Working Interest:				Well Cost (\$):				10,218,772	
Pers/Hrs:		Operator:	0 / 0	Contractor:		2 / 24	Service:		18 / 216	Other:		0 / 0	Total:		20 / 240	
Current Operations:		TIH TO DRILL PLUGS. UNABLE TO MAKE IT TO BTM, POOH W/ CT														
Planned Operations:		DRILL PLUGS. UNABLE TO MAKE IT TO BTM, POOH W/ CT														
Wellsite Supervisors:		MAYNARD, SMITH										Tel No.:				

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:30	0.50	19,215	CT	MADE UP COBRA BHA. PULL TEST 40K, TEST COIL TO 4000 PSI, TEST MOTOR	
6:30	17:30	11.00	19,215	CT	TIH W/ BHA 4 5/8 HYBRID JZ BIT .50', XO 2 3/8 PACPIN X 2 7/8 REG BOX 3 75" OD .86', NOV MOTOR 2.875" OD 12.84', XTENDED REACH 2.875" OD .56', HYDRA SHOCK JAR 2.875" OD .96', HYDRAULIC DISCONNECT 2.875" OD 1.55', DOUBLE BACK PRESSURE FLAPPER VALVE 2.875" OD 1.05', WELD ON CONNECTOR 2.875" OD .3 ON 2 5/8 COIL TUBING. NOTE: STARTED FIGHTING FRICTION @ 14,000'	
17:30	20:50	3.33	19,215	CT	IN HOLE AT 15,796' CIRCULATING AT 5 BPM, RR AT 5 BPM, FIGHTING FRICTION ,MOVING 1 FT PER MIN , POOH AT THIS TIME	
20:50	6:00	9.17	19,215	CT	OUT OF HOLE, RECOVERED ALL OF COBRAS TOOLS , RIG DOWN .LEFT WELL SHUT IN. WAIT FOR WOR	

Management Summary

TIH TO DRILL PLUGS, UNABLE TO MAKE IT TO BTM, POOH W/ CT

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	68,347.00	10,218,772.17	
Totals \$:		0.00	0.00	183,571.00	68,347.00	10,218,772.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 50

Report For 06:00 AM 14-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):		14,822 / 0
Measured Depth (ft):	19215	Completion Days (act.):	29	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0	10,248,944
Plug Back MD (ft):		Days On Location:	46	Orig RKB Elev(ft):	26.20			
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0	10,248,944
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):		10,248,944
Pers/Hrs:	Operator: 0 / 0	Contractor:	0 / 0	Service:	0 / 0	Other:	0 / 0	Total: 0 / 0
Current Operations: SET CAP PLUG								
Planned Operations: SET CAP PLUG								
Wellsite Supervisors: MAYNARD, SMITH							Tel No.:	

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	4:00	22.00	19,215	WOE	WAITING ON WIRE LINE	

Management Summary

WAITING ON WL TO SET CAP PLUG

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	14,822.00	10,248,944.17	
Totals \$:		0.00	0.00	183,571.00	14,822.00	10,248,944.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 51

Report For 06:00 AM 15-Aug-17

Perforation Information

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):		24,027 / 0		
Measured Depth (ft):	19215	Completion Days (act.):	30	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)		
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0	10,269,451		
Plug Back MD (ft):		Days On Location:	47	Orig RKB Elev(ft):	26.20					
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0	10,269,451		
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):		10,269,451		
Pers/Hrs:	Operator:	0 / 0	Contractor:	2 / 24	Service:	14 / 0	Other:	0 / 0	Total:	16 / 24
Current Operations:	SET CAP PLUG MIRU WOR									
Planned Operations:	SET CAP PLUG MIRU WOR									
Wellsite Supervisors:	MAYNARD, SMITH, AVERY						Tel No.:			

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	8:30	2.50	19,215	WOE	WAIT ON WIRELINE	
8:30	12:00	3.50	19,215	LOG	MIRU RTX WIRELINE TO RUN IN CAP PLUG @ 7760' POOH RDMO	
12:00	19:30	7.50	19,215	RIGU	MIRU BASIC WOR.	
19:30	21:00	1.50	19,215	WOW	SHUT DOWN FOR LIGHTING STORM	X
21:00	1:30	4.50	19,215	RIGU	RIG UP PIPE RACKS AND LOAD WITH 2,7/8" PH6 TUBING	
1:30	6:00	4.50	19,215	RIGU	TEST BOPE	

Management Summary

SET CAP PLUG MIRU WOR

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	24,027.00	10,269,451.17	
Totals \$:		0.00	0.00	183,571.00	24,027.00	10,269,451.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 52

Report For 06:00 AM 16-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Operator:		SEM		Rig:		NON RIG WORK		Well Bore:		Original Well Bore		Daily Cost / Fluid (\$):		12,707 / 0							
Measured Depth (ft):		19215		Completion Days (act.):		31		Casing Head Elev (ft/hr):				AFE No.		AFE (\$)		Actual (\$)					
Vertical Depth (ft):		8335		Completion Days (plan):				Tubing Head Elev (ft/hr):				020917		0		10,282,158					
Plug Back MD (ft):				Days On Location:		48		Orig RKB Elev(ft):		26.20											
Plug Back TVD (ft)				Spud Date:		22-May-17		Last BOP Test:				Totals:		0		10,282,158					
Last Casing:		5.50 at 19,190						Working Interest:				Well Cost (\$):				10,282,158					
Pers/Hrs:		Operator:		0 / 0		Contractor:		2 / 24		Service:		16 / 192		Other:		0 / 0		Total:		18 / 216	
Current Operations:		TIH TO DRILL LAST 10 PLUGS																			
Planned Operations:		DRILL PLUGS																			
Wellsite Supervisors:		MAYNARD, SMITH, AVERY												Tel No.:							

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	14:55	8.92	19,215	DPPU	TIH W/ 4 5/8 JZ HYBRID BIT, BIT SUB W/ FLOAT, 1 JT 2 7/8 7.9# PH-6 WS TBG, FLOAT ON 2 7/8 7.9# PH-6 WS TBG. TAG CAP PLUG @ 7,715'	
14:55	18:00	3.08	19,215	RIGU	RU POWER SWIVEL, INSTALL MEULER HEAD RUBBER. TEST TO 2000 PSI. HAD LEAKS.	
18:00	21:30	3.50	19,215	DRIL	DRILL UP CAP PLUG IN 2 HOURS , CIRC AT 4 BPM, 2000 PSI, RR @ 4 BPM AT 1000 PSI, PUMPED 5 BBLs GEL SWEEP , & CIRCULATED BOTTOMS UP, HUNG BACK SWIVEL IN DERRICK	
21:30	6:00	8.50	19,215	DRIL	CONTINUE RUNNING IN HOLE WITH TUBING.	

Management Summary

TIH TO DRILL LAST 10 PLUGS

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	12,707.00	10,282,158.17	
Totals \$:		0.00	0.00	183,571.00	12,707.00	10,282,158.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 53

Report For 06:00 AM 17-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):	12,707 / 0
Measured Depth (ft):	19215	Completion Days (act.):	32	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0
Plug Back MD (ft):		Days On Location:	49	Orig RKB Elev(ft):	26.20		
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):	10,294,865
Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	16 / 192	Other:	0 / 0
Current Operations:	TIH TO DRILL OUT PLUGS						
Planned Operations:	TIH TO DRILL OUT PLUGS						
Wellsite Supervisors:	WILLIS, SMITH, AVERY						Tel No.:

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	9:30	3.50	19,215	DPPU	CONTINUE TIH TO CFP @ 17,585'. TROUBLE SLIDING TBG @ 14,229'	
9:30	11:30	2.00	19,215	RIGU	RIG UP DEAD LINE ON WOR. PU POWER SWIVEL	
11:30	16:20	4.83	19,215	DPPU	CONTINUE TIH W/ SWIVEL TO 15,861' 505 JTS IN	
16:20	18:00	1.67	19,215	CIRC	PUMP 5 BBLS SWEEP CIRC HOLE CLEAN	
18:00	6:00	12.00	19,215	TRPI	RIH W/ WORKSTRING JT 505 THROUGH 527 STARTED TORQUING UP INCREASE TORQUE 3200 TO 3600 WITH SAME RESULTS. JOINT 532 INCREASE TORQUE TO 4200 WITH SAME RESULTS. JOINT 545 INCREASE TORQUE TO 4400 FT LBS. MAX TORQUE. WITH SAME RESULTS. STAHL AND WORK DOWN TO JOINT 551 @ 17303' STARTED SLIDING PIPE FAIRLY FREE TO JOINT 557 @ 17480' TAG UP AND START DRILLING ON WHAT MIGHT BE THE STUB THAT COIL LEFT IN HOLE FROM THEIR DRILL OUT.	

Management Summary

TIH TO DRILL OUT PLUGS

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	12,707.00	10,294,865.17	
Totals \$:		0.00	0.00	183,571.00	12,707.00	10,294,865.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 54

Report For 06:00 AM 19-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$): 12,707 / 0		
Measured Depth (ft):	19215	Completion Days (act.):	33	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0	10,307,572
Plug Back MD (ft):		Days On Location:	50	Orig RKB Elev(ft):	26.20			
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0	10,307,572
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):		10,307,572
Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	16 / 192	Other:	0 / 0	Total: 18 / 216
Current Operations: DRILL PLUGS								
Planned Operations: DRILL PLUGS								
Wellsite Supervisors: WILLIS, SMITH, AVERY							Tel No.:	

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	7:59	1.98	19,215	DRIL	CONTINUE DRILLING @ 17480'. DRILLED THRU CIH	
7:59	11:00	3.02	19,215	DRIL	TAG PLUG #58 @ 17,585' DOT = 77 MINUTES PR = 4.25 BPM, RR = 4.25 BPM PP = 2600 PSI WHP = 1000 PSI TORQUE = 4200 FT/LBS SEND 5 BBL SWEEP CIH	
11:00	12:13	1.22	19,215	DRIL	TAG PLUG #59 @ 17,766' DOT = 30 MINUTES PR = 4.25 BPM, RR = 4.25 BPM PP = 3000 PSI WHP = 1000 PSI TORQUE = 4200 FT/LBS SEND 5 BBL SWEEP CIH	
12:13	14:10	1.95	19,215	DRIL	TAG PLUG #60 @ 17,930' DOT = 49 MINUTES PR = 4.75 BPM, RR = 4.75 BPM PP = 3000 PSI WHP = 1100 PSI TORQUE = 4100 FT/LBS SEND 5 BBL SWEEP CIH	
14:10	15:48	1.63	19,215	DRIL	TAG PLUG #61 @ 18,084' DOT = 50 MINUTES PR = 4.75 BPM, RR = 4.75 BPM PP = 3000 PSI WHP = 1100 PSI TORQUE = 4100 FT/LBS SEND 5 BBL SWEEP CIH	
15:48	17:00	1.20	19,215	DRIL	TAG PLUG #62 @ 18,227' DOT = 55 MINUTES PR = 4.50 BPM, RR = 4.50 BPM PP = 3000 PSI WHP = 1050 PSI TORQUE = 4100 FT/LBS SEND 5 BBL SWEEP CIH	
17:00	18:05	1.08	19,215	DRIL	TAG PLUG #63 @ 18,415' DOT = 50 MINUTES PR = 4.50 BPM, RR = 4.50 BPM PP = 3000 PSI WHP = 1050 PSI TORQUE = 4100 FT/LBS SEND 5 BBL SWEEP CIH	
18:05	20:35	2.50	19,215	DRIL	TAG PLUG #64 @ 18,568' DOT = 48 MINUTES PR = 4.50 BPM, RR = 4.50 BPM PP = 3000 PSI WHP = 1050 PSI TORQUE = 4100 FT/LBS SEND 5 BBL SWEEP CIH	
20:35	22:35	2.00	19,215	DRIL	TAG PLUG #65 @ 18,721' DOT = 54 MINUTES PR = 4.50 BPM, RR = 4.50 BPM PP = 3000 PSI WHP = 1050 PSI TORQUE = 4100 FT/LBS SEND 10-10-10 BBL SWEEP CIRCULATE HOLE CLEAN.	
22:35	3:00	4.42	19,215	DRIL	TAG PLUG #66 @ 18,874' DOT = 45 MINUTES PR = 4.50 BPM, RR = 4.50 BPM PP = 3000 PSI WHP = 1050 PSI TORQUE = 4100 FT/LBS SEND 5 BBL SWEEP CIH	
3:00	4:30	1.50	19,215	DRIL	TAG PLUG #67 @ 19,051' DOT = 49 MINUTES PR = 4.50 BPM, RR = 4.50 BPM PP = 3000 PSI WHP = 1050 PSI TORQUE = 4100 FT/LBS SEND 10-10-10 BBL SWEEP START FULL CIRCULATION.	
4:30	6:00	1.50	19,215	CIRC	CIRCULATE HOLE CLEAN.	

Management Summary

DRILL PLUGS

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	12,707.00	10,307,572.17	
Totals \$:		0.00	0.00	183,571.00	12,707.00	10,307,572.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1 3 1/8"	4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Perforation Information

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 55

Report For 06:00 AM 20-Aug-17

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):	27,791 / 0
Measured Depth (ft):	19215	Completion Days (act.):	35	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0
Plug Back MD (ft):		Days On Location:	52	Orig RKB Elev(ft):	26.20		
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):	10,366,434
Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	18 / 216	Other:	0 / 0
Current Operations: POOH, FLOWBACK, RUN GAS LIFT SYSTEM				Total: 20 / 240			
Planned Operations: POOH, FLOWBACK, RUN GAS LIFT SYSTEM							
Wellsite Supervisors: WILLIS, SMITH, AVERY						Tel No.:	

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	10:30	4.50	19,215	WOE	WAITING ON AIR & HYDRAULIC HOSES FOR RIG.	X
10:30	14:10	3.67	19,215	DPLD	POOH LAYING DOWN 2 7/8 WS TBG, FLOATS & BIT	
14:10	18:00	3.83	19,215	FLOWBK	FLOWING BACK WELL @ 2.5 BPM OPEN WELL @ 1100 PSI FLOWED BACK 532 BBLS STARTED CUTTING OIL AND GAS SHUT IN WELL. SI PSI 980	
18:00	20:00	2.00	19,215	NDSTAC	ND 5K BOP AND HYDRILL. ND 10K FLOWCROSS. NU BOP ONTOP OF FRAC VALVE. WAITING ON WIRELINE.	
20:00	20:30	0.50	19,215	OTHER	RU AND FLUSH WELL WITH 250 BBLS TREATED FLUID 10 BPM 2200 PSI. SHUT DOWN. ISIP 950 PSI. SHUT IN WELL.	
20:30	21:30	1.00	19,215	TALLY	COUNT AND TALLY ALL PIPE. 240 JOINTS 2 7/8 8RD EUE L-80 TOTAL LENGTH RAW TALLY 7809.11	
21:30	6:00	8.50	19,215	WOE	WAITING ON WIRELINE TRUCK.	

Management Summary

POOH, FLOWBACK, RUN GAS LIFT SYSTEM

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	27,791.00	10,366,434.17	
Totals \$:		0.00	0.00	183,571.00	27,791.00	10,366,434.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 57

Report For 06:00 AM 22-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):			216,981 / 0	
Measured Depth (ft):	19215	Completion Days (act.):	36	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)		
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0	10,583,415		
Plug Back MD (ft):		Days On Location:	53	Orig RKB Elev(ft):		26.20				
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0	10,583,415		
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):		10,583,415		
Pers/Hrs:	Operator:	0 / 0	Contractor:	2 / 24	Service:	14 / 168	Other:	0 / 0	Total:	16 / 192
Current Operations:	RUN GAS LIFT SYSTEM									
Planned Operations:	RUN GAS LIFT SYSTEM									
Wellsite Supervisors:	WILLIS, SMITH, AVERY						Tel No.:			

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	13:00	7.00	19,215	WOE	WAIT ON WIRELINE TRUCK	X
13:00	16:15	3.25	19,215	LOG	RU QES WIRELINE TIH W/ 4.600 GAGE RING TO 7830'. POOH	
16:15	16:30	0.25	19,215	BHAOP	PU PKR ASSEMBLY AS FOLLOWS, 2 7/8 MAGNUM MULESHOED CERAMIC RUPTURE DISK SUB, 2 7/8 X 2.313 "R" LANDING NIPPLE, 2 7/8 X 10' EU 8RD L80 TUBUING SUB, RICO 5 1/2 X 2 7/8 AS1X WIRELINE SET PKR, 2 7/8 T2 STINGER W/ 2.313 "F" PROFILE, PU TOOLS EQUALIZE LUBRICATOR	
16:30	18:00	1.50	19,215	LOG	RIH W/ BHA , CORRECT TO SHORT JT 7773-7795, SET PACKING ELEMENTS @ 7740', TOP OF ASSEMBLY @ 7,737' END OF BHA @ 7,757, BLEED OFF WELLBORE PRESSURE PACKER HOLDING.	
18:00	2:00	8.00	19,215	TUBG	PU T-2 OVERSHOT ON-OFF TOOL 1.45 X 4.5 RUN IN HOLE W/ PRODUCTION TUBING ADDING GAS LIFTS PER DESIGN. LATCH ON AND GET SPACING. PULL OFF AND ADD SUBS INSTALL TUBING HANGER AND RELATCH W/ 12K DOWN ON PACKER. LAY DOWN LANDING JOINT.	
2:00	4:00	2.00	19,215	WELLH	ND 5K HYDRAULIC BOP AND 10K FRAC VALVE. NU 5K TREE. RU PUMP TRUCK AND PRESSURE UP ON TUBING AND BUST DISC W/ XXXX PSI. RD PUMP TRUCK AND TURN WELL OVER TO FLOWBACK.	
4:00	6:00	2.00	19,215	FLOWBK	START FLOWBACK OPS.	

Management Summary

RUN GAS LIFT SYSTEM

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	216,980.65	10,583,414.82	
Totals \$:		0.00	0.00	183,571.00	216,981.00	10,583,415.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 68 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 19:00	LARGE	WLINGUN	8,945	8,946	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,928	8,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,911	8,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,894	8,895	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,877	8,878	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,860	8,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,843	8,844	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,824	8,825	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,809	8,810	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 19:00	LARGE	WLINGUN	8,792	8,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 67 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 15:56	LARGE	WLINGUN	8,966	8,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:55	LARGE	WLINGUN	8,977	8,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:54	LARGE	WLINGUN	8,992	8,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:53	LARGE	WLINGUN	9,010	9,011	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:52	LARGE	WLINGUN	9,022	9,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:51	LARGE	WLINGUN	9,037	9,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:50	LARGE	WLINGUN	9,054	9,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:49	LARGE	WLINGUN	9,067	9,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:48	LARGE	WLINGUN	9,082	9,083	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 15:47	LARGE	WLINGUN	9,093	9,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 66 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 10:21	LARGE	WLINGUN	9,114	9,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:20	LARGE	WLINGUN	9,129	9,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:19	LARGE	WLINGUN	9,146	9,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:18	LARGE	WLINGUN	9,159	9,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:17	LARGE	WLINGUN	9,174	9,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:16	LARGE	WLINGUN	9,189	9,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:15	LARGE	WLINGUN	9,204	9,205	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:14	LARGE	WLINGUN	9,219	9,220	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:13	LARGE	WLINGUN	9,234	9,235	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 10:12	LARGE	WLINGUN	9,249	9,250	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 65 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 07:00	LARGE	WLINGUN	9,266	9,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:59	LARGE	WLINGUN	9,281	9,282	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:58	LARGE	WLINGUN	9,296	9,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:57	LARGE	WLINGUN	9,311	9,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:56	LARGE	WLINGUN	9,326	9,327	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:55	LARGE	WLINGUN	9,341	9,342	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:54	LARGE	WLINGUN	9,356	9,357	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:53	LARGE	WLINGUN	9,371	9,372	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:52	LARGE	WLINGUN	9,386	9,387	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 06:51	LARGE	WLINGUN	9,401	9,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 64 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
04-Aug-17 02:40	LARGE	WLINGUN	9,553	9,554	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,538	9,539	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,524	9,525	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,508	9,509	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,493	9,494	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,478	9,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,463	9,464	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,448	9,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,433	9,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
04-Aug-17 02:40	LARGE	WLINGUN	9,418	9,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 63 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 23:00	LARGE	WLINGUN	9,714	9,715	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,701	9,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,682	9,683	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,665	9,666	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,648	9,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,634	9,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,618	9,619	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,602	9,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,586	9,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 23:00	LARGE	WLINGUN	9,570	9,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 62 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 19:00	LARGE	WLINGUN	9,866	9,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,851	9,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,836	9,837	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,821	9,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,806	9,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,791	9,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,776	9,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,761	9,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,746	9,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 19:00	LARGE	WLINGUN	9,731	9,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 61 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 15:26	LARGE	WLINGUN	9,889	9,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:25	LARGE	WLINGUN	9,898	9,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:24	LARGE	WLINGUN	9,913	9,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:23	LARGE	WLINGUN	9,928	9,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:22	LARGE	WLINGUN	9,943	9,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:21	LARGE	WLINGUN	9,958	9,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:20	LARGE	WLINGUN	9,973	9,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:19	LARGE	WLINGUN	9,988	9,989	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:18	LARGE	WLINGUN	10,003	10,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 15:17	LARGE	WLINGUN	10,018	10,019	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 60 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 12:00	LARGE	WLINGUN	10,035	10,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:59	LARGE	WLINGUN	10,050	10,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:58	LARGE	WLINGUN	10,065	10,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:57	LARGE	WLINGUN	10,080	10,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:56	LARGE	WLINGUN	10,095	10,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:55	LARGE	WLINGUN	10,110	10,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:54	LARGE	WLINGUN	10,125	10,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:53	LARGE	WLINGUN	10,140	10,141	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:52	LARGE	WLINGUN	10,155	10,156	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 11:51	LARGE	WLINGUN	10,170	10,171	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 59 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 08:16	LARGE	WLINGUN	10,187	10,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:15	LARGE	WLINGUN	10,202	10,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:14	LARGE	WLINGUN	10,217	10,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:13	LARGE	WLINGUN	10,232	10,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:12	LARGE	WLINGUN	10,247	10,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:11	LARGE	WLINGUN	10,262	10,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:10	LARGE	WLINGUN	10,277	10,278	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:09	LARGE	WLINGUN	10,292	10,293	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:08	LARGE	WLINGUN	10,307	10,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 08:07	LARGE	WLINGUN	10,322	10,323	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 58 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 04:41	LARGE	WLINGUN	10,339	10,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:40	LARGE	WLINGUN	10,354	10,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:39	LARGE	WLINGUN	10,366	10,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:38	LARGE	WLINGUN	10,384	10,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:37	LARGE	WLINGUN	10,399	10,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:36	LARGE	WLINGUN	10,412	10,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:35	LARGE	WLINGUN	10,429	10,430	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:34	LARGE	WLINGUN	10,444	10,445	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:33	LARGE	WLINGUN	10,456	10,457	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 04:32	LARGE	WLINGUN	10,474	10,475	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 57 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
03-Aug-17 00:30	LARGE	WLINGUN	10,623	10,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,611	10,612	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,598	10,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,581	10,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,566	10,567	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,554	10,555	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,536	10,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,521	10,522	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,510	10,511	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
03-Aug-17 00:30	LARGE	WLINGUN	10,491	10,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 56 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 21:00	LARGE	WLINGUN	10,778	10,779	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,763	10,764	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,748	10,749	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,733	10,734	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,718	10,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,703	10,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,688	10,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,673	10,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,658	10,659	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 21:00	LARGE	WLINGUN	10,643	10,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 55 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 17:40	LARGE	WLINGUN	10,912	10,913	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,899	10,900	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,886	10,887	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,873	10,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,860	10,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,847	10,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,834	10,835	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,808	10,809	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 17:40	LARGE	WLINGUN	10,795	10,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 54 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 14:11	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:10	LARGE	WLINGUN	10,942	10,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:09	LARGE	WLINGUN	10,957	10,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:08	LARGE	WLINGUN	10,968	10,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:07	LARGE	WLINGUN	10,981	10,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:06	LARGE	WLINGUN	10,992	10,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:05	LARGE	WLINGUN	11,007	11,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:04	LARGE	WLINGUN	11,020	11,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:03	LARGE	WLINGUN	11,033	11,034	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 14:02	LARGE	WLINGUN	11,048	11,049	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 53 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 10:33	LARGE	WLINGUN	11,063	11,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:32	LARGE	WLINGUN	11,078	11,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:31	LARGE	WLINGUN	11,093	11,094	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:30	LARGE	WLINGUN	11,108	11,109	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:29	LARGE	WLINGUN	11,123	11,124	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:28	LARGE	WLINGUN	11,138	11,139	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:27	LARGE	WLINGUN	11,153	11,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:26	LARGE	WLINGUN	11,168	11,169	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:25	LARGE	WLINGUN	11,183	11,184	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 10:24	LARGE	WLINGUN	11,198	11,199	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 52 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 06:41	LARGE	WLINGUN	11,215	11,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:40	LARGE	WLINGUN	11,230	11,231	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:39	LARGE	WLINGUN	11,245	11,246	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:38	LARGE	WLINGUN	11,260	11,261	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:37	LARGE	WLINGUN	11,275	11,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:36	LARGE	WLINGUN	11,290	11,291	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:35	LARGE	WLINGUN	11,305	11,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:34	LARGE	WLINGUN	11,320	11,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:33	LARGE	WLINGUN	11,335	11,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 06:32	LARGE	WLINGUN	11,350	11,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 51 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
02-Aug-17 02:15	LARGE	WLINGUN	11,502	11,503	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,472	11,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,457	11,458	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,442	11,443	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,427	11,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,412	11,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,382	11,383	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
02-Aug-17 02:15	LARGE	WLINGUN	11,367	11,368	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 50 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 22:00	LARGE	WLINGUN	11,650	11,651	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,639	11,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,620	11,621	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,609	11,610	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,594	11,595	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,574	11,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,564	11,565	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,549	11,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,532	11,533	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 22:00	LARGE	WLINGUN	11,519	11,520	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 49 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 18:40	LARGE	WLINGUN	11,806	11,807	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,791	11,792	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,764	11,765	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,746	11,747	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,731	11,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,718	11,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,701	11,702	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 18:40	LARGE	WLINGUN	11,674	11,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 48 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 15:14	LARGE	WLINGUN	11,823	11,824	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:13	LARGE	WLINGUN	11,838	11,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:12	LARGE	WLINGUN	11,853	11,854	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:11	LARGE	WLINGUN	11,868	11,869	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:10	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:09	LARGE	WLINGUN	11,898	11,899	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:08	LARGE	WLINGUN	11,913	11,914	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:07	LARGE	WLINGUN	11,928	11,929	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:06	LARGE	WLINGUN	11,943	11,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 15:05	LARGE	WLINGUN	11,958	11,959	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 47 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 11:41	LARGE	WLINGUN	11,975	11,976	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:40	LARGE	WLINGUN	11,990	11,991	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:39	LARGE	WLINGUN	12,005	12,006	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:38	LARGE	WLINGUN	12,020	12,021	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:37	LARGE	WLINGUN	12,035	12,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:36	LARGE	WLINGUN	12,050	12,051	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:35	LARGE	WLINGUN	12,065	12,066	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:34	LARGE	WLINGUN	12,080	12,081	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:33	LARGE	WLINGUN	12,095	12,096	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 11:32	LARGE	WLINGUN	12,110	12,111	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 46 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 07:00	LARGE	WLINGUN	12,127	12,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:59	LARGE	WLINGUN	12,142	12,143	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:58	LARGE	WLINGUN	12,157	12,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:57	LARGE	WLINGUN	12,172	12,173	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:56	LARGE	WLINGUN	12,187	12,188	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:55	LARGE	WLINGUN	12,202	12,203	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:54	LARGE	WLINGUN	12,217	12,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:53	LARGE	WLINGUN	12,232	12,233	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:52	LARGE	WLINGUN	12,247	12,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 06:51	LARGE	WLINGUN	12,262	12,263	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 45 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
01-Aug-17 02:30	LARGE	WLINGUN	12,412	12,413	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,399	12,400	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,384	12,385	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,354	12,355	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,339	12,340	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,324	12,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,309	12,310	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,294	12,295	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
01-Aug-17 02:30	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 44 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 23:00	LARGE	WLINGUN	12,562	12,563	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,551	12,552	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,536	12,537	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,525	12,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,506	12,507	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,491	12,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,472	12,473	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,461	12,462	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,446	12,447	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 23:00	LARGE	WLINGUN	12,435	12,436	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 43 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 19:00	LARGE	WLINGUN	12,718	12,719	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,703	12,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,688	12,689	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,673	12,674	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,660	12,661	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,643	12,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,628	12,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,616	12,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,598	12,599	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 19:00	LARGE	WLINGUN	12,583	12,584	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 42 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 10:09	LARGE	WLINGUN	12,735	12,736	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:08	LARGE	WLINGUN	12,750	12,751	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:07	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:06	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:05	LARGE	WLINGUN	12,795	12,796	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:04	LARGE	WLINGUN	12,810	12,811	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:03	LARGE	WLINGUN	12,825	12,826	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:02	LARGE	WLINGUN	12,840	12,841	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:01	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 10:00	LARGE	WLINGUN	12,870	12,871	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 41 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 06:10	LARGE	WLINGUN	12,887	12,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:09	LARGE	WLINGUN	12,902	12,903	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:08	LARGE	WLINGUN	12,917	12,918	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:07	LARGE	WLINGUN	12,932	12,933	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:06	LARGE	WLINGUN	12,947	12,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:05	LARGE	WLINGUN	12,962	12,963	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:04	LARGE	WLINGUN	12,977	12,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:03	LARGE	WLINGUN	12,992	12,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:02	LARGE	WLINGUN	13,007	13,008	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 06:01	LARGE	WLINGUN	13,022	13,023	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 40 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
31-Jul-17 01:40	LARGE	WLINGUN	13,174	13,175	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,159	13,160	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,144	13,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,129	13,130	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,114	13,115	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,099	13,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,084	13,085	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,069	13,070	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,054	13,055	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
31-Jul-17 01:40	LARGE	WLINGUN	13,039	13,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 39 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 22:30	LARGE	WLINGUN	13,324	13,325	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,311	13,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,296	13,297	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,278	13,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,266	13,267	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,221	13,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,206	13,207	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 22:30	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 38 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 10:52	LARGE	WLINGUN	13,343	13,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:51	LARGE	WLINGUN	13,358	13,359	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:50	LARGE	WLINGUN	13,370	13,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:49	LARGE	WLINGUN	13,388	13,389	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:48	LARGE	WLINGUN	13,403	13,404	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:47	LARGE	WLINGUN	13,415	13,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:46	LARGE	WLINGUN	13,433	13,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:45	LARGE	WLINGUN	13,448	13,449	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:44	LARGE	WLINGUN	13,460	13,461	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 10:43	LARGE	WLINGUN	13,478	13,479	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 37 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jul-17 01:10	LARGE	WLINGUN	13,628	13,629	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,615	13,616	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,600	13,601	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,585	13,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,570	13,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,557	13,558	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,540	13,541	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,525	13,526	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,512	13,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
30-Jul-17 01:10	LARGE	WLINGUN	13,495	13,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 36 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 35 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 34 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 33 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 32 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 31 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 27 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 23 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 19 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 15 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 11 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 7 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 58

Report For 06:00 AM 23-Aug-17

Perforation Information

Stage: 3 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 68

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 68


Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...


Rig Information


Equipment Problems:


Location Condition:


Transport:


	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>					
Report No: 29		Report For 06:00 AM 22-Jul-17					
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 11,300 / 0	
Measured Depth (ft): 19215		Completion Days (act.): 8		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)	
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,114,954	
Plug Back MD (ft):		Days On Location: 25		Orig RKB Elev(ft): 26.20			
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,114,954	
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,114,954	
Pers/Hrs: Operator: 0 / 0		Contractor: 5 / 60		Service: 32 / 384		Other: 0 / 0 Total: 37 / 444	
Current Operations: WIRELINE STAGE 3							
Planned Operations: RIG UP FRAC EQUIPMENT/ FRAC STAGE 1 THRU 2 OF 68							
Wellsite Supervisors: MAYNARD, BUSTER,JULIO,JESSIE,AVE						Tel No.:	
Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod
6:00	17:30	11.50	19,215	STIM	RIG UP FRAC / UNLOAD SAND		
17:30	18:45	1.25	19,215	STIM	HSM / PRESSURE TEST/ FRAC STAGE 1 OF 68		
18:45	21:45	3.00	19,215	STIM	WAITING ON LIGHTING STORM TO PASS BEFORE PICKING UP W/L		X
21:45	6:00	8.25	19,215	STIM	FRAC /PLUG & PREF STAGES 1 THRU 2 OF 68		
Management Summary							
PLUG & PERF FRAC							
Cost/AFE Information							
AFE No		AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total Well Total % Spent
020917		Drill and complete a 19330' later:			0.00	183,571.38	11,300.00 5,114,953.71
Totals \$:				0.00	0.00	183,571.00	11,300.00 5,114,954.00
Casing/Tubular Information							
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110
Perforation Information							
Stage: 1 of 1							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...	
Rig Information							
Equipment Problems:							
Location Condition:							
Transport:							


	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>					
Report No: 30		Report For 06:00 AM 23-Jul-17					
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 28,900 / 0	
Measured Depth (ft): 19215		Completion Days (act.): 9		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)	
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,178,854	
Plug Back MD (ft):		Days On Location: 26		Orig RKB Elev(ft): 26.20			
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,178,854	
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,178,854	
Pers/Hrs: Operator: 0 / 0		Contractor: 0 / 0		Service: 0 / 0		Other: 0 / 0 Total: 0 / 0	
Current Operations: WIRELINE STAGE 9							
Planned Operations: PLUG & PERF / FRAC STAGES 3 THRU 8 OF 68							
Wellsite Supervisors: MAYNARD, BUSTER,JULIO,MOYE,AVE						Tel No.:	
Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod
6:00	6:00	24.00	19,215	STIM	PLUG & PERF / FRAC STAGES 3 THRU 9 OF 68		
Management Summary							
PLUIG & PERF / FRAC							
Cost/AFE Information							
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent
020917	Drill and complete a 19330' later:			0.00	183,571.38	28,900.00	5,178,853.71
Totals \$:			0.00	0.00	183,571.00	28,900.00	5,178,854.00
Casing/Tubular Information							
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110
Perforation Information							
Stage: 2 of 2							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
Stage: 1 of 2							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...	
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...	
Rig Information							
Equipment Problems:							
Location Condition:							
Transport:							


	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>				<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>			
Report No: 31		Report For 06:00 AM 24-Jul-17						
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 29,213 / 0		
Measured Depth (ft): 19215		Completion Days (act.): 10		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,208,066		
Plug Back MD (ft):		Days On Location: 27		Orig RKB Elev(ft): 26.20				
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,208,066		
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,208,066		
Pers/Hrs: Operator: 0 / 0		Contractor: 5 / 60		Service: 54 / 648		Other: 0 / 0 Total: 59 / 708		
Current Operations: WIRELINE STAGE 13								
Planned Operations: PLUG & PERF STAGE 8 THRU 12 OF 68								
Wellsite Supervisors: MAYNARD, BUSTER,JULIO,MOYE,AVE						Tel No.:		
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	8:30	2.50	19,215	STIM	PLUG & PERF / FRAC STAGE 8 OF 68			
8:30	10:00	1.50	19,215	STIM	WAITING ON SAND		X	
10:00	6:00	20.00	19,215	STIM	PLUG & PERF / FRAC STAGE 9 THRU 12 OF 55			
Management Summary								
PLUG & PERF / FRAC								
Cost/AFE Information								
AFE No		AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total Well Total % Spent	
020917		Drill and complete a 19330' later:			0.00	183,571.38	29,212.50 5,208,066.21	
Totals \$:		0.00		0.00	183,571.00	29,213.00	5,208,066.00	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)	
FULL	5.50	0		19,190		20.00	P-110	
Perforation Information								
Stage: 7 of 7								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 6 of 7								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 5 of 7								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		


	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 31						Report For 06:00 AM 24-Jul-17					
Perforation Information											
Stage: 4 of 7											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
23-Jul-17 09:25		LARGE	WLINGUN	18,514	18,515	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:24		LARGE	WLINGUN	18,526	18,527	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:23		LARGE	WLINGUN	18,541	18,542	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:22		LARGE	WLINGUN	18,552	18,553	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:21		LARGE	WLINGUN	18,571	18,572	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:20		LARGE	WLINGUN	18,586	18,587	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:19		LARGE	WLINGUN	18,604	18,605	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:18		LARGE	WLINGUN	18,616	18,617	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:17		LARGE	WLINGUN	18,631	18,632	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:16		LARGE	WLINGUN	18,643	18,644	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 3 of 7											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
23-Jul-17 04:40		LARGE	WLINGUN	18,663	18,664	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:39		LARGE	WLINGUN	18,678	18,679	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:38		LARGE	WLINGUN	18,695	18,696	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:37		LARGE	WLINGUN	18,708	18,709	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:36		LARGE	WLINGUN	18,723	18,724	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:35		LARGE	WLINGUN	18,738	18,739	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:34		LARGE	WLINGUN	18,753	18,754	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:33		LARGE	WLINGUN	18,768	18,769	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:32		LARGE	WLINGUN	18,783	18,784	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 04:31		LARGE	WLINGUN	18,798	18,799	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 2 of 7											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
22-Jul-17 23:55		LARGE	WLINGUN	18,815	18,816	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:54		LARGE	WLINGUN	18,830	18,831	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:53		LARGE	WLINGUN	18,845	18,846	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:52		LARGE	WLINGUN	18,860	18,861	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:51		LARGE	WLINGUN	18,875	18,876	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:50		LARGE	WLINGUN	18,890	18,891	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:49		LARGE	WLINGUN	18,905	18,906	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:48		LARGE	WLINGUN	18,920	18,921	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:47		LARGE	WLINGUN	18,935	18,936	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
22-Jul-17 23:46		LARGE	WLINGUN	18,950	18,951	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 1 of 7											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
30-Jun-17 14:20		LARGE	WLINGUN	18,967	18,968	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
30-Jun-17 14:19		LARGE	WLINGUN	18,979	18,980	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
30-Jun-17 14:18		LARGE	WLINGUN	18,991	18,992	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
30-Jun-17 14:17		LARGE	WLINGUN	19,003	19,004	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
30-Jun-17 14:16		LARGE	WLINGUN	19,015	19,016	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
30-Jun-17 14:15		LARGE	WLINGUN	19,027	19,028	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
29-Jun-17 10:50		LARGE	TBGGUN	19,039	19,040	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
29-Jun-17 10:49		LARGE	TBGGUN	19,051	19,052	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
29-Jun-17 10:48		LARGE	TBGGUN	19,063	19,064	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
29-Jun-17 10:47		LARGE	TBGGUN	19,075	19,076	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
29-Jun-17 10:46		LARGE	TBGGUN	19,087	19,088	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...			
29-Jun-17 10:45		LARGE	TBGGUN	19,099	19,100	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...			
Rig Information											
Equipment Problems:											
Location Condition:											
Transport:											


	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39818 ST</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1201WB ST</div><div>Sect: 12 County: Reagan State: TX</div></div>					
Report No: 32		Report For 06:00 AM 25-Jul-17					
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 29,213 / 0	
Measured Depth (ft): 19215		Completion Days (act.): 11		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)	
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,237,279	
Plug Back MD (ft):		Days On Location: 28		Orig RKB Elev(ft): 26.20			
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,237,279	
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,237,279	
Pers/Hrs: Operator: 0 / 0		Contractor: 5 / 60		Service: 52 / 624		Other: 0 / 0 Total: 57 / 684	
Current Operations: FRACING STAGE 17							
Planned Operations: PLUG & PERF / FRAC STAGE 13 THRU 16 OF 68							
Wellsite Supervisors: MOYE, WILLIS , MAYNARD, MACIOS						Tel No.:	
Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod
6:00	11:45	5.75	19,215	STIM	PLUG & PERF / FRAC STAGE 13 OF 68		
11:45	13:30	1.75	19,215	STIM	WAITING ON SAND		X
13:30	6:00	16.50	19,215	STIM	PLUG & PERF / FRAC STAGE 14 THRU 16 OF 68		
Management Summary							
PLUG & PERF / FRAC							
Cost/AFE Information							
AFE No		AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total Well Total % Spent
020917		Drill and complete a 19330' later:			0.00	183,571.38	29,212.50 5,237,278.71
Totals \$:		0.00		0.00	183,571.00	29,213.00	5,237,279.00
Casing/Tubular Information							
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110
Perforation Information							
Stage: 11 of 11							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
Stage: 10 of 11							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
Stage: 9 of 11							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...	


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 32					Report For 06:00 AM 25-Jul-17				
Perforation Information									
Stage: 8 of 11									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 7 of 11									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 6 of 11									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 5 of 11									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 4 of 11									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>	<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>				
Report No: 32		Report For 06:00 AM 25-Jul-17				
Perforation Information						
Stage: 3 of 11						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 2 of 11						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 1 of 11						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						

	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>				<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>			
Report No: 34				Report For 06:00 AM 27-Jul-17				
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 29,213 / 0		
Measured Depth (ft): 19215		Completion Days (act.): 13		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,334,611		
Plug Back MD (ft):		Days On Location: 30		Orig RKB Elev(ft): 26.20				
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,334,611		
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,334,611		
Pers/Hrs: Operator: 0 / 0		Contractor: 5 / 60		Service: 52 / 624		Other: 0 / 0 Total: 57 / 684		
Current Operations: PLUG AND PERF STAGE 29								
Planned Operations: PLUG AND PERF / FRAC STAGES 23 THRU 28 OF 68.								
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS						Tel No.:		
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00	19,215	STIM	PLUG AND PERF / FRAC STAGES 23 THRU 28 OF 68.			
Management Summary								
PLUG AND PERF / FRAC								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent	
020917	Drill and complete a 19330' later:			0.00	183,571.38	29,212.50	5,334,611.21	
Totals \$:			0.00	0.00	183,571.00	29,213.00	5,334,611.00	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)	
FULL	5.50	0		19,190		20.00	P-110	
Perforation Information								
Stage: 21 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 20 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 19 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 34						Report For 06:00 AM 27-Jul-17					
Perforation Information											
Stage: 18 of 21											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 07:46		LARGE	WLINGUN	16,383	16,384	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:45		LARGE	WLINGUN	16,398	16,399	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:44		LARGE	WLINGUN	16,413	16,414	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:43		LARGE	WLINGUN	16,428	16,429	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:42		LARGE	WLINGUN	16,443	16,444	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:41		LARGE	WLINGUN	16,458	16,459	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:40		LARGE	WLINGUN	16,473	16,474	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:39		LARGE	WLINGUN	16,488	16,489	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:38		LARGE	WLINGUN	16,503	16,504	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 07:37		LARGE	WLINGUN	16,518	16,519	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 17 of 21											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
26-Jul-17 03:30		LARGE	WLINGUN	16,670	16,671	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,655	16,656	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,640	16,641	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,625	16,626	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,610	16,611	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,595	16,596	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,580	16,581	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,565	16,566	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,550	16,551	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 03:30		LARGE	WLINGUN	16,535	16,536	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 16 of 21											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 23:30		LARGE	WLINGUN	16,822	16,823	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,803	16,804	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,792	16,793	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,777	16,778	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,760	16,761	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,747	16,748	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,732	16,733	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,715	16,716	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,702	16,703	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 23:30		LARGE	WLINGUN	16,687	16,688	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 15 of 21											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 17:00		LARGE	WLINGUN	16,974	16,975	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,959	16,960	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,947	16,948	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,929	16,930	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,914	16,915	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,903	16,904	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,884	16,885	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,869	16,870	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,851	16,852	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 17:00		LARGE	WLINGUN	16,839	16,840	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 14 of 21											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)		Comments			
25-Jul-17 11:05		LARGE	WLINGUN	17,006	17,007	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:04		LARGE	WLINGUN	17,021	17,022	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:03		LARGE	WLINGUN	17,038	17,039	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:02		LARGE	WLINGUN	17,051	17,052	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:01		LARGE	WLINGUN	17,066	17,067	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 11:00		LARGE	WLINGUN	17,081	17,082	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:59		LARGE	WLINGUN	17,096	17,097	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:58		LARGE	WLINGUN	17,111	17,112	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
25-Jul-17 10:56		LARGE	WLINGUN	17,126	17,127	1		3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 34		Report For 06:00 AM 27-Jul-17						
Perforation Information								
Stage: 13 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 12 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 11 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 10 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 9 of 21								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		

	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 34					Report For 06:00 AM 27-Jul-17				
Perforation Information									
Stage: 8 of 21									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 7 of 21									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 6 of 21									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 5 of 21									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 4 of 21									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>	<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>				
Report No: 34		Report For 06:00 AM 27-Jul-17				
Perforation Information						
Stage: 3 of 21						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 2 of 21						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 1 of 21						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$): 29,213 / 0		
Measured Depth (ft):	19215	Completion Days (act.):	14	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0	5,363,824
Plug Back MD (ft):		Days On Location:	31	Orig RKB Elev(ft):	26.20			
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0	5,363,824
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):		5,363,824
Pers/Hrs:	Operator: 0 / 0	Contractor:	4 / 48	Service:	52 / 624	Other:	0 / 0	Total: 56 / 672
Current Operations: FRACING STAGE 33.								
Planned Operations: PLUG AND PERF / FRAC STAGES 29 THRU 32 OF 68.								
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS							Tel No.:	

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	14:40	8.67	19,215	STIM	PLUG AND PERF / FRAC STAGES 29 THRU 30 OF 68.	
14:40	16:15	1.58	19,215	OTHER	WAITING ON 2 LOADS OF 40/70 SAND.	X
16:15	2:30	10.25	19,215	STIM	PLUG AND PERF / FRAC STAGES 31 THRU 32 OF 68.	
2:30	5:30	3.00	19,215	OTHER	WAITING ON 7 LOADS OF SAND.	X
5:30	6:00	0.50	19,215	STIM	START STAGE 33 FRAC.	

Management Summary

PLUG AND PERF / FRAC

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	29,212.50	5,363,823.71	
Totals \$:		0.00	0.00	183,571.00	29,213.00	5,363,824.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 27 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 25 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 23 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 21 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 17 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 13 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 9 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 5 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 35

Report For 06:00 AM 28-Jul-17

Perforation Information

Stage: 1 of 27

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport:



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Operator:	SEM	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):		29,213 / 0
Measured Depth (ft):	19215	Completion Days (act.):	15	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	8335	Completion Days (plan):		Tubing Head Elev (ft/hr):		020917	0	5,393,036
Plug Back MD (ft):		Days On Location:	32	Orig RKB Elev(ft):	26.20			
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:		Totals:	0	5,393,036
Last Casing:	5.50 at 19,190			Working Interest:		Well Cost (\$):		5,393,036
Pers/Hrs:	Operator: 0 / 0	Contractor:	5 / 60	Service:	52 / 624	Other:	0 / 0	Total: 57 / 684

Current Operations: WAITING ON 1 LOAD OF SAND.

Planned Operations: PLUG AND PERF / FRAC STAGES 33 THRU 36 OF 68

Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS

Tel No.:

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	9:15	3.25	19,215	STIM	PLUG AND PERF / FRAC STAGE 33 OF 68.	
9:15	11:41	2.43	19,215	OTHER	WAITING ON 4 LOADS OF SAND.	X
11:41	15:25	3.73	19,215	STIM	PLUG AND PERF / FRAC STAGE 34 OF 68.	
15:25	18:45	3.33	19,215	OTHER	WAITING ON 5 LOADS OF SAND	X
18:45	1:45	7.00	19,215	STIM	STAGE FRAC 35 , 36 ,	
1:45	6:00	4.25	19,215	OTHER	WAITING ON SAND.	

Management Summary

PLUG AND PERF/ FRAC

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
020917	Drill and complete a 19330' later:		0.00	183,571.38	29,212.50	5,393,036.21	
Totals \$:		0.00	0.00	183,571.00	29,213.00	5,393,036.00	

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	5.50	0		19,190		20.00	P-110	

Perforation Information

Stage: 32 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 31 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 30 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 29 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 28 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 27 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 26 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 25 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 24 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 23 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 22 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 20 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 19 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 07:46	LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:45	LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:44	LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:43	LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:42	LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:41	LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:40	LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:39	LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:38	LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 07:37	LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Jul-17 03:30	LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Jul-17 03:30	LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 16 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 23:30	LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 23:30	LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 15 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 17:00	LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 17:00	LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 11:05	LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:04	LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:03	LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:02	LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:01	LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 11:00	LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:59	LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:58	LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 10:56	LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 05:49	LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:48	LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:47	LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:46	LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:45	LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:44	LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:43	LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:42	LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:41	LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 05:40	LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Jul-17 01:30	LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
25-Jul-17 01:30	LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 11 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 20:50	LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 20:50	LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 13:26	LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:25	LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:24	LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:23	LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:22	LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:21	LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:20	LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:19	LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:18	LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 13:17	LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 07:59	LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:58	LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:57	LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:56	LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:54	LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:53	LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:52	LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:51	LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:50	LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 07:49	LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 7 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39818 ST

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1201WB ST

Sect: 12 County: Reagan State: TX

Report No: 36

Report For 06:00 AM 29-Jul-17

Perforation Information

Stage: 3 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 32


Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...


Rig Information


Equipment Problems:


Location Condition:


Transport:


	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>				<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>			
Report No: 37				Report For 06:00 AM 30-Jul-17				
Operator: SEM		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 29,213 / 0		
Measured Depth (ft): 19215		Completion Days (act.): 16		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 8335		Completion Days (plan):		Tubing Head Elev (ft/hr):		020917 0 5,422,249		
Plug Back MD (ft):		Days On Location: 33		Orig RKB Elev(ft): 26.20				
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test:		Totals: 0 5,422,249		
Last Casing: 5.50 at 19,190				Working Interest:		Well Cost (\$): 5,422,249		
Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 48		Service: 52 / 624		Other: 0 / 0 Total: 56 / 672		
Current Operations: PLUG AND PERF STAGE 41.								
Planned Operations: PLUG AND PERF / FRAC STAGES 37 THRU 40 OF 68								
Wellsite Supervisors: MOYE, WILLIS , ZIMMERMAN, MACIOS						Tel No.:		
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	7:30	1.50	0	OTHER	WAITING ON 1 LOAD OF SAND.		X	
7:30	11:30	4.00	19,215	STIM	PLUG AND PERF / FRAC STAGES 37 THRU XX OF 68.			
11:30	19:40	8.17	19,215	OTHER	WAITING ON 8 LOADS OF SAND.		X	
19:40	6:00	10.33	19,215	STIM	PLUG PERF / FRAC STAGES 38 THRU 40 OF 68.			
Management Summary								
PLUG PERF AND FRAC								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent	
020917	Drill and complete a 19330' later:			0.00	183,571.38	29,212.50	5,422,248.71	
Totals \$:			0.00	0.00	183,571.00	29,213.00	5,422,249.00	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)	
FULL	5.50	0		19,190		20.00	P-110	
Perforation Information								
Stage: 36 of 36								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
29-Jul-17 21:30	LARGE	WLINGUN	13,783	13,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,767	13,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,752	13,753	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,738	13,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,722	13,723	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,707	13,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,694	13,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,677	13,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,662	13,663	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 21:30	LARGE	WLINGUN	13,648	13,649	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 35 of 36								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
29-Jul-17 14:55	LARGE	WLINGUN	13,799	13,800	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:54	LARGE	WLINGUN	13,814	13,815	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:53	LARGE	WLINGUN	13,829	13,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:52	LARGE	WLINGUN	13,844	13,845	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:51	LARGE	WLINGUN	13,859	13,860	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:50	LARGE	WLINGUN	13,874	13,875	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:49	LARGE	WLINGUN	13,889	13,890	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:48	LARGE	WLINGUN	13,904	13,905	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:47	LARGE	WLINGUN	13,919	13,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 14:46	LARGE	WLINGUN	13,934	13,935	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
Stage: 34 of 36								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
29-Jul-17 08:45	LARGE	WLINGUN	13,951	13,952	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:44	LARGE	WLINGUN	13,966	13,967	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:43	LARGE	WLINGUN	13,981	13,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:42	LARGE	WLINGUN	13,996	13,997	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:41	LARGE	WLINGUN	14,011	14,012	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:40	LARGE	WLINGUN	14,026	14,027	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:39	LARGE	WLINGUN	14,041	14,042	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:38	LARGE	WLINGUN	14,056	14,057	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:37	LARGE	WLINGUN	14,071	14,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		
29-Jul-17 08:36	LARGE	WLINGUN	14,086	14,087	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...		


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 37					Report For 06:00 AM 30-Jul-17				
Perforation Information									
Stage: 33 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
29-Jul-17 02:00	LARGE	WLINGUN	14,238	14,239	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,220	14,221	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,208	14,209	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,193	14,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,175	14,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,163	14,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,148	14,149	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,130	14,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,118	14,119	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
29-Jul-17 02:00	LARGE	WLINGUN	14,103	14,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 32 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 19:00	LARGE	WLINGUN	14,390	14,391	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,375	14,376	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,360	14,361	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,345	14,346	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,330	14,331	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,315	14,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,300	14,301	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,285	14,286	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,274	14,275	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 19:00	LARGE	WLINGUN	14,255	14,256	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 31 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 14:08	LARGE	WLINGUN	14,411	14,412	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:07	LARGE	WLINGUN	14,422	14,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:06	LARGE	WLINGUN	14,437	14,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:05	LARGE	WLINGUN	14,452	14,453	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:04	LARGE	WLINGUN	14,467	14,468	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:03	LARGE	WLINGUN	14,482	14,483	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:02	LARGE	WLINGUN	14,497	14,498	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:01	LARGE	WLINGUN	14,512	14,513	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 14:00	LARGE	WLINGUN	14,527	14,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 13:59	LARGE	WLINGUN	14,542	14,543	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 30 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 10:10	LARGE	WLINGUN	14,559	14,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:09	LARGE	WLINGUN	14,574	14,575	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:08	LARGE	WLINGUN	14,589	14,590	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:07	LARGE	WLINGUN	14,604	14,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:06	LARGE	WLINGUN	14,619	14,620	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:05	LARGE	WLINGUN	14,634	14,635	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:04	LARGE	WLINGUN	14,649	14,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:03	LARGE	WLINGUN	14,664	14,665	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:02	LARGE	WLINGUN	14,679	14,680	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 10:01	LARGE	WLINGUN	14,694	14,695	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 29 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 05:51	LARGE	WLINGUN	14,711	14,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:50	LARGE	WLINGUN	14,726	14,727	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:49	LARGE	WLINGUN	14,741	14,742	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:48	LARGE	WLINGUN	14,756	14,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:47	LARGE	WLINGUN	14,771	14,772	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:46	LARGE	WLINGUN	14,786	14,787	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:45	LARGE	WLINGUN	14,800	14,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:44	LARGE	WLINGUN	14,816	14,817	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:43	LARGE	WLINGUN	14,831	14,832	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 05:42	LARGE	WLINGUN	14,846	14,847	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			


	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 37					Report For 06:00 AM 30-Jul-17				
Perforation Information									
Stage: 28 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
28-Jul-17 01:55	LARGE	WLINGUN	14,998	14,999	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,985	14,986	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,968	14,969	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,953	14,954	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,940	14,941	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,923	14,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,908	14,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,893	14,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,878	14,879	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
28-Jul-17 01:55	LARGE	WLINGUN	14,863	14,864	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 27 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 22:00	LARGE	WLINGUN	15,146	15,147	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,135	15,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,120	15,121	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,090	15,091	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,078	15,079	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,060	15,061	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,045	15,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,030	15,031	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 22:00	LARGE	WLINGUN	15,015	15,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 26 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 18:15	LARGE	WLINGUN	15,302	15,303	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,287	15,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,272	15,273	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,242	15,243	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,227	15,228	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,212	15,213	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,197	15,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,182	15,183	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 18:15	LARGE	WLINGUN	15,167	15,168	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 25 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 14:21	LARGE	WLINGUN	15,319	15,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:20	LARGE	WLINGUN	15,334	15,335	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:19	LARGE	WLINGUN	15,349	15,350	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:18	LARGE	WLINGUN	15,364	15,365	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:17	LARGE	WLINGUN	15,379	15,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:16	LARGE	WLINGUN	15,394	15,395	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:15	LARGE	WLINGUN	15,409	15,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:14	LARGE	WLINGUN	15,422	15,423	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:13	LARGE	WLINGUN	15,439	15,440	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 14:12	LARGE	WLINGUN	15,454	15,455	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 24 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 10:05	LARGE	WLINGUN	15,475	15,476	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:04	LARGE	WLINGUN	15,486	15,487	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:03	LARGE	WLINGUN	15,501	15,502	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:02	LARGE	WLINGUN	15,520	15,521	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:01	LARGE	WLINGUN	15,531	15,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 10:00	LARGE	WLINGUN	15,546	15,547	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:59	LARGE	WLINGUN	15,565	15,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:58	LARGE	WLINGUN	15,576	15,577	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:57	LARGE	WLINGUN	15,591	15,592	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 09:56	LARGE	WLINGUN	15,602	15,603	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST				
	Field: Impossible				Sect: 12 County: Reagan State: TX				
Report No: 37					Report For 06:00 AM 30-Jul-17				
Perforation Information									
Stage: 23 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 05:39	LARGE	WLINGUN	15,623	15,624	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:38	LARGE	WLINGUN	15,638	15,639	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:37	LARGE	WLINGUN	15,655	15,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:36	LARGE	WLINGUN	15,668	15,669	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:35	LARGE	WLINGUN	15,683	15,684	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:34	LARGE	WLINGUN	15,700	15,701	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:33	LARGE	WLINGUN	15,713	15,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:32	LARGE	WLINGUN	15,728	15,729	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:31	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 05:30	LARGE	WLINGUN	15,758	15,759	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 22 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Jul-17 01:45	LARGE	WLINGUN	15,910	15,911	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,895	15,896	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,880	15,881	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,865	15,866	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,850	15,851	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,835	15,836	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,820	15,821	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,805	15,806	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,790	15,791	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
27-Jul-17 01:45	LARGE	WLINGUN	15,775	15,776	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 21 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 21:55	LARGE	WLINGUN	16,062	16,063	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,047	16,048	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,032	16,033	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,017	16,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	16,002	16,003	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,987	15,988	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,972	15,973	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,957	15,958	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,942	15,943	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 21:55	LARGE	WLINGUN	15,927	15,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 20 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 18:20	LARGE	WLINGUN	16,214	16,215	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,199	16,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,181	16,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,169	16,170	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,154	16,155	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,124	16,125	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,109	16,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,092	16,093	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 18:20	LARGE	WLINGUN	16,079	16,080	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
Stage: 19 of 36									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
26-Jul-17 14:08	LARGE	WLINGUN	16,233	16,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:07	LARGE	WLINGUN	16,246	16,247	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:06	LARGE	WLINGUN	16,261	16,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:05	LARGE	WLINGUN	16,278	16,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:04	LARGE	WLINGUN	16,291	16,292	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:03	LARGE	WLINGUN	16,306	16,307	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:02	LARGE	WLINGUN	16,323	16,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:01	LARGE	WLINGUN	16,336	16,337	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 14:00	LARGE	WLINGUN	16,351	16,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			
26-Jul-17 11:35	LARGE	WLINGUN	16,366	16,367	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...			

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 37						Report For 06:00 AM 30-Jul-17					
Perforation Information											
Stage: 18 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
26-Jul-17 07:46		LARGE	WLINGUN	16,383	16,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:45		LARGE	WLINGUN	16,398	16,399	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:44		LARGE	WLINGUN	16,413	16,414	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:43		LARGE	WLINGUN	16,428	16,429	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:42		LARGE	WLINGUN	16,443	16,444	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:41		LARGE	WLINGUN	16,458	16,459	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:40		LARGE	WLINGUN	16,473	16,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:39		LARGE	WLINGUN	16,488	16,489	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:38		LARGE	WLINGUN	16,503	16,504	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 07:37		LARGE	WLINGUN	16,518	16,519	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 17 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
26-Jul-17 03:30		LARGE	WLINGUN	16,670	16,671	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,655	16,656	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,640	16,641	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,625	16,626	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,610	16,611	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,595	16,596	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,580	16,581	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,565	16,566	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,550	16,551	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
26-Jul-17 03:30		LARGE	WLINGUN	16,535	16,536	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 16 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
25-Jul-17 23:30		LARGE	WLINGUN	16,822	16,823	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,803	16,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,792	16,793	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,777	16,778	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,760	16,761	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,747	16,748	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,732	16,733	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,715	16,716	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,702	16,703	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 23:30		LARGE	WLINGUN	16,687	16,688	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 15 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
25-Jul-17 17:00		LARGE	WLINGUN	16,974	16,975	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,959	16,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,947	16,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,929	16,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,914	16,915	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,903	16,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,884	16,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,869	16,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,851	16,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 17:00		LARGE	WLINGUN	16,839	16,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 14 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
25-Jul-17 11:05		LARGE	WLINGUN	17,006	17,007	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 11:04		LARGE	WLINGUN	17,021	17,022	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 11:03		LARGE	WLINGUN	17,038	17,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 11:02		LARGE	WLINGUN	17,051	17,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 11:01		LARGE	WLINGUN	17,066	17,067	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 11:00		LARGE	WLINGUN	17,081	17,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 10:59		LARGE	WLINGUN	17,096	17,097	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 10:58		LARGE	WLINGUN	17,111	17,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 10:56		LARGE	WLINGUN	17,126	17,127	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				

	Daily Completion Report				SEM Operating Company, LLC						
	Well ID: 42-383-39818 ST				Well Name: University 9C 1201WB ST						
	Field: Impossible				Sect: 12 County: Reagan State: TX						
Report No: 37						Report For 06:00 AM 30-Jul-17					
Perforation Information											
Stage: 13 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
25-Jul-17 05:49		LARGE	WLINGUN	17,143	17,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:48		LARGE	WLINGUN	17,158	17,159	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:47		LARGE	WLINGUN	17,173	17,174	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:46		LARGE	WLINGUN	17,188	17,189	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:45		LARGE	WLINGUN	17,203	17,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:44		LARGE	WLINGUN	17,218	17,219	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:43		LARGE	WLINGUN	17,233	17,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:42		LARGE	WLINGUN	17,248	17,249	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:41		LARGE	WLINGUN	17,263	17,264	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 05:40		LARGE	WLINGUN	17,278	17,279	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 12 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
25-Jul-17 01:30		LARGE	WLINGUN	17,430	17,431	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,415	17,416	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,400	17,401	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,385	17,386	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,370	17,371	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,365	17,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,350	17,351	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,335	17,336	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,320	17,321	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
25-Jul-17 01:30		LARGE	WLINGUN	17,305	17,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 11 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
24-Jul-17 20:50		LARGE	WLINGUN	17,570	17,571	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,560	17,561	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,552	17,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,537	17,538	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,522	17,523	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,507	17,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,492	17,493	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,477	17,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,462	17,463	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 20:50		LARGE	WLINGUN	17,447	17,448	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 10 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
24-Jul-17 13:26		LARGE	WLINGUN	17,599	17,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:25		LARGE	WLINGUN	17,614	17,615	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:24		LARGE	WLINGUN	17,629	17,630	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:23		LARGE	WLINGUN	17,644	17,645	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:22		LARGE	WLINGUN	17,659	17,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:21		LARGE	WLINGUN	17,674	17,675	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:20		LARGE	WLINGUN	17,689	17,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:19		LARGE	WLINGUN	17,704	17,705	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:18		LARGE	WLINGUN	17,719	17,720	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 13:17		LARGE	WLINGUN	17,734	17,735	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 9 of 36											
Perforation Date		Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
24-Jul-17 07:59		LARGE	WLINGUN	17,756	17,757	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:58		LARGE	WLINGUN	17,766	17,767	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:57		LARGE	WLINGUN	17,781	17,782	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:56		LARGE	WLINGUN	17,800	17,801	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:54		LARGE	WLINGUN	17,811	17,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:53		LARGE	WLINGUN	17,826	17,827	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:52		LARGE	WLINGUN	17,838	17,839	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:51		LARGE	WLINGUN	17,856	17,857	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:50		LARGE	WLINGUN	17,871	17,872	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 07:49		LARGE	WLINGUN	17,884	17,885	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				

	Daily Completion Report					SEM Operating Company, LLC				
	Well ID: 42-383-39818 ST					Well Name: University 9C 1201WB ST				
	Field: Impossible					Sect: 12 County: Reagan State: TX				
Report No: 37						Report For 06:00 AM 30-Jul-17				
Perforation Information										
Stage: 8 of 36										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
24-Jul-17 03:20	LARGE	WLINGUN	17,903	17,904	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:19	LARGE	WLINGUN	17,918	17,919	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:18	LARGE	WLINGUN	17,936	17,937	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:17	LARGE	WLINGUN	17,948	17,949	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:16	LARGE	WLINGUN	17,963	17,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:15	LARGE	WLINGUN	17,980	17,981	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:14	LARGE	WLINGUN	17,993	17,994	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:13	LARGE	WLINGUN	18,008	18,009	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:12	LARGE	WLINGUN	18,024	18,025	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
24-Jul-17 03:11	LARGE	WLINGUN	18,038	18,039	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 7 of 36										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
23-Jul-17 22:25	LARGE	WLINGUN	18,055	18,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:24	LARGE	WLINGUN	18,070	18,071	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:23	LARGE	WLINGUN	18,085	18,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:22	LARGE	WLINGUN	18,100	18,101	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:21	LARGE	WLINGUN	18,115	18,116	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:20	LARGE	WLINGUN	18,130	18,131	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:19	LARGE	WLINGUN	18,145	18,146	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:18	LARGE	WLINGUN	18,160	18,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:17	LARGE	WLINGUN	18,175	18,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 22:16	LARGE	WLINGUN	18,190	18,191	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 6 of 36										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
23-Jul-17 18:00	LARGE	WLINGUN	18,209	18,210	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:59	LARGE	WLINGUN	18,222	18,223	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:58	LARGE	WLINGUN	18,237	18,238	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:57	LARGE	WLINGUN	18,252	18,253	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:56	LARGE	WLINGUN	18,267	18,268	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:55	LARGE	WLINGUN	18,282	18,283	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:54	LARGE	WLINGUN	18,297	18,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:53	LARGE	WLINGUN	18,312	18,313	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:52	LARGE	WLINGUN	18,327	18,328	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 17:51	LARGE	WLINGUN	18,342	18,343	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 5 of 36										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
23-Jul-17 13:45	LARGE	WLINGUN	18,359	18,360	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:44	LARGE	WLINGUN	18,374	18,375	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:43	LARGE	WLINGUN	18,389	18,390	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:42	LARGE	WLINGUN	18,404	18,405	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:41	LARGE	WLINGUN	18,418	18,419	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:40	LARGE	WLINGUN	18,434	18,435	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:39	LARGE	WLINGUN	18,449	18,450	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:38	LARGE	WLINGUN	18,464	18,465	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:37	LARGE	WLINGUN	18,479	18,480	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 13:36	LARGE	WLINGUN	18,494	18,495	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
Stage: 4 of 36										
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments				
23-Jul-17 09:25	LARGE	WLINGUN	18,514	18,515	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:24	LARGE	WLINGUN	18,526	18,527	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:23	LARGE	WLINGUN	18,541	18,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:22	LARGE	WLINGUN	18,552	18,553	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:21	LARGE	WLINGUN	18,571	18,572	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:20	LARGE	WLINGUN	18,586	18,587	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:19	LARGE	WLINGUN	18,604	18,605	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:18	LARGE	WLINGUN	18,616	18,617	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:17	LARGE	WLINGUN	18,631	18,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				
23-Jul-17 09:16	LARGE	WLINGUN	18,643	18,644	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...				

	<div>Daily Completion Report</div> <div>Well ID: 42-383-39818 ST</div> <div>Field: Impossible</div>	<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1201WB ST</div> <div>Sect: 12 County: Reagan State: TX</div>				
Report No: 37		Report For 06:00 AM 30-Jul-17				
Perforation Information						
Stage: 3 of 36						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Jul-17 04:40	LARGE	WLINGUN	18,663	18,664	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:39	LARGE	WLINGUN	18,678	18,679	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:38	LARGE	WLINGUN	18,695	18,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:37	LARGE	WLINGUN	18,708	18,709	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:36	LARGE	WLINGUN	18,723	18,724	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:35	LARGE	WLINGUN	18,738	18,739	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:34	LARGE	WLINGUN	18,753	18,754	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:33	LARGE	WLINGUN	18,768	18,769	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:32	LARGE	WLINGUN	18,783	18,784	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
23-Jul-17 04:31	LARGE	WLINGUN	18,798	18,799	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 2 of 36						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Jul-17 23:55	LARGE	WLINGUN	18,815	18,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:54	LARGE	WLINGUN	18,830	18,831	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:53	LARGE	WLINGUN	18,845	18,846	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:52	LARGE	WLINGUN	18,860	18,861	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:51	LARGE	WLINGUN	18,875	18,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:50	LARGE	WLINGUN	18,890	18,891	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:49	LARGE	WLINGUN	18,905	18,906	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:48	LARGE	WLINGUN	18,920	18,921	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:47	LARGE	WLINGUN	18,935	18,936	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
22-Jul-17 23:46	LARGE	WLINGUN	18,950	18,951	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
Stage: 1 of 36						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
30-Jun-17 14:20	LARGE	WLINGUN	18,967	18,968	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:19	LARGE	WLINGUN	18,979	18,980	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:18	LARGE	WLINGUN	18,991	18,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:17	LARGE	WLINGUN	19,003	19,004	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:16	LARGE	WLINGUN	19,015	19,016	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
30-Jun-17 14:15	LARGE	WLINGUN	19,027	19,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:50	LARGE	TBGGUN	19,039	19,040	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:49	LARGE	TBGGUN	19,051	19,052	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:48	LARGE	TBGGUN	19,063	19,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:47	LARGE	TBGGUN	19,075	19,076	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:46	LARGE	TBGGUN	19,087	19,088	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.48" EH ...
29-Jun-17 10:45	LARGE	TBGGUN	19,099	19,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.38" EH ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						