


	<div><div>Daily Completion Report</div><div>Well ID: 42-383-39819</div><div>Field: Impossible</div></div>	<div><div>SEM Operating Company, LLC</div><div>Well Name: University 9C 1207WA</div><div>Sect: 12 County: Reagan State: TX</div></div>					
Report No: 38		Report For 06:00 AM 18-Jun-17					
Operator: Sem Operating		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 6,900 / 0	
Measured Depth (ft): 18914.00		Completion Days (act.): 12		Casing Head Elev (ft/hr):		AFE No. AFE (\$) Actual (\$)	
Vertical Depth (ft): 8101.00		Completion Days (plan):		Tubing Head Elev (ft/hr):		021017 6,631,875 2,701,993	
Plug Back MD (ft):		Days On Location: 32		Orig RKB Elev(ft): 26.0000			
Plug Back TVD (ft)		Spud Date: 10-Apr-17		Last BOP Test: 16-Apr-17		Totals: 6,631,875 2,701,993	
Last Casing: 5.50 at 18,914				Working Interest:		Well Cost (\$): 2,701,993	
Pers/Hrs: Operator: 0 / 0		Contractor: 5 / 60		Service: 52 / 624		Other: 0 / 0 Total: 57 / 684	
Current Operations: PLUG & PERF STAGE 14							
Planned Operations: PLUG AND PERF / FRAC STAGE 9 THRU 13 OF 69							
Wellsite Supervisors: MAYNARD/THORNTON/MACIAS/MOYE, AVERY						Tel No.:	
Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod
6:00	6:00	24.00	18,914.00	STIM	PLUG AND PERF / FRAC STAGE 9 THRU 13 OF 69		
Management Summary							
PLUG AND PERF / FRAC							
Cost/AFE Information							
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total % Spent
021017	D & C 19050' Horizontal WA		6,631,875.00	0.00	175,430.45	6,900.00	2,701,992.84 40.74 %
Totals \$:			6,631,875.00	0.00	175,430.00	6,900.00	2,701,993.00 40.74 %
Casing/Tubular Information							
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade LOT (lbs/gal)
FULL	13.38	0.00	580.00	578.14	580.00	54.50	J-55
FULL	9.63	0.00		7,385.00		40.00	J-55
FULL	5.50	0.00		18,914.00	8,101.00	20.00	HCP-110
Perforation Information							
Stage: 12 of 12							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
17-Jun-17 21:05	LARGE	WLINGUN	17,058.00	17,059.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 21:04	LARGE	WLINGUN	17,070.00	17,071.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 21:03	LARGE	WLINGUN	17,082.00	17,083.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 21:02	LARGE	WLINGUN	17,094.00	17,095.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 21:01	LARGE	WLINGUN	17,109.00	17,110.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 21:00	LARGE	WLINGUN	17,118.00	17,119.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 20:59	LARGE	WLINGUN	17,130.00	17,131.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 20:58	LARGE	WLINGUN	17,142.00	17,143.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 20:57	LARGE	WLINGUN	17,154.00	17,155.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 20:56	LARGE	WLINGUN	17,166.00	17,167.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 20:55	LARGE	WLINGUN	17,178.00	17,179.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 20:54	LARGE	WLINGUN	17,190.00	17,191.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
Stage: 11 of 12							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
17-Jun-17 16:07	LARGE	WLINGUN	17,207.00	17,208.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:06	LARGE	WLINGUN	17,219.00	17,220.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:05	LARGE	WLINGUN	17,231.00	17,232.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:04	LARGE	WLINGUN	17,243.00	17,244.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:03	LARGE	WLINGUN	17,255.00	17,256.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:02	LARGE	WLINGUN	17,267.00	17,268.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:01	LARGE	WLINGUN	17,278.00	17,279.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 16:00	LARGE	WLINGUN	17,291.00	17,292.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 15:59	LARGE	WLINGUN	17,303.00	17,304.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 15:58	LARGE	WLINGUN	17,315.00	17,316.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 15:57	LARGE	WLINGUN	17,327.00	17,328.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 15:56	LARGE	WLINGUN	17,339.00	17,340.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
Stage: 10 of 12							
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments	
17-Jun-17 11:25	LARGE	WLINGUN	17,356.00	17,357.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:24	LARGE	WLINGUN	17,371.00	17,372.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:23	LARGE	WLINGUN	17,380.00	17,381.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:22	LARGE	WLINGUN	17,392.00	17,393.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:21	LARGE	WLINGUN	17,404.00	17,405.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:20	LARGE	WLINGUN	17,416.00	17,417.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:19	LARGE	WLINGUN	17,428.00	17,429.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:18	LARGE	WLINGUN	17,440.00	17,441.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:17	LARGE	WLINGUN	17,450.00	17,451.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:16	LARGE	WLINGUN	17,464.00	17,465.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:15	LARGE	WLINGUN	17,476.00	17,477.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	
17-Jun-17 11:14	LARGE	WLINGUN	17,485.00	17,486.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...	

	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39819				Well Name: University 9C 1207WA			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 38				Report For 06:00 AM 18-Jun-17				
Perforation Information								
Stage: 9 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
17-Jun-17 06:23	LARGE	WLINGUN	17,505.00	17,506.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:22	LARGE	WLINGUN	17,517.00	17,518.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:21	LARGE	WLINGUN	17,529.00	17,530.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:20	LARGE	WLINGUN	17,544.00	17,545.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:19	LARGE	WLINGUN	17,553.00	17,554.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:18	LARGE	WLINGUN	17,565.00	17,566.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:17	LARGE	WLINGUN	17,577.00	17,578.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:16	LARGE	WLINGUN	17,589.00	17,590.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:15	LARGE	WLINGUN	17,601.00	17,602.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:14	LARGE	WLINGUN	17,613.00	17,614.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:13	LARGE	WLINGUN	17,625.00	17,626.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 06:12	LARGE	WLINGUN	17,637.00	17,638.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
Stage: 8 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
17-Jun-17 01:50	LARGE	WLINGUN	17,654.00	17,655.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:49	LARGE	WLINGUN	17,666.00	17,667.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:48	LARGE	WLINGUN	17,678.00	17,679.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:47	LARGE	WLINGUN	17,690.00	17,691.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:46	LARGE	WLINGUN	17,702.00	17,703.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:45	LARGE	WLINGUN	17,712.00	17,713.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:44	LARGE	WLINGUN	17,726.00	17,727.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:43	LARGE	WLINGUN	17,738.00	17,739.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:42	LARGE	WLINGUN	17,750.00	17,751.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:41	LARGE	WLINGUN	17,763.00	17,764.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:40	LARGE	WLINGUN	17,774.00	17,775.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
17-Jun-17 01:39	LARGE	WLINGUN	17,786.00	17,787.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
Stage: 7 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
16-Jun-17 18:35	LARGE	WLINGUN	17,806.00	17,807.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:34	LARGE	WLINGUN	17,815.00	17,816.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:33	LARGE	WLINGUN	17,827.00	17,828.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:32	LARGE	WLINGUN	17,839.00	17,840.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:31	LARGE	WLINGUN	17,851.00	17,852.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:30	LARGE	WLINGUN	17,863.00	17,864.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:29	LARGE	WLINGUN	17,875.00	17,876.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:28	LARGE	WLINGUN	17,887.00	17,888.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:27	LARGE	WLINGUN	17,899.00	17,900.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:26	LARGE	WLINGUN	17,911.00	17,912.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:25	LARGE	WLINGUN	17,923.00	17,924.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 18:24	LARGE	WLINGUN	17,935.00	17,936.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
Stage: 6 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
16-Jun-17 13:56	LARGE	WLINGUN	17,952.00	17,953.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:55	LARGE	WLINGUN	17,964.00	17,965.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:54	LARGE	WLINGUN	17,978.00	17,979.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:53	LARGE	WLINGUN	17,988.00	17,989.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:52	LARGE	WLINGUN	18,000.00	18,001.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:51	LARGE	WLINGUN	18,012.00	18,013.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:50	LARGE	WLINGUN	18,024.00	18,025.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:49	LARGE	WLINGUN	18,036.00	18,037.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:48	LARGE	WLINGUN	18,048.00	18,049.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:47	LARGE	WLINGUN	18,060.00	18,061.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:46	LARGE	WLINGUN	18,072.00	18,073.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 13:45	LARGE	WLINGUN	18,084.00	18,085.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		

	Daily Completion Report				SEM Operating Company, LLC			
	Well ID: 42-383-39819				Well Name: University 9C 1207WA			
	Field: Impossible				Sect: 12 County: Reagan State: TX			
Report No: 38		Report For 06:00 AM 18-Jun-17						
Perforation Information								
Stage: 5 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
16-Jun-17 09:06	LARGE	WLINGUN	18,101.00	18,102.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 09:05	LARGE	WLINGUN	18,113.00	18,114.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 09:04	LARGE	WLINGUN	18,125.00	18,126.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 09:03	LARGE	WLINGUN	18,137.00	18,138.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 09:02	LARGE	WLINGUN	18,146.00	18,147.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 09:01	LARGE	WLINGUN	18,161.00	18,162.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 09:00	LARGE	WLINGUN	18,173.00	18,174.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 08:59	LARGE	WLINGUN	18,185.00	18,186.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 08:58	LARGE	WLINGUN	18,197.00	18,198.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 08:57	LARGE	WLINGUN	18,209.00	18,210.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 08:56	LARGE	WLINGUN	18,221.00	18,222.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 08:55	LARGE	WLINGUN	18,230.00	18,231.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
Stage: 4 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
16-Jun-17 02:55	LARGE	WLINGUN	18,250.00	18,251.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:54	LARGE	WLINGUN	18,262.00	18,263.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:53	LARGE	WLINGUN	18,274.00	18,275.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:52	LARGE	WLINGUN	18,286.00	18,287.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:51	LARGE	WLINGUN	18,298.00	18,299.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:50	LARGE	WLINGUN	18,310.00	18,311.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:49	LARGE	WLINGUN	18,320.00	18,321.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:48	LARGE	WLINGUN	18,334.00	18,335.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:47	LARGE	WLINGUN	18,346.00	18,347.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:46	LARGE	WLINGUN	18,358.00	18,359.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:45	LARGE	WLINGUN	18,372.00	18,373.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
16-Jun-17 02:44	LARGE	WLINGUN	18,382.00	18,383.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
Stage: 3 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
15-Jun-17 21:10	LARGE	WLINGUN	18,399.00	18,400.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:09	LARGE	WLINGUN	18,411.00	18,412.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:08	LARGE	WLINGUN	18,423.00	18,424.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:07	LARGE	WLINGUN	18,435.00	18,436.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:06	LARGE	WLINGUN	18,447.00	18,448.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:05	LARGE	WLINGUN	18,459.00	18,460.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:04	LARGE	WLINGUN	18,471.00	18,472.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:03	LARGE	WLINGUN	18,485.00	18,486.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:02	LARGE	WLINGUN	18,495.00	18,496.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:01	LARGE	WLINGUN	18,507.00	18,508.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 21:00	LARGE	WLINGUN	18,519.00	18,520.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 20:59	LARGE	WLINGUN	18,531.00	18,532.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
Stage: 2 of 12								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
15-Jun-17 15:35	LARGE	WLINGUN	18,548.00	18,549.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:34	LARGE	WLINGUN	18,560.00	18,561.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:33	LARGE	WLINGUN	18,572.00	18,573.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:32	LARGE	WLINGUN	18,584.00	18,585.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:31	LARGE	WLINGUN	18,596.00	18,597.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:30	LARGE	WLINGUN	18,608.00	18,609.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:29	LARGE	WLINGUN	18,620.00	18,621.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:28	LARGE	WLINGUN	18,632.00	18,633.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:27	LARGE	WLINGUN	18,644.00	18,645.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:26	LARGE	WLINGUN	18,656.00	18,657.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:25	LARGE	WLINGUN	18,668.00	18,669.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		
15-Jun-17 15:24	LARGE	WLINGUN	18,680.00	18,681.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...		

	<div>Daily Completion Report</div> <div>Well ID: 42-383-39819</div> <div>Field: Impossible</div>	<div>SEM Operating Company, LLC</div> <div>Well Name: University 9C 1207WA</div> <div>Sect: 12 County: Reagan State: TX</div>				
Report No: 38		Report For 06:00 AM 18-Jun-17				
Perforation Information						
Stage: 1 of 12						
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Jun-17 08:41	LARGE	WLINGUN	18,697.00	18,698.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:40	LARGE	WLINGUN	18,709.00	18,710.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:39	LARGE	WLINGUN	18,721.00	18,722.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:38	LARGE	WLINGUN	18,733.00	18,734.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:37	LARGE	WLINGUN	18,745.00	18,746.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:36	LARGE	WLINGUN	18,757.00	18,758.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:35	LARGE	WLINGUN	18,769.00	18,770.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:34	LARGE	WLINGUN	18,781.00	18,782.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:33	LARGE	WLINGUN	18,793.00	18,794.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:31	LARGE	WLINGUN	18,805.00	18,806.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:30	LARGE	WLINGUN	18,817.00	18,818.00	1.00	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
13-Jun-17 08:30	LARGE	TBGGUN	18,829.00	18,831.00	2.00	3 1/8"; 6 SPF 60 DEG PHASED; 0.48 EHC ...
Rig Information						
Equipment Problems:						
Location Condition:						
Transport:						