



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Operator:	Sem Operating	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):		6,900 / 0
Measured Depth (ft):	18914	Completion Days (act.):	13	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	8101	Completion Days (plan):		Tubing Head Elev (ft/hr):		021017	6,631,875	2,708,893
Plug Back MD (ft):		Days On Location:	33	Orig RKB Elev(ft):	26.00			
Plug Back TVD (ft)		Spud Date:	10-Apr-17	Last BOP Test:	16-Apr-17	Totals:	6,631,875	2,708,893
Last Casing:	5.50 at 18,914			Working Interest:		Well Cost (\$):		2,708,893
Pers/Hrs:	Operator: 0 / 0	Contractor:	5 / 60	Service:	52 / 624	Other:	0 / 0	Total: 57 / 684
Current Operations: WIRE LINE STAGE 19								
Planned Operations: PLUG & PERF STAGE 14 THRU 18 OF 69								
Wellsite Supervisors: MAYNARD/THORNTON/MACIAS/MOYE, AVERY							Tel No.:	

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	15:00	9.00	18,914	STIM	PLUG & PERF / FRAC STAGE 14 THRU 15 OF 69	
15:00	18:45	3.75	18,914	PERF	STAGE 16 PLUG DID NOT SET, FOUND BAD DIODE FOR REASON PLUG NOT SETTING.	X
18:45	6:00	11.25	18,914	STIM	PLUG & PERF / FRAC 16 THRU 18 OF 69	

Management Summary

PLUG & PERF / FRAC

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
021017	D & C 19050' Horizontal WA	6,631,875	0	175,430	6,900	2,708,893	40.85 %
Totals \$:		6,631,875	0	175,430	6,900	2,708,893	40.85 %

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	13.38	0	580	578	580	54.50	J-55	
FULL	9.63	0		7,385		40.00	J-55	
FULL	5.50	0		18,914	8,101	20.00	HCP-110	

Perforation Information

Stage: 17 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Jun-17 22:35	LARGE	WLINGUN	16,313	16,314	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:34	LARGE	WLINGUN	16,325	16,326	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:33	LARGE	WLINGUN	16,337	16,338	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:32	LARGE	WLINGUN	16,349	16,350	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:31	LARGE	WLINGUN	16,361	16,362	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:30	LARGE	WLINGUN	16,370	16,371	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:29	LARGE	WLINGUN	16,385	16,386	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:28	LARGE	WLINGUN	16,397	16,398	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:27	LARGE	WLINGUN	16,409	16,410	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:26	LARGE	WLINGUN	16,421	16,422	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:25	LARGE	WLINGUN	16,433	16,434	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 22:24	LARGE	WLINGUN	16,442	16,443	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Perforation Information

Stage: 16 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Jun-17 18:05	LARGE	WLINGUN	16,462	16,463	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 18:04	LARGE	WLINGUN	16,474	16,475	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 18:03	LARGE	WLINGUN	16,486	16,487	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 18:02	LARGE	WLINGUN	16,498	16,499	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 18:01	LARGE	WLINGUN	16,510	16,511	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 18:00	LARGE	WLINGUN	16,522	16,523	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 17:59	LARGE	WLINGUN	16,534	16,535	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 17:58	LARGE	WLINGUN	16,548	16,549	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 17:57	LARGE	WLINGUN	16,558	16,559	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 17:56	LARGE	WLINGUN	16,570	16,571	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 17:55	LARGE	WLINGUN	16,582	16,583	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 17:54	LARGE	WLINGUN	16,594	16,595	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...

Stage: 15 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Jun-17 10:45	LARGE	WLINGUN	16,611	16,612	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:44	LARGE	WLINGUN	16,623	16,624	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:43	LARGE	WLINGUN	16,635	16,636	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:42	LARGE	WLINGUN	16,647	16,648	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:41	LARGE	WLINGUN	16,659	16,660	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:40	LARGE	WLINGUN	16,671	16,672	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:39	LARGE	WLINGUN	16,683	16,684	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:38	LARGE	WLINGUN	16,695	16,697	2	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:37	LARGE	WLINGUN	16,707	16,708	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:36	LARGE	WLINGUN	16,716	16,717	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:35	LARGE	WLINGUN	16,731	16,732	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 10:34	LARGE	WLINGUN	16,743	16,744	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...

Stage: 14 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Jun-17 06:17	LARGE	WLINGUN	16,760	16,761	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:16	LARGE	WLINGUN	16,772	16,773	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:15	LARGE	WLINGUN	16,784	16,785	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:14	LARGE	WLINGUN	16,796	16,797	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:13	LARGE	WLINGUN	16,808	16,809	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:12	LARGE	WLINGUN	16,820	16,821	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:11	LARGE	WLINGUN	16,832	16,833	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:10	LARGE	WLINGUN	16,844	16,845	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:09	LARGE	WLINGUN	16,856	16,857	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:08	LARGE	WLINGUN	16,868	16,869	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:07	LARGE	WLINGUN	16,880	16,881	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...
18-Jun-17 06:06	LARGE	WLINGUN	16,889	16,890	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EHI ...



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Perforation Information

Stage: 13 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Jun-17 01:35	LARGE	WLINGUN	16,909	16,910	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:34	LARGE	WLINGUN	16,921	16,922	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:33	LARGE	WLINGUN	16,930	16,931	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:32	LARGE	WLINGUN	16,945	16,946	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:31	LARGE	WLINGUN	16,957	16,958	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:30	LARGE	WLINGUN	16,969	16,970	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:29	LARGE	WLINGUN	16,981	16,982	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:28	LARGE	WLINGUN	16,993	16,994	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:27	LARGE	WLINGUN	17,005	17,006	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:26	LARGE	WLINGUN	17,015	17,016	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:25	LARGE	WLINGUN	17,029	17,030	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
18-Jun-17 01:24	LARGE	WLINGUN	17,041	17,042	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 12 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Jun-17 21:05	LARGE	WLINGUN	17,058	17,059	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 21:04	LARGE	WLINGUN	17,070	17,071	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 21:03	LARGE	WLINGUN	17,082	17,083	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 21:02	LARGE	WLINGUN	17,094	17,095	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 21:01	LARGE	WLINGUN	17,109	17,110	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 21:00	LARGE	WLINGUN	17,118	17,119	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 20:59	LARGE	WLINGUN	17,130	17,131	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 20:58	LARGE	WLINGUN	17,142	17,143	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 20:57	LARGE	WLINGUN	17,154	17,155	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 20:56	LARGE	WLINGUN	17,166	17,167	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 20:55	LARGE	WLINGUN	17,178	17,179	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 20:54	LARGE	WLINGUN	17,190	17,191	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 11 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Jun-17 16:07	LARGE	WLINGUN	17,207	17,208	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:06	LARGE	WLINGUN	17,219	17,220	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:05	LARGE	WLINGUN	17,231	17,232	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:04	LARGE	WLINGUN	17,243	17,244	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:03	LARGE	WLINGUN	17,255	17,256	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:02	LARGE	WLINGUN	17,267	17,268	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:01	LARGE	WLINGUN	17,278	17,279	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 16:00	LARGE	WLINGUN	17,291	17,292	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 15:59	LARGE	WLINGUN	17,303	17,304	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 15:58	LARGE	WLINGUN	17,315	17,316	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 15:57	LARGE	WLINGUN	17,327	17,328	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 15:56	LARGE	WLINGUN	17,339	17,340	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Perforation Information

Stage: 10 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Jun-17 11:25	LARGE	WLINGUN	17,356	17,357	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:24	LARGE	WLINGUN	17,371	17,372	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:23	LARGE	WLINGUN	17,380	17,381	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:22	LARGE	WLINGUN	17,392	17,393	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:21	LARGE	WLINGUN	17,404	17,405	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:20	LARGE	WLINGUN	17,416	17,417	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:19	LARGE	WLINGUN	17,428	17,429	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:18	LARGE	WLINGUN	17,440	17,441	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:17	LARGE	WLINGUN	17,450	17,451	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:16	LARGE	WLINGUN	17,464	17,465	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:15	LARGE	WLINGUN	17,476	17,477	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 11:14	LARGE	WLINGUN	17,485	17,486	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 9 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Jun-17 06:23	LARGE	WLINGUN	17,505	17,506	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:22	LARGE	WLINGUN	17,517	17,518	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:21	LARGE	WLINGUN	17,529	17,530	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:20	LARGE	WLINGUN	17,544	17,545	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:19	LARGE	WLINGUN	17,553	17,554	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:18	LARGE	WLINGUN	17,565	17,566	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:17	LARGE	WLINGUN	17,577	17,578	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:16	LARGE	WLINGUN	17,589	17,590	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:15	LARGE	WLINGUN	17,601	17,602	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:14	LARGE	WLINGUN	17,613	17,614	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:13	LARGE	WLINGUN	17,625	17,626	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 06:12	LARGE	WLINGUN	17,637	17,638	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 8 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Jun-17 01:50	LARGE	WLINGUN	17,654	17,655	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:49	LARGE	WLINGUN	17,666	17,667	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:48	LARGE	WLINGUN	17,678	17,679	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:47	LARGE	WLINGUN	17,690	17,691	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:46	LARGE	WLINGUN	17,702	17,703	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:45	LARGE	WLINGUN	17,712	17,713	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:44	LARGE	WLINGUN	17,726	17,727	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:43	LARGE	WLINGUN	17,738	17,739	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:42	LARGE	WLINGUN	17,750	17,751	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:41	LARGE	WLINGUN	17,763	17,764	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:40	LARGE	WLINGUN	17,774	17,775	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
17-Jun-17 01:39	LARGE	WLINGUN	17,786	17,787	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Perforation Information

Stage: 7 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Jun-17 18:35	LARGE	WLINGUN	17,806	17,807	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:34	LARGE	WLINGUN	17,815	17,816	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:33	LARGE	WLINGUN	17,827	17,828	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:32	LARGE	WLINGUN	17,839	17,840	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:31	LARGE	WLINGUN	17,851	17,852	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:30	LARGE	WLINGUN	17,863	17,864	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:29	LARGE	WLINGUN	17,875	17,876	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:28	LARGE	WLINGUN	17,887	17,888	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:27	LARGE	WLINGUN	17,899	17,900	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:26	LARGE	WLINGUN	17,911	17,912	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:25	LARGE	WLINGUN	17,923	17,924	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 18:24	LARGE	WLINGUN	17,935	17,936	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 6 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Jun-17 13:56	LARGE	WLINGUN	17,952	17,953	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:55	LARGE	WLINGUN	17,964	17,965	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:54	LARGE	WLINGUN	17,978	17,979	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:53	LARGE	WLINGUN	17,988	17,989	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:52	LARGE	WLINGUN	18,000	18,001	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:51	LARGE	WLINGUN	18,012	18,013	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:50	LARGE	WLINGUN	18,024	18,025	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:49	LARGE	WLINGUN	18,036	18,037	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:48	LARGE	WLINGUN	18,048	18,049	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:47	LARGE	WLINGUN	18,060	18,061	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:46	LARGE	WLINGUN	18,072	18,073	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 13:45	LARGE	WLINGUN	18,084	18,085	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 5 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Jun-17 09:06	LARGE	WLINGUN	18,101	18,102	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 09:05	LARGE	WLINGUN	18,113	18,114	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 09:04	LARGE	WLINGUN	18,125	18,126	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 09:03	LARGE	WLINGUN	18,137	18,138	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 09:02	LARGE	WLINGUN	18,146	18,147	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 09:01	LARGE	WLINGUN	18,161	18,162	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 09:00	LARGE	WLINGUN	18,173	18,174	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 08:59	LARGE	WLINGUN	18,185	18,186	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 08:58	LARGE	WLINGUN	18,197	18,198	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 08:57	LARGE	WLINGUN	18,209	18,210	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 08:56	LARGE	WLINGUN	18,221	18,222	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 08:55	LARGE	WLINGUN	18,230	18,231	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Perforation Information

Stage: 4 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Jun-17 02:55	LARGE	WLINGUN	18,250	18,251	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:54	LARGE	WLINGUN	18,262	18,263	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:53	LARGE	WLINGUN	18,274	18,275	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:52	LARGE	WLINGUN	18,286	18,287	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:51	LARGE	WLINGUN	18,298	18,299	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:50	LARGE	WLINGUN	18,310	18,311	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:49	LARGE	WLINGUN	18,320	18,321	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:48	LARGE	WLINGUN	18,334	18,335	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:47	LARGE	WLINGUN	18,346	18,347	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:46	LARGE	WLINGUN	18,358	18,359	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:45	LARGE	WLINGUN	18,372	18,373	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
16-Jun-17 02:44	LARGE	WLINGUN	18,382	18,383	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 3 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Jun-17 21:10	LARGE	WLINGUN	18,399	18,400	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:09	LARGE	WLINGUN	18,411	18,412	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:08	LARGE	WLINGUN	18,423	18,424	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:07	LARGE	WLINGUN	18,435	18,436	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:06	LARGE	WLINGUN	18,447	18,448	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:05	LARGE	WLINGUN	18,459	18,460	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:04	LARGE	WLINGUN	18,471	18,472	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:03	LARGE	WLINGUN	18,485	18,486	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:02	LARGE	WLINGUN	18,495	18,496	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:01	LARGE	WLINGUN	18,507	18,508	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 21:00	LARGE	WLINGUN	18,519	18,520	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 20:59	LARGE	WLINGUN	18,531	18,532	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...

Stage: 2 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Jun-17 15:35	LARGE	WLINGUN	18,548	18,549	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:34	LARGE	WLINGUN	18,560	18,561	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:33	LARGE	WLINGUN	18,572	18,573	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:32	LARGE	WLINGUN	18,584	18,585	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:31	LARGE	WLINGUN	18,596	18,597	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:30	LARGE	WLINGUN	18,608	18,609	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:29	LARGE	WLINGUN	18,620	18,621	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:28	LARGE	WLINGUN	18,632	18,633	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:27	LARGE	WLINGUN	18,644	18,645	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:26	LARGE	WLINGUN	18,656	18,657	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:25	LARGE	WLINGUN	18,668	18,669	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 15:24	LARGE	WLINGUN	18,680	18,681	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...



Daily Completion Report

Well ID: 42-383-39819

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9C 1207WA

Sect: 12 County: Reagan State: TX

Report No: 39

Report For 06:00 AM 19-Jun-17

Perforation Information

Stage: 1 of 17

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Jun-17 08:41	LARGE	WLINGUN	18,697	18,698	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:40	LARGE	WLINGUN	18,709	18,710	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:39	LARGE	WLINGUN	18,721	18,722	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:38	LARGE	WLINGUN	18,733	18,734	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:37	LARGE	WLINGUN	18,745	18,746	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:36	LARGE	WLINGUN	18,757	18,758	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:35	LARGE	WLINGUN	18,769	18,770	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:34	LARGE	WLINGUN	18,781	18,782	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:33	LARGE	WLINGUN	18,793	18,794	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:31	LARGE	WLINGUN	18,805	18,806	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
15-Jun-17 08:30	LARGE	WLINGUN	18,817	18,818	1	3.1/8" ; 4 SPF 90 DEG PHASED 0.38" EH ...
13-Jun-17 08:30	LARGE	TBGGUN	18,829	18,831	2	3 1/8"; 6 SPF 60 DEG PHASED; 0.48 EHC ...

Rig Information

Equipment Problems:

Location Condition:

Transport: