

25

*change TODAY Formula to next column

24

*change TODAY Formula to next column

23

PRESENT OPERATIONS @ REPORT TIME:			Run 5.5" production casing to 9,126' at report time	DAILY ACTIVITY
START	END	TOTAL		
6:00	13:30	7.50	Lay down drill pipe / 8,005' to surface	
13:30	14:00	0.50	Remove rotating head & install trip nipple	
14:00	15:30	1.50	Lay down directional tools	
15:30	16:00	0.50	Clean Floor	
16:00	16:30	0.50	Rig service	
16:30	19:30	3.00	PSJM with casing crew and rig up casing crew and southern connection	
19:30	22:30	2.50	1H with slave track with tin sub and s 1/2" - 20#, P110 Hc, GBGD to 2189	
22:00	22:30	0.50	Rig service Top Drive (leaking oil)	
22:30	6:00	7.50	Continue running casing to 9126'	

*change TODAY Formula to next column

[illegible][illegible]

Remarks:

Total Fuel used : 14,404
Total Fuel Delivered: 18,661
total mud fuel used: 48,396
Total mud fuel delivered: 54,586

P/U WT.:	120	lb. STR. WT.:	110	lb. S/O WT.:	100
MAX. ALLOW. PULL:					
250,000		lb.	DRILL PIPE:	5"	

BIT RECORD:				HYDRAULICS:		MUD RECORD @:		Catalyst	
NUMBER	5	PUMP No:	No. 1	No. 2	COMPANY:			0	\$ \$
SIZE in.	8.5	STROKE in.	12	12	DENSITY				
TYPE	U616S	LINER	5.5	5.5	VISCOSITY				
SERIAL No.	35666	S.P.M.			PV / YP				
JETS, 32nds	6x22s	RATE, G.P.M.			GEL STRENGTH				
W.O.B. lb.	40	PRESSURE, psi.			API FILTRATE				
	80	AVDOP, ft./min.			HTMP FILTRATE				
DEPTH OUT, ft.	17255	AVD/C, ft./min.			CAKE THICKNESS				
DEPTH IN, ft.	11791	JET VEL., ft./sec.			SOLIDS				
FOOTAGE	5464	BIT HHP.			QW RATIO				
HOURS	43.75	PUMP HHP.			SAND				
R.O.P., ft./hr.	126	E.C.D. ppg.			METHYLENE B.T.				
	1100				84				

				MUD ALKALINITY		
				FILTRATE ALKALINITY		
I.A.D.C. DULL GRADING: (BIT # 5)				Mud Pumps/Slow Pump Rates		CHLORIDE
TEETH:		PUMP #1:		Maximum-1600		TOTAL HARDNESS
E	O:	D:	Loc:	PUMP #2:		EXCESS LIME
BEARINGS:		B:		40	SPM @ 436	CALCIUM
GAUGE:		G:		S.P.R. - #2		MAGNESIUM
SFMARKS:		O:	R:	40	SPM @ 444	LCM (mbs)
				SFMARKS:		FILTRICAL STABILITY

Parameter	Unit	Value	Reference Value
LOW GRAVITY %	%		

DIESEL	ON-HAND:	6,190	Gal.	REC'D, LAST 24 HRS.:	4700
FUEL:	ON-HAND:	5,128	Gal.	REC'D, LAST 24 HRS.:	2500
ACCIDENTS:					
No accidents reported					
(Received 7,399 gal. of fuel & 5,430 gal. of mud diesel to University Orange 1042A)					

[illegible]

				LAST BOP TEST:		6/12/17	
CREWS SHORT:	None	Contact Number	432-260-2021		WEATHER:	Clear	
TROUPLISHER:	Marlin Thomas	SUPERVISOR:	Joseph Krieth / Mike Love		DATE:	6/22/2017	

22

*change TODAY Formula to next column

21

*change TODAY Formula to next column

20

*change TODAY Formula to next column

18

*change TODAY Formula to next column

13

*change TODAY Formula to next column

16

*change TODAY Formula to next column

15

*change TODAY Formula to next column

[illegible]

12

*change TODAY Formula to next column

[illegible]

11

*change TODAY Formula to next column

10

*change TODAY Formula to next column

9

*change TODAY Formula to next column

8

*change TODAY Formula to next column

7

*change TODAY Formula to next column

5

*change TODAY Formula to next column

4

*change TODAY Formula to next column

3

*change TODAY Formula to next column

1

*change TODAY Formula to next column