



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 65

Report For 06:00 AM 11-Nov-17

Operator: SEM OPERATING		Rig: NON RIG WORK		Well Bore: Original Well Bore		Daily Cost / Fluid (\$): 16,355 / 0			
Measured Depth (ft): 16531		Completion Days (act.): 32		Casing Head Elev (ft/hr):		AFE No.		AFE (\$)	Actual (\$)
Vertical Depth (ft): 8160		Completion Days (plan):		Tubing Head Elev (ft/hr):		041717		6,063,125	3,728,635
Plug Back MD (ft):		Days On Location: 61		Orig RKB Elev(ft):					
Plug Back TVD (ft)		Spud Date: 22-May-17		Last BOP Test: 20-Jul-17		Totals:		6,063,125	3,728,635
Last Casing: 5.50 at 16,526				Working Interest:		Well Cost (\$):		3,728,635	
Pers/Hrs:	Operator: 0 / 0	Contractor: 4 / 48	Service: 56 / 672	Other: 0 / 0	Total: 60 / 720				
Current Operations: PLUG AND PREF STAGE 24									
Planned Operations: PLUG & PERF STAGE FRAC									
Wellsite Supervisors: OMAR.MANCIAS. WILLS. THORNTON.. AVERY							Tel No.:		

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00	16,531	STIM	PLUG & PERF STAGE FRAC; STAGES 18 THRU 23 OF 33	

Management Summary

PLUG & PERF STAGE FRAC; STAGES 18 THRU 23 OF 33

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
041717	D & C a 7500' Lateral horizontal	6,063,125.00	0.00	240,812.79	16,355.00	3,728,634.83	61.50 %
Totals \$:		6,063,125.00	0.00	240,813.00	16,355.00	3,728,635.00	61.50 %

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	13.38	0		745				
FULL	9.63	0	0	7,522	7,460	40.00	J-55	
FULL	5.50	0	0	16,526	8,152	20.00	HCP-110	

Bit/BHA/Workstring Information

BHA - No. 7 - BIT, MMTR, UBHO, 2 NMDC, XO = 99.05

Perforation Information

Stage: 16 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 21:30	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,866	11,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,847	11,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,829	11,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,811	11,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,793	11,794	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,757	11,758	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,739	11,740	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,721	11,722	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 17:00	LARGE	WLINGUN	12,063	12,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	12,045	12,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	12,027	12,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	12,009	12,010	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,991	11,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,973	11,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,955	11,956	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,937	11,938	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,919	11,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,901	11,902	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 65

Report For 06:00 AM 11-Nov-17

Perforation Information

Stage: 14 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 12:50	LARGE	WLINGUN	12,081	12,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:49	LARGE	WLINGUN	12,099	12,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:48	LARGE	WLINGUN	12,117	12,118	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:47	LARGE	WLINGUN	12,135	12,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:46	LARGE	WLINGUN	12,153	12,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:45	LARGE	WLINGUN	12,171	12,172	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:44	LARGE	WLINGUN	12,189	12,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:43	LARGE	WLINGUN	12,207	12,208	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:42	LARGE	WLINGUN	12,225	12,226	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:41	LARGE	WLINGUN	12,243	12,244	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 08:45	LARGE	WLINGUN	12,261	12,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:44	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:43	LARGE	WLINGUN	12,297	12,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:42	LARGE	WLINGUN	12,315	12,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:41	LARGE	WLINGUN	12,333	12,334	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:40	LARGE	WLINGUN	12,351	12,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:39	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:38	LARGE	WLINGUN	12,387	12,388	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:37	LARGE	WLINGUN	12,405	12,406	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:36	LARGE	WLINGUN	12,423	12,424	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 12 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 04:30	LARGE	WLINGUN	12,603	12,604	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,585	12,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,567	12,568	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,549	12,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,531	12,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,513	12,514	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,495	12,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,477	12,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,459	12,460	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,441	12,442	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 00:38	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,744	12,745	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,729	12,730	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,711	12,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,693	12,694	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,675	12,676	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,657	12,658	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,639	12,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,621	12,622	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 65

Report For 06:00 AM 11-Nov-17

Perforation Information

Stage: 10 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Nov-17 20:30	LARGE	WLINGUN	12,963	12,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,943	12,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,927	12,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,909	12,910	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,891	12,892	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,873	12,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,837	12,838	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,817	12,818	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,801	12,802	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Nov-17 15:45	LARGE	WLINGUN	12,981	12,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:44	LARGE	WLINGUN	12,999	13,000	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:43	LARGE	WLINGUN	13,017	13,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:42	LARGE	WLINGUN	13,035	13,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:41	LARGE	WLINGUN	13,053	13,054	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:40	LARGE	WLINGUN	13,071	13,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:39	LARGE	WLINGUN	13,089	13,090	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:37	LARGE	WLINGUN	13,125	13,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:36	LARGE	WLINGUN	13,143	13,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Oct-17 09:39	LARGE	WLINGUN	13,161	13,162	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:38	LARGE	WLINGUN	13,179	13,180	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:37	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:36	LARGE	WLINGUN	13,215	13,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:35	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Oct-17 09:34	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Oct-17 09:33	LARGE	WLINGUN	13,269	13,270	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:32	LARGE	WLINGUN	13,287	13,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:30	LARGE	WLINGUN	13,305	13,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 06:31	LARGE	WLINGUN	13,323	13,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Oct-17 16:04	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:03	LARGE	WLINGUN	15,107	15,108	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:02	LARGE	WLINGUN	15,109	15,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:01	LARGE	WLINGUN	15,111	15,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:00	LARGE	WLINGUN	15,113	15,114	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 14:03	LARGE	WLINGUN	15,157	15,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 14:02	LARGE	WLINGUN	15,160	15,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 14:00	LARGE	WLINGUN	15,162	15,163	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 65

Report For 06:00 AM 11-Nov-17

Perforation Information

Stage: 7 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 22:05	LARGE	WLINGUN	15,185	15,186	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:04	LARGE	WLINGUN	15,203	15,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:03	LARGE	WLINGUN	15,221	15,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:02	LARGE	WLINGUN	15,239	15,240	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:01	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:00	LARGE	WLINGUN	15,275	15,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:59	LARGE	WLINGUN	15,293	15,294	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:58	LARGE	WLINGUN	15,311	15,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:57	LARGE	WLINGUN	15,329	15,330	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:56	LARGE	WLINGUN	15,347	15,348	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 17:10	LARGE	WLINGUN	15,365	15,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:09	LARGE	WLINGUN	15,383	15,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:08	LARGE	WLINGUN	15,401	15,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:07	LARGE	WLINGUN	15,419	15,420	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:06	LARGE	WLINGUN	15,437	15,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:05	LARGE	WLINGUN	15,455	15,456	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:04	LARGE	WLINGUN	15,473	15,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:03	LARGE	WLINGUN	15,491	15,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:02	LARGE	WLINGUN	15,509	15,510	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:01	LARGE	WLINGUN	15,527	15,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 5 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 12:20	LARGE	WLINGUN	15,707	15,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,689	15,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,671	15,672	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,653	15,654	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,633	15,634	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,617	15,618	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,599	15,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,581	15,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,563	15,564	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,545	15,546	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 07:30	LARGE	WLINGUN	15,887	15,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,869	15,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,851	15,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,833	15,834	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,815	15,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,797	15,798	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,779	15,780	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,761	15,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,730	15,731	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 65

Report For 06:00 AM 11-Nov-17

Perforation Information

Stage: 3 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Oct-17 22:05	LARGE	WLINGUN	15,908	15,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:04	LARGE	WLINGUN	15,923	15,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:03	LARGE	WLINGUN	15,941	15,942	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:02	LARGE	WLINGUN	15,959	15,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:01	LARGE	WLINGUN	15,977	15,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:00	LARGE	WLINGUN	15,992	15,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:59	LARGE	WLINGUN	16,013	16,014	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:58	LARGE	WLINGUN	16,031	16,032	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:57	LARGE	WLINGUN	16,049	16,050	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:56	LARGE	WLINGUN	16,067	16,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Oct-17 02:10	LARGE	WLINGUN	16,085	16,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:09	LARGE	WLINGUN	16,103	16,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:08	LARGE	WLINGUN	16,121	16,122	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:07	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:06	LARGE	WLINGUN	16,157	16,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:05	LARGE	WLINGUN	16,175	16,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:04	LARGE	WLINGUN	16,193	16,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:03	LARGE	WLINGUN	16,211	16,212	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:02	LARGE	WLINGUN	16,229	16,230	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:01	LARGE	WLINGUN	16,247	16,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 1 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Oct-17 15:30	LARGE	WLINGUN	16,427	16,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,409	16,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,391	16,392	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,373	16,374	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,355	16,356	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,337	16,338	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,319	16,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,301	16,302	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,283	16,284	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,265	16,266	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport: