



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Operator:	SEM OPERATING	Rig:	NON RIG WORK	Well Bore:	Original Well Bore	Daily Cost / Fluid (\$):	16,355 / 0
Measured Depth (ft):	16531	Completion Days (act.):	33	Casing Head Elev (ft/hr):		AFE No.	AFE (\$)
Vertical Depth (ft):	8160	Completion Days (plan):		Tubing Head Elev (ft/hr):		041717	6,063,125
Plug Back MD (ft):		Days On Location:	62	Orig RKB Elev(ft):			
Plug Back TVD (ft)		Spud Date:	22-May-17	Last BOP Test:	20-Jul-17	Totals:	6,063,125
Last Casing:	5.50 at 16,526			Working Interest:		Well Cost (\$):	3,744,990
Pers/Hrs:	Operator: 0 / 0	Contractor:	4 / 48	Service:	56 / 672	Other:	0 / 0
						Total:	60 / 720

Current Operations: FRAC STAGE 30

Planned Operations: PLUG & PERF STAGE FRAC

Wellsite Supervisors: OMAR,MANCIAS, WILLS, THORNTON,, AVERY

Tel No.:

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00	16,531	STIM	PLUG & PERF STAGE FRAC; STAGES 24 THRU 29 OF 33	

Management Summary

PLUG & PERF STAGE FRAC; STAGES 24 THRU 29 OF 33

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
041717	D & C a 7500' Lateral horizontal	6,063,125.00	0.00	240,812.79	16,355.00	3,744,989.83	61.77 %
Totals \$:		6,063,125.00	0.00	240,813.00	16,355.00	3,744,990.00	61.77 %

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	13.38	0		745				
FULL	9.63	0	0	7,522	7,460	40.00	J-55	
FULL	5.50	0	0	16,526	8,152	20.00	HCP-110	

Bit/BHA/Workstring Information

BHA - No. 7 - BIT, MMTR, UBHO, 2 NMDC, XO = 99.05

Perforation Information

Stage: 22 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Nov-17 23:30	LARGE	WLINGUN	10,803	10,804	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,785	10,786	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,767	10,768	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,749	10,750	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,731	10,732	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,713	10,714	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,695	10,696	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,677	10,678	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,659	10,660	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 23:30	LARGE	WLINGUN	10,641	10,642	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 21 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Nov-17 20:00	LARGE	WLINGUN	10,983	10,984	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,965	10,966	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,947	10,948	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,929	10,930	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,911	10,912	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,893	10,894	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,875	10,876	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,857	10,858	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,839	10,840	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 20:00	LARGE	WLINGUN	10,821	10,822	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Perforation Information

Stage: 20 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Nov-17 14:28	LARGE	WLINGUN	11,001	11,002	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:27	LARGE	WLINGUN	11,019	11,020	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:26	LARGE	WLINGUN	11,037	11,038	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:25	LARGE	WLINGUN	11,055	11,056	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:24	LARGE	WLINGUN	11,073	11,074	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:23	LARGE	WLINGUN	11,091	11,092	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:22	LARGE	WLINGUN	11,109	11,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:21	LARGE	WLINGUN	11,127	11,128	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:20	LARGE	WLINGUN	11,144	11,145	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 14:19	LARGE	WLINGUN	11,163	11,164	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 19 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Nov-17 10:25	LARGE	WLINGUN	11,181	11,182	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:24	LARGE	WLINGUN	11,199	11,200	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:23	LARGE	WLINGUN	11,217	11,218	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:22	LARGE	WLINGUN	11,233	11,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:21	LARGE	WLINGUN	11,253	11,254	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:20	LARGE	WLINGUN	11,271	11,272	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:19	LARGE	WLINGUN	11,289	11,290	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:18	LARGE	WLINGUN	11,307	11,308	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:17	LARGE	WLINGUN	11,323	11,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 10:16	LARGE	WLINGUN	11,343	11,344	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 18 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Nov-17 05:10	LARGE	WLINGUN	11,361	11,362	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:09	LARGE	WLINGUN	11,379	11,380	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:08	LARGE	WLINGUN	11,397	11,398	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:07	LARGE	WLINGUN	11,417	11,418	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:06	LARGE	WLINGUN	11,433	11,434	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:05	LARGE	WLINGUN	11,451	11,452	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:04	LARGE	WLINGUN	11,469	11,470	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:03	LARGE	WLINGUN	11,487	11,488	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:02	LARGE	WLINGUN	11,507	11,508	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 05:01	LARGE	WLINGUN	11,523	11,524	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 17 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Nov-17 01:05	LARGE	WLINGUN	11,703	11,704	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,686	11,687	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,667	11,668	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,649	11,650	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,631	11,632	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,613	11,614	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,597	11,598	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,577	11,578	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,559	11,560	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
11-Nov-17 01:05	LARGE	WLINGUN	11,541	11,542	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Perforation Information

Stage: 16 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 21:30	LARGE	WLINGUN	11,883	11,884	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,866	11,867	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,847	11,848	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,829	11,830	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,811	11,812	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,793	11,794	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,776	11,777	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,757	11,758	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,739	11,740	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 21:30	LARGE	WLINGUN	11,721	11,722	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 15 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 17:00	LARGE	WLINGUN	12,063	12,064	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	12,045	12,046	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	12,027	12,028	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	12,009	12,010	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,991	11,992	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,973	11,974	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,955	11,956	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,937	11,938	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,919	11,920	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 17:00	LARGE	WLINGUN	11,901	11,902	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 14 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 12:50	LARGE	WLINGUN	12,081	12,082	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:49	LARGE	WLINGUN	12,099	12,100	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:48	LARGE	WLINGUN	12,117	12,118	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:47	LARGE	WLINGUN	12,135	12,136	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:46	LARGE	WLINGUN	12,153	12,154	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:45	LARGE	WLINGUN	12,171	12,172	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:44	LARGE	WLINGUN	12,189	12,190	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:43	LARGE	WLINGUN	12,207	12,208	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:42	LARGE	WLINGUN	12,225	12,226	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 12:41	LARGE	WLINGUN	12,243	12,244	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 13 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 08:45	LARGE	WLINGUN	12,261	12,262	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:44	LARGE	WLINGUN	12,279	12,280	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:43	LARGE	WLINGUN	12,297	12,298	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:42	LARGE	WLINGUN	12,315	12,316	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:41	LARGE	WLINGUN	12,333	12,334	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:40	LARGE	WLINGUN	12,351	12,352	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:39	LARGE	WLINGUN	12,369	12,370	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:38	LARGE	WLINGUN	12,387	12,388	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:37	LARGE	WLINGUN	12,405	12,406	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 08:36	LARGE	WLINGUN	12,423	12,424	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Perforation Information

Stage: 12 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 04:30	LARGE	WLINGUN	12,603	12,604	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,585	12,586	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,567	12,568	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,549	12,550	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,531	12,532	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,513	12,514	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,495	12,496	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,477	12,478	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,459	12,460	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 04:30	LARGE	WLINGUN	12,441	12,442	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 11 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
10-Nov-17 00:38	LARGE	WLINGUN	12,780	12,781	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,765	12,766	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,744	12,745	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,729	12,730	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,711	12,712	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,693	12,694	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,675	12,676	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,657	12,658	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,639	12,640	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
10-Nov-17 00:38	LARGE	WLINGUN	12,621	12,622	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 10 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Nov-17 20:30	LARGE	WLINGUN	12,963	12,964	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,943	12,944	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,927	12,928	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,909	12,910	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,891	12,892	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,873	12,874	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,855	12,856	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,837	12,838	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,817	12,818	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 20:30	LARGE	WLINGUN	12,801	12,802	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 9 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Nov-17 15:45	LARGE	WLINGUN	12,981	12,982	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:44	LARGE	WLINGUN	12,999	13,000	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:43	LARGE	WLINGUN	13,017	13,018	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:42	LARGE	WLINGUN	13,035	13,036	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:41	LARGE	WLINGUN	13,053	13,054	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:40	LARGE	WLINGUN	13,071	13,072	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:39	LARGE	WLINGUN	13,089	13,090	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:37	LARGE	WLINGUN	13,125	13,126	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
09-Nov-17 15:36	LARGE	WLINGUN	13,143	13,144	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Perforation Information

Stage: 8 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Oct-17 09:39	LARGE	WLINGUN	13,161	13,162	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:38	LARGE	WLINGUN	13,179	13,180	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:37	LARGE	WLINGUN	13,197	13,198	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:36	LARGE	WLINGUN	13,215	13,216	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:35	LARGE	WLINGUN	13,233	13,234	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Oct-17 09:34	LARGE	WLINGUN	13,251	13,252	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 8 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Oct-17 09:33	LARGE	WLINGUN	13,269	13,270	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:32	LARGE	WLINGUN	13,287	13,288	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 09:30	LARGE	WLINGUN	13,305	13,306	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
27-Oct-17 06:31	LARGE	WLINGUN	13,323	13,324	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Oct-17 16:04	LARGE	WLINGUN	15,105	15,106	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:03	LARGE	WLINGUN	15,107	15,108	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:02	LARGE	WLINGUN	15,109	15,110	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:01	LARGE	WLINGUN	15,111	15,112	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 16:00	LARGE	WLINGUN	15,113	15,114	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 14:03	LARGE	WLINGUN	15,157	15,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 14:02	LARGE	WLINGUN	15,160	15,161	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
26-Oct-17 14:00	LARGE	WLINGUN	15,162	15,163	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 7 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 22:05	LARGE	WLINGUN	15,185	15,186	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:04	LARGE	WLINGUN	15,203	15,204	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:03	LARGE	WLINGUN	15,221	15,222	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:02	LARGE	WLINGUN	15,239	15,240	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:01	LARGE	WLINGUN	15,257	15,258	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 22:00	LARGE	WLINGUN	15,275	15,276	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:59	LARGE	WLINGUN	15,293	15,294	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:58	LARGE	WLINGUN	15,311	15,312	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:57	LARGE	WLINGUN	15,329	15,330	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 21:56	LARGE	WLINGUN	15,347	15,348	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 6 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 17:10	LARGE	WLINGUN	15,365	15,366	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:09	LARGE	WLINGUN	15,383	15,384	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:08	LARGE	WLINGUN	15,401	15,402	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:07	LARGE	WLINGUN	15,419	15,420	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:06	LARGE	WLINGUN	15,437	15,438	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:05	LARGE	WLINGUN	15,455	15,456	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:04	LARGE	WLINGUN	15,473	15,474	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:03	LARGE	WLINGUN	15,491	15,492	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:02	LARGE	WLINGUN	15,509	15,510	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 17:01	LARGE	WLINGUN	15,527	15,528	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Perforation Information

Stage: 5 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 12:20	LARGE	WLINGUN	15,707	15,708	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,689	15,690	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,671	15,672	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,653	15,654	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,633	15,634	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,617	15,618	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,599	15,600	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,581	15,582	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,563	15,564	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 12:20	LARGE	WLINGUN	15,545	15,546	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 4 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Oct-17 07:30	LARGE	WLINGUN	15,887	15,888	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,869	15,870	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,851	15,852	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,833	15,834	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,815	15,816	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,797	15,798	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,779	15,780	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,761	15,762	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,743	15,744	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
15-Oct-17 07:30	LARGE	WLINGUN	15,730	15,731	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 3 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Oct-17 22:05	LARGE	WLINGUN	15,908	15,909	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:04	LARGE	WLINGUN	15,923	15,924	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:03	LARGE	WLINGUN	15,941	15,942	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:02	LARGE	WLINGUN	15,959	15,960	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:01	LARGE	WLINGUN	15,977	15,978	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 22:00	LARGE	WLINGUN	15,992	15,993	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:59	LARGE	WLINGUN	16,013	16,014	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:58	LARGE	WLINGUN	16,031	16,032	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:57	LARGE	WLINGUN	16,049	16,050	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 21:56	LARGE	WLINGUN	16,067	16,068	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Stage: 2 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Oct-17 02:10	LARGE	WLINGUN	16,085	16,086	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:09	LARGE	WLINGUN	16,103	16,104	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:08	LARGE	WLINGUN	16,121	16,122	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:07	LARGE	WLINGUN	16,139	16,140	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:06	LARGE	WLINGUN	16,157	16,158	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:05	LARGE	WLINGUN	16,175	16,176	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:04	LARGE	WLINGUN	16,193	16,194	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:03	LARGE	WLINGUN	16,211	16,212	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:02	LARGE	WLINGUN	16,229	16,230	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
14-Oct-17 02:01	LARGE	WLINGUN	16,247	16,248	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...



Daily Completion Report

Well ID: 42-383-39869

Field: Impossible

SEM Operating Company, LLC

Well Name: University 9 2902WB

Sect: 29 County: Reagan State: TX

Report No: 66

Report For 06:00 AM 12-Nov-17

Perforation Information

Stage: 1 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Oct-17 15:30	LARGE	WLINGUN	16,427	16,428	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,409	16,410	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,391	16,392	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,373	16,374	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,355	16,356	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,337	16,338	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,319	16,320	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,301	16,302	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,283	16,284	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...
13-Oct-17 15:30	LARGE	WLINGUN	16,265	16,266	1	3 1/8"; 4 SPF 90 DEG PHASED; 0.42" EH ...

Rig Information

Equipment Problems:

Location Condition:

Transport: